



ΤΙΜΟΚΑΤΑΛΟΓΟΣ 2026

Hanna Instruments Ελλάς

Ισχύει από 01/01/2026

2026 Pricelist

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
CODE	Description	EURO Price 2026
BL1.5-2	BlackStone Series Dosing Pump, 1.5 lph (0.4 gph) @13 bar (188.5 psi), 220V	248 €
BL100-00	Pool Line pH controller and dosing pump with HI10053 pH probe	494 €
BL100-10	Pool Line pH controller and dosing pump with HI10053 pH probe, injection valve fitting and tubing	615 €
BL100-20	Pool Line pH controller and dosing pump with HI10053 pH probe, panel mounted flow cell, fittings and tubing	740 €
BL100-300	Peristaltic pump tubing kit	39 €
BL100-302	Pump cover with screw	8 €
BL100-400	Probe Adapter kit (contains adapter, fixing nut, O-ring	21 €
BL100-421	Flow cell panel using BL120-410 Flow cell	189 €
BL101-00	Pool Line ORP controller and dosing pump with HI20083 ORP probe	494 €
BL101-10	Pool Line ORP controller and dosing pump with HI20083 ORP probe, injection valve fitting and tubing	615 €
BL101-20	Pool Line ORP controller and dosing pump with HI20083 ORP probe, panel mounted flow cell, fittings and tubing	740 €
BL10-2	BlackStone Series Dosing Pump, 10.8 lph (2.9 gph) @ 3 bar (43.5 psi), 220V	248 €
BL120-10	pH/ORP/Temperature pool controller, no analog outputs, 115/230V	1.610 €
BL120-150	Fittings Kit for 50 mm pipe diameter (saddle for injectors-2 pcs, saddle for probe-1pc)	49 €
BL120-163	Fittings Kit for 63 mm pipe diameter (saddle for injectors-2 pcs, saddle for probe-1 pc)	71 €
BL120-175	Fittings Kit for 75 mm pipe diameter (saddle for injectors-2 pcs, saddle for probe-1 pc)	71 €
BL120-20	pH/ORP/Temperature pool controller with flow cell mounted on panel, no analog outputs, 115/230V	1.930 €
BL120-200	Aspiration filter	22 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
BL120-201	Injector, 1/2" thread	23 €
BL120-202	Aspiration and dispensing tubing (10 m)	17 €
BL120-203	Aspiration filter weight for BL12X pH/ORP/temperature pool controllers	49 €
BL120-204	Aspiration PVC tubing (100 m)	156 €
BL120-205	Injection PE tubing (100 m)	171 €
BL120-206	Set of O-Rings for BL120-201 Injector (100 pcs)	104 €
BL120-250	Injector saddle for 50 mm pipe diameter, 1/2" thread	23 €
BL120-263	Injector saddle for 63 mm pipe diameter, 1/2" thread	27 €
BL120-275	Injector saddle for 75 mm pipe diameter, 1/2" thread	32 €
BL120-300	Pool controller peristaltic pump tubing Kit (2 pcs)	40 €
BL120-301	Peristaltic pump rotor	38 €
BL120-302	Pool controller pump cover with screw	8 €
BL120-400	Flow cell probe adapter Kit (O-ring, nut, adapter)	84 €
BL120-401	Flow cell Valve	18 €
BL120-402	Flow cell tubing (10 m)	33 €
BL120-410	Flow cell	228 €
BL120-411	Flow cell panel spare part	184 €
BL120-450	Flow cell Kit for 50 mm pipe diameter	374 €
BL120-463	Flow cell Kit for 63 mm pipe diameter	374 €
BL120-475	Flow cell Kit for 75 mm pipe diameter	374 €
BL120-500	Probe fitting Kit (O-ring, nut, adapter)	85 €
BL120-501	Protective saddle cap, 1-1/4" thread	19 €
BL120-550	Probe saddle for 50 mm pipe diameter, 1-1/4" thread	30 €
BL120-563	Probe saddle for 63 mm pipe diameter, 1-1/4" thread	28 €
BL120-575	Probe saddle for 75 mm pipe diameter, 1-1/4" thread	29 €
BL120-601	Plastic nipple 2x1/2" with O-Rings	13 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
BL120-602	Metal nipple 12 x 1/2"	39 €
BL120-603	Elbow for calibration glass of BL121	39 €
BL120-604	O-ring for glass calibration of BL121	9 €
BL120-605	Metal Nipple 12X1/4' for BL120-410 Flowcell	26 €
BL120-901	BL121 Simulator	396 €
BL120-902	USB protective CAP	7 €
BL120-903	Cable gland protective Kit (6 pcs)	9 €
BL121-10	pH/ORP/Temperature pool controller with analog outputs, 115/230V	1.710 €
BL121-20	pH/ORP/Temperature pool controller with flow cell mounted on panel with analog outputs, 115/230V	2.020 €
BL122-10	pH/ORP/Temperature pool controller with ethernet for remote cloud monitoring, no analog outputs, 115/230V	1.960 €
BL122-20	Panel mounted flow cell pH/ORP/Temperature pool controller with ethernet for remote cloud monitoring, no analog outputs, 115/230V	2.270 €
BL123-10	pH/ORP/Temperature pool controller with ethernet for remote cloud monitoring and analog outputs, 115/230V	2.060 €
BL123-20	Panel mounted flow cell pH/ORP/Temperature pool controller with ethernet for remote cloud monitoring and analog outputs, 115/230V	2.380 €
BL123-70	Swimming pools/SPAs maintenance and calibration kit for pH and ORP electrodes	10 €
BL123-70-30	Swimming pools/SPAs maintenance and calibration kit for pH and ORP electrodes 30 pcs/pack	282 €
BL130-300	Pool Controller Peristaltic Pump Tubing Kit for BL131, BL132 (2 pcs.)	40 €
BL130-301	Peristaltic Pump Rotor for BL131, BL132	38 €
BL130-411	Flow Cell Panel Accessory for BL132	184 €
BL130-900	Ambient Temperature Probe for BL131, BL132 with 1 meter Cable	101 €
BL130-901	BL131, BL132 Simulator	396 €
BL131-10	pH/ORP/Temperature pool controller with external dosing and analog outputs, 115/230V	1.870 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
BL131-20	pH/ORP/Temperature pool controller with external dosing, flow cell mounted on panel and analog outputs, 115/230V	2.170 €
BL132-10	pH/ORP/Temperature pool controller with external dosing and remote cloud connectivity, 115/230V	2.170 €
BL132-20	pH/ORP/Temperature pool controller with external dosing, flow cell mounted on panel and remote cloud connectivity, 115/230V	2.480 €
BL15-2	BlackStone Series Dosing Pump, 15.2 lph (4.0 gph)@ 1 bar (14.5 psi), 220V	248 €
BL20-2	BlackStone Series Dosing Pump, 18.3 lph (4.8 gph) @ 0.5 bar (7.4 psi), 220V	248 €
BL3-2	BlackStone Series Dosing Pump, 2.9 lph (0.8 gph) @ 8 bar (116 psi), 220V	248 €
BL5-2	BlackStone Series Dosing Pump, 5.0 lph (1.3 gph) @ 7 bar (101.5 psi), 220V	248 €
BL7-2	BlackStone Series Dosing Pump, 7.6 lph (2.0 gph) @ 3 bar (43.5 psi), 220V	248 €
BL7916-2	pH Controller and Pump, range: 0.00 to 14.00 pH, 220/240V $\pm 15\%$; 50/60Hz (40W) power supply	995 €
BL7917-2	ORP Controller and Pump, range: +/-1999 mV, 220/240V $\pm 15\%$; 50/60Hz (40W) power supply	995 €
BL931700-0	pH Mini Controller, 0.01 resolution, 4-20 MA recorder output, 12VDC	353 €
BL931700-1	pH Mini Controller, 0.01 resolution, 4-20 MA recorder output, 115V/230V	353 €
BL932700-0	ORP Mini Controller, range: -1000 to +1000 mV, 4-20 MA recorder output, 12VDC	353 €
BL932700-1	ORP Mini Controller, range: -1000 to +1000 mV, 4-20 MA recorder output, 115V/230V	353 €
BL981411-0	pH Mini Controller, 0.1 resolution, 12VDC	238 €
BL981411-1	pH Mini Controller, 0.1 resolution, 115V/230V	238 €
BL982411-0	ORP Mini Controller, range: 0 to 1000 mV, 12VDC	238 €
BL982411-1	ORP Mini Controller, range: 0 to 1000 mV, 115V/230V	238 €
BL983313-0	Conductivity Mini Controller, range: 0 to 1999 $\mu\text{S/cm}$, dosing relay: contact closed when reading exceeds setpoint value, 12VDC	238 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
BL983313-1	Conductivity Mini Controller, range: 0 to 1999 μ S/cm, dosing relay: contact closed when reading exceeds setpoint value, 115V/230V	238 €
BL983313-2	Conductivity Mini Controller, Range: 0 to 1999 μ S/cm, Dosing Relay: Contact Closed when Reading exceeds Setpoint Value, 4-20 mA Output, 115V/230V	260 €
BL983314-0	Resistivity Mini Controller, range: 0.00 to 19.90 M Ω /cm, dosing relay: contact closed when reading falls below setpoint value, 12VDC	426 €
BL983314-1	Resistivity Mini Controller, range: 0.00 to 19.90 M Ω /cm, dosing relay: contact closed when reading falls below setpoint value, 115V/230V	426 €
BL983315-0	TDS Mini Controller, range: 0.0 to 199.9 mg/L (ppm), dosing relay: contact closed when reading exceeds setpoint value, 12VDC	238 €
BL983315-1	TDS Mini Controller, range: 0.0 to 199.9 mg/L (ppm) , dosing relay: contact closed when reading exceeds setpoint value, 115V/230V	238 €
BL983315-2	TDS Mini Controller, Range: 0.0 to 199.9 mg/L (ppm), Dosing Relay: Contact Closed when Reading Exceeds Setpoint Value, 4-20 mA Output, 115V/230V	260 €
BL983317-0	Conductivity Mini Controller, range: 0.00 to 10.00 mS/cm, dosing relay: contact closed when reading falls below setpoint value, 12VDC	238 €
BL983317-1	Conductivity Mini Controller, range: 0.00 to 10.00 mS/cm, dosing relay: contact closed when reading falls below setpoint value , 115V/230V	238 €
BL983317-2	Conductivity Mini Controller, Range: 0.00 to 10.00 mS/cm, Dosing Relay: Contact Closed when Reading falls below Setpoint Value, 4-20 mA Output, 115V/230V	260 €
BL983318-0	TDS Mini Controllers, range: 0.00 to 10.00 ppt, dosing relay: contact closed when reading exceeds setpoint value, 12VDC	238 €
BL983318-1	TDS Mini Controllers, range: 0.00 to 10.00 ppt, dosing relay: contact closed when reading exceeds setpoint value, 115V/230V	238 €
BL983319-0	TDS Mini Controller, range: 0 to 1999 mg/L (ppm), dosing relay: contact closed when reading falls below setpoint value, 12VDC	238 €
BL983319-1	TDS Mini Controller, range: 0 to 1999 mg/L (ppm), dosing relay: contact closed when reading falls below setpoint value, 115V/230V	238 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
BL983319-2	TDS Mini Controller, Range: 0 to 1999 mg/L (ppm), Dosing Relay: Contact Closed when Reading falls below Setpoint Value, 4-20 mA Output, 115V/230V	260 €
BL983320-0	Conductivity Mini Controller, range: 0.0 to 199.9 μ S/cm, dosing relay: contact closed when reading exceeds setpoint value, 12VDC	238 €
BL983320-1	Conductivity Mini Controller, range: 0.0 to 199.9 μ S/cm, dosing relay: contact closed when reading exceeds setpoint value, 115V/230V	238 €
BL983320-2	Conductivity Mini Controller, Range: 0.0 to 199.9 μ S/cm, Dosing Relay: Contact closed when Reading exceeds Setpoint Value, 4-20 mA Output, 115V/230V	260 €
BL983321-0	TDS Mini Controller, range: 0.00 to 19.99 mg/L (ppm), dosing relay: contact closed when reading exceeds setpoint value, 12VDC	238 €
BL983321-1	TDS Mini Controller, range: 0.00 to 19.99 mg/L (ppm), dosing relay: contact closed when reading exceeds setpoint value, 115V/230V	238 €
BL983322-0	Conductivity Mini Controller, range: 0.00 to 19.99 μ S/cm, dosing relay: contact closed when reading exceeds setpoint value, 12VDC	238 €
BL983322-1	Conductivity Mini Controller, range: 0.00 to 19.99 μ S/cm, dosing relay: contact closed when reading exceeds setpoint value, 115V/230V	238 €
BL983322-2	Conductivity Mini Controller, Range: 0.00 to 19.99 μ S/cm, Dosing Relay: Contact closed when Reading exceeds Setpoint Value, 4-20 mA Output, 115V/230V	260 €
BL983324-0	TDS Mini Controller; range: 0.0 to 49.9 mg/L (ppm), dosing relay: contact closed when reading exceeds setpoint value, 12VDC	238 €
BL983324-1	TDS Mini Controller, range: 0.0 to 49.9 mg/L (ppm), dosing relay: contact closed when reading exceeds setpoint value, 115V/230V	238 €
BL983327-0	Conductivity Mini Controller, range: 0.00 to 10.00 mS/cm, dosing relay: contact closed when reading exceeds setpoint value, 12VDC	238 €
BL983327-1	Conductivity Mini Controller, range: 0.00 to 10.00 mS/cm, dosing relay: contact closed when reading exceeds setpoint value, 115V/230V	238 €
BL983327-2	Conductivity Mini Controller, Range: 0.00 to 10.00 mS/cm, Dosing Relay: Contact Closed when Reading exceeds Setpoint Value, 4-20 mA Output, 115V/230V	260 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
BL983329-0	TDS Mini Controller, range: 0 to 999mg/L (ppm), dosing relay: contact closed when reading exceeds setpoint value, 12VDC	238 €
BL983329-1	TDS Mini Controller, range: 0 to 999 mg/L (ppm), dosing relay: contact closed when reading exceeds setpoint value, 115V/230V	238 €
BL983329-2	TDS Mini Controller, Range: 0 to 999 mg/L (ppm), Dosing Relay: Contact Closed when Reading exceeds Setpoint Value, 4-20 mA Output, 115V/230V	260 €
FC096	Handle and Stainless-Steel Blade for FC2023 pH Electrode Accessories	232 €
FC097	Stainless Steel Blade for Meat pH Testers, Compatible with HI9810452 and HI981045	105 €
FC098	Blade, stainless steel for meat pH electrode, 20 mm (0.8")	216 €
FC099	Blade, stainless steel for meat pH electrode, 35 mm (1.4")	224 €
FC100B	PVDF Body Refillable Foodcare pH Electrode for Dairy Products	195 €
FC1013	pH/temperature electrode for milk with quick connect DIN connector, PVDF body, refillable	214 €
FC10483	Wine Juice & Must Clogging Prevention System (CPS™) pH electrode with quick connect DIN connector	274 €
FC200B	PVDF Body Foodcare pH Electrode for Dairy Products and Semi-Solid Foods	225 €
FC200B/1.5	PVDF Body Foodcare pH Electrode for Dairy Products and Semi-Solid Foods with BNC connector and 1.5 m cable	230 €
FC200B/2.5	PVDF Body Foodcare pH Electrode for Dairy Products and Semi-Solid Foods with BNC connector and 2.5 m cable	237 €
FC200B/3	PVDF Body Foodcare pH Electrode for Dairy Products and Semi-Solid Foods with BNC connector and 3 m cable	242 €
FC200D	PVDF Body Foodcare pH Electrode for Dairy Products and Semi-Solid Foods	225 €
FC200S	pH electrode; Use for milk, yogurt, dairy products, and semi solid foods, BNC connector, 1 mt cable	235 €
FC2020	Digital PVDF Body Foodcare pH Electrode for Dairy Products	254 €
FC2022	HALO Foodcare pH Electrode with Bluetooth®	284 €
FC2023	Foodcare pH Electrode for Dairy Products and Semi-Solid Foods with Quick Connect DIN Connector	248 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
FC202D	Foodcare pH Electrode for Dairy Products and Semi-Solid Foods with DIN Connector	239 €
FC2053	Foodcare pH electrode with replaceble gel bridge electrolyte	267 €
FC2100	Digital Glass Body Foodcare pH Electrode for Dairy Products	265 €
FC210B	Foodcare pH Electrode for Yogurt and Creams with BNC Connector	252 €
FC210Y	Foodcare pH / Temperature Electrode for Dairy Products, Conical tip with BNC and RCA Connector	297 €
FC2133	pH/temperature electrode for yogurt with quick connect DIN connector, glass body, gel filled	270 €
FC2142	HALO - glass pH/temperature electrode for beer testing, with high temperature glass	334 €
FC2143	pH Electrode for Beer Analysis	225 €
FC214D	pH Electrode for Beer Analysis	225 €
FC2153	Portable Drinking Water pH meter with high flow rate pH electrode and quick connect DIN connector	225 €
FC215D	Low Ionic strength water pH electrode	225 €
FC2163	Foodcare pH / Temperature Electrode for Dairy Products, Conical tip High Temperature with Quick Connect DIN Connector	281 €
FC220B	Glass Body Foodcare pH Electrode for Creams, Sauces and Fruit Juices with BNC Connector	258 €
FC230B	Foodcare pH Electrode for Meat and Semi-Frozen Products with BNC Connector	293 €
FC2320	Digital PVDF Body Foodcare pH Electrode for Meat Products	306 €
FC2323	Foodcare pH Electrode for Meat Products with Quick Connect DIN Connector	306 €
FC232D	Foodcare pH Electrode for Meat Products with DIN Connector	306 €
FC240B	Foodcare pH Electrode with Small Diameter Stainless Steel Body and BNC Connector	334 €
FC2423	pH/temperature electrode for cheese with quick connect DIN connector, stainless steel body, gel filled	349 €
FC2423-1	pH/temperature electrode for milk&cheese; with quick connect DIN connector, 1m titanium body, conical tip, single junction, viscolene electrolyte	480 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
FC242D	HI99165 replacement pH/temperature electrode for cheese with DIN connector, stainless steel body, gel filled	349 €
FC250B	Combination pH electrode with long thin body; Use for dairy products, and semi mature cheese, BNC connector	416 €
FC260B	Foodcare pH Half-Cell Electrode with BNC Connector	174 €
FC300B	Sodium Combination Ion Selective Electrode	352 €
FC301B	Solid-state, half-cell ion selective electrode for fluoride	690 €
FC400B	Foodcare pH Electrode for Meat Products with BNC Connector	228 €
FC762N2	Thermistor probe with 1m stainless steel body and 2m PVC cable for tanks, vessels, and vats	95 €
FC762PW	Foodcare thermistor penetration probe	48 €
FC762W1/2	Thermistor wire stainless steel probe with 2m PVC insulated cable	48 €
FC766C1	Ultrafast K-type thermocouple probe	48 €
FC766EX	Extension cable for K-type thermocouple probes 1 m (3.3')	55 €
FC766F/1	K-type thermocouple wire probe with 1m fiberglass insulated cable and exposed sensor	26 €
FC766F/10	K-type thermocouple wire probe with 10m fiberglass insulated cable and exposed sensor	57 €
FC766F/20	K-type thermocouple wire probe with 20m fiberglass insulated cable and exposed sensor	88 €
FC766F/3	K-type thermocouple wire probe with 3m fiberglass insulated cable and exposed sensor	32 €
FC766F/5	K-type thermocouple wire probe with 5m fiberglass insulated cable and exposed sensor	37 €
FC766HD	Probe handle with PVC, 3.3' (1m) cable with male K-thermocouple connector	55 €
FC766PC1	K-type thermocouple mineral insulated stainless steel 100 mm probe with exposed sensor	26 €
FC766PW	Foodcare K type thermocouple penetration probe	37 €
FC766T/1	K-type thermocouple wire probe with 1m PTFE cable - exposed wire sensor	33 €
FC766T/10	K-type thermocouple wire probe with 10m PTFE cable - exposed wire sensor	66 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
FC766T/3	K-type thermocouple wire probe with 3m PTFE cable - exposed wire sensor	39 €
FC766T/5	K-type thermocouple wire probe with 5m PTFE cable - exposed wire sensor	48 €
FC766T/7	K-type thermocouple wire probe with 7m PTFE cable - exposed wire sensor	55 €
FC766TS10	K-type thermocouple with 2m coiled PVC cable and 6 mm x 1000 mm probe	121 €
FC766TS14	K-type thermocouple with 2m coiled PVC cable and 6 mm x 1400 mm probe	141 €
FC766TS2	K-type thermocouple with 2m coiled PVC cable and 6 mm x 200 mm probe	82 €
FC766TS5	K-type thermocouple with 2m coiled PVC cable and 6 mm x 500 mm probe	96 €
FC766TS7	K-type thermocouple with 2m coiled PVC cable and 6 mm x 700 mm probe	106 €
FC766TZ/120	K-Type, straight cable with PTFE (Teflon) insulation, 1 meter long, beveled tip Ø 1 mm, sous vide needle 120 mm long	90 €
FC766TZ/30	K-Type, straight cable with PTFE (Teflon) insulation, 1 meter long, beveled tip Ø 1 mm, sous vide needle 30 mm long	82 €
FC766TZ/60	K-Type, straight cable with PTFE (Teflon) insulation, 1 meter long, beveled tip Ø 1 mm, sous vide needle 60 mm long	84 €
FC766TZ-0	Spare tape for Sous Vides temperature probe (1 mt)	22 €
FC766TZ2/1	K-type thermocouple wire probe with PTFE cable and 185 mm (7.2") stainless steel probe	86 €
FC766W1/1	K-type thermocouple wire stainless steel probe with 1m polyurethane insulated cable	36 €
FC766W1/10	K-type thermocouple wire stainless steel probe with 10m polyurethane insulated cable	136 €
FC766W1/3	K-type thermocouple wire stainless steel probe with 3m polyurethane insulated cable	62 €
FC766W1/5	K-type thermocouple wire stainless steel probe with 5m polyurethane insulated cable	87 €
FC766Y/1	K-type thermocouple mineral insulated wire probe that is 1m long	70 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
FC766Y/10	K-type thermocouple mineral insulated wire probe that is 10m long	132 €
FC766Y/2	K-type thermocouple mineral insulated wire probe that is 2m long	79 €
FC766Y/3	K-type thermocouple mineral insulated wire probe that is 3m long	90 €
FC766Y/5	K-type thermocouple mineral insulated wire probe that is 5m long	101 €
FC766Y/8	K-type thermocouple mineral insulated wire probe that is 8m long	121 €
FC767C1	Ultrafast T-type thermocouple probe	61 €
FC767F/1	T-type thermocouple wire probe with exposed sensor and 1m fiberglass insulated cable	56 €
FC767PW	Foodcare T type thermocouple penetration probe	36 €
FC767TS10	T-Type, Coiled Cable with PVC Insulation, 2 meters long, Ø 6 mm x 1000 mm Stainless Steel Probe	224 €
FC767TS14	T-Type, Coiled Cable with PVC Insulation, 2 meters long, Ø 6 mm x 1400 mm Stainless Steel Probe	251 €
FC767TS2	T-Type, Coiled Cable with PVC Insulation, 2 meters long, Ø 6 mm x 200 mm Stainless Steel Probe	160 €
FC767TS5	T-Type, Coiled Cable with PVC Insulation, 2 meters long, Ø 6 mm x 500 mm Stainless Steel Probe	184 €
FC767TS7	T-Type, Coiled Cable with PVC Insulation, 2 meters long, Ø 6 mm x 700 mm Stainless Steel Probe	203 €
FC767W1/1	T-type thermocouple wire stainless steel probe with 1m PVC insulated cable	37 €
FC767Y/1	T-type thermocouple wire probe with 1m stainless steel insulated cable	72 €
FC911B	PVDF Body Foodcare pH Electrode for Creams, Sauces and Fruit Juices with BNC Connector	171 €
HI1001	Double junction process pH electrode with PVDF body, PTFE junction, BNC connector and 3m cable	204 €
HI1002/3	HI1000 series pH electrode, 3 m cable	215 €
HI1002/5	HI1000 series pH electrode, 5 m cable	237 €
HI1003/3	HI1000 series pH electrode, with matching pin, 3 m cable	224 €
HI1003/5	HI1000 series pH electrode, with matching pin, 5 m cable	242 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI1005	Amplified pH electrode with Matching Pin and Pt100 (14) (PCA 320/330 only)	202 €
HI1005/10	Amplified pH electrode with Matching Pin and Pt100 with 10mt cable	255 €
HI10053	Pool Line pH/Temperature Probe with quick connect DIN connector for BL100	121 €
HI10053/10	Pool Line pH/Temperature Probe with Quick connect DIN Connector for BL100, 10 m Cable	216 €
HI1006-1005	Industrial Flat Tip pH Electrode, PTFE junction, low Temperature glass bulb, BNC connector, 5 m cable	500 €
HI1006-1007	Industrial Flat Tip pH Electrode, PTFE junction, low Temperature glass bulb, BNC connector, 7 m cable	525 €
HI1006-1010	Industrial Flat Tip pH Electrode, PTFE junction, low Temperature glass bulb, BNC connector, 10 m cable	560 €
HI1006-1205	Industrial Flat Tip pH Electrode, PTFE junction, low Temperature glass bulb, BNC connector, Pt100, 5 m cable	665 €
HI1006-1800	Flat tip pH process smart probe with LT (Low Temperature) glass, PTFE junction, supplied with DIN connector (without cable)	330 €
HI1006-1805	Flat tip pH process smart probe with LT (Low Temperature) glass, PTFE junction, and 5 meters of cable	400 €
HI1006-1810	Flat tip pH process smart probe with LT (Low Temperature) glass, PTFE junction, and 10 meters of cable	440 €
HI1006-1815	Flat tip pH process smart probe with LT (Low Temperature) glass, PTFE junction, and 15 meters of cable	555 €
HI1006-1825	Flat tip pH process smart probe with LT (Low Temperature) glass, PTFE junction, and 25 meters of cable	715 €
HI1006-1850	Flat tip pH process smart probe with LT (Low Temperature) glass, PTFE junction, and 50 meters of cable	985 €
HI10063	GroLine amplified pH/Temperature probe with quick connect DIN connector for HI981412	140 €
HI1006-3005	Industrial Flat Tip pH Electrode, PTFE junction, High Temperature glass bulb, BNC connector, 5 m cable	418 €
HI1006-3007	Industrial Flat Tip pH Electrode, PTFE junction, High Temperature glass bulb, BNC connector, 7 m cable	418 €
HI1006-3010	Industrial Flat Tip pH Electrode, PTFE junction, High Temperature glass bulb, BNC connector, 10 m cable	555 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI1006-3205	Industrial Flat Tip pH Electrode, PTFE junction, High Temperature glass bulb, BNC connector, Pt100, 5 m cable	418 €
HI1006-3505	Industrial Flat Tip pH Electrode, PTFE junction, High Temperature glass bulb, wire, Pt1000, 5 m cable	620 €
HI1006-3715	Amplified Industrial Flat Tip pH Electrode, PTFE junction, High Temperature glass bulb, wire, BNC connector, Pt100, 15 m cable	830 €
HI1006-3800	Flat tip pH process smart probe with HT (High Temperature) glass, PTFE junction, supplied with DIN connector (without cable)	330 €
HI1006-3805	Flat tip pH process smart probe with HT (High Temperature) glass, PTFE junction, and 5 meters of cable	400 €
HI1006-3810	Flat tip pH process smart probe with HT (High Temperature) glass, PTFE junction, and 10 meters of cable	440 €
HI1006-3815	Flat tip pH process smart probe with HT (High Temperature) glass, PTFE junction, and 15 meters of cable	555 €
HI1006-3825	Flat tip pH process smart probe with HT (High Temperature) glass, PTFE junction, and 25 meters of cable	715 €
HI1006-3850	Flat tip pH process smart probe with HT (High Temperature) glass, PTFE junction, and 50 meters of cable	985 €
HI1006-4005	Industrial Flat Tip pH Electrode, PTFE junction, with glass bulb for acid samples with Fluoride, BNC connector, 5 m cable	418 €
HI1006-4205	Industrial Flat Tip pH Electrode, PTFE junction, with glass bulb for acid samples with Fluoride, BNC connector, Pt100, 5 m cable	665 €
HI1006-4800	Flat tip pH process smart probe with HF (Fluoride-resistant) glass, PTFE junction, supplied with DIN connector (without cable)	330 €
HI1006-4805	Flat tip pH process smart probe with HF (Fluoride-resistant) glass, PTFE junction, and 5 meters of cable	400 €
HI1006-4810	Flat tip pH process smart probe with HF (Fluoride-resistant) glass, PTFE junction, and 10 meters of cable	440 €
HI1006-4815	Flat tip pH process smart probe with HF (Fluoride-resistant) glass, PTFE junction, and 15 meters of cable	555 €
HI1006-4825	Flat tip pH process smart probe with HF (Fluoride-resistant) glass, PTFE junction, and 25 meters of cable	715 €
HI1006-4850	Flat tip pH process smart probe with HF (Fluoride-resistant) glass, PTFE junction, and 50 meters of cable	985 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI1006-6805	Spheric bulb pH Process Smart Probe, Fluoride-resistant (HF), High Temperature (HT) Glass Sensor, Platinum Matching Pin, 0.0 to 100 °C (23.0 to 212.0 °F) 0.00 to 10.00 pH, PTFE junction, 5m (16.5') Cable	497 €
HI101	Submersible pH electrode with PVC body & BNC	241 €
HI101/3	Adapter 3 meters (9.9´) cable for HI101,HI102,HI201 immersion in-line electrodes	99 €
HI101/5	Adapter 5 meters cable for HI101,HI102,HI201 immersion in-line electrodes	115 €
HI1016-1800	Flat tip pH process smart probe with LT (Low Temperature) glass, ceramic junction, supplied with DIN connector (without cable)	330 €
HI1016-1805	Flat tip pH process smart probe with LT (Low Temperature) glass, ceramic junction, and 5 meters of cable	400 €
HI1016-1810	Flat tip pH process smart probe with LT (Low Temperature) glass, ceramic junction, and 10 meters of cable	440 €
HI1016-1815	Flat tip pH process smart probe with LT (Low Temperature) glass, ceramic junction, and 15 meters of cable	555 €
HI1016-1825	Flat tip pH process smart probe with LT (Low Temperature) glass, ceramic junction, and 25 meters of cable	715 €
HI1016-1850	Flat tip pH process smart probe with LT (Low Temperature) glass, ceramic junction, and 50 meters of cable	985 €
HI1016-3800	Flat tip pH process smart probe with HT (High Temperature) glass, ceramic junction, supplied with DIN connector (without cable)	330 €
HI1016-3805	Flat tip pH process smart probe with HT (High Temperature) glass, ceramic junction, and 5 meters of cable	400 €
HI1016-3810	Flat tip pH process smart probe with HT (High Temperature) glass, ceramic junction, and 10 meters of cable	440 €
HI1016-3815	Flat tip pH process smart probe with HT (High Temperature) glass, ceramic junction, and 15 meters of cable	555 €
HI1016-3825	Flat tip pH process smart probe with HT (High Temperature) glass, ceramic junction, and 25 meters of cable	715 €
HI1016-3850	Flat tip pH process smart probe with HT (High Temperature) glass, ceramic junction, and 50 meters of cable	985 €
HI1016-4800	Flat tip pH process smart probe with HF (Fluoride-resistant) glass, ceramic junction, supplied with DIN connector (without cable)	330 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI1016-4805	Flat tip pH process smart probe with HF (Fluoride-resistant) glass, ceramic junction, and 5 meters of cable	400 €
HI1016-4810	Flat tip pH process smart probe with HF (Fluoride-resistant) glass, ceramic junction, and 10 meters of cable	440 €
HI1016-4815	Flat tip pH process smart probe with HF (Fluoride-resistant) glass, ceramic junction, and 15 meters of cable	555 €
HI1016-4825	Flat tip pH process smart probe with HF (Fluoride-resistant) glass, ceramic junction, and 25 meters of cable	715 €
HI1016-4850	Flat tip pH process smart probe with HF (Fluoride-resistant) glass, ceramic junction, and 50 meters of cable	985 €
HI102	In-line pH electrode with PVC body and BNC connector	243 €
HI1026-1803	Conic tip pH process smart probe for Meat Products with LT (Low Temperature) glass, Open junction, Stainless Steel piercing blade and 3 meters of cable	585 €
HI1036-1802	Industrial pH/ORP/Temperature/Matching Pin combined probe, 2 m cable	235 €
HI1036-1805	Industrial pH/ORP/Temperature/Matching Pin combined probe, 5 m cable	272 €
HI1036-1810	Industrial pH/ORP/Temperature/Matching Pin combined probe, 10 m cable	340 €
HI1036-1815	Industrial pH/ORP/Temperature/Matching Pin combined probe, 15 m cable	399 €
HI1036-1820	Industrial pH/ORP/Temperature/Matching Pin combined probe, 20 m cable	469 €
HI10430	Digital Glass Body pH Electrode for Hydrocarbons and Solvents	271 €
HI10433	Refillable, Combination pH Electrode with Double Junction	255 €
HI1043B	Refillable Double Junction pH Electrode with BNC Connector	251 €
HI1043P	Refillable Double Junction pH Electrode with BNC and Pin connectors	260 €
HI10480	Digital Glass Body pH Electrode with Clogging Prevention System (CPS™)	261 €
HI10482	HALO Glass Body pH Electrode with Clogging Prevention System (CPS) and Bluetooth®	317 €
HI1048B	pH Electrode with Clogging Prevention System (CPS™) and BNC Connector	304 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI1048B/50	Mini Titrator pH electrode, BNC, 0.5 m cable	304 €
HI1048P	pH Electrode with Clogging Prevention System (CPS™) and BNC + Pin Connector	264 €
HI1048S	pH electrode with CPS™ (Clogging Prevention System); Use for wine, must, screw connector	294 €
HI1048Y	pH/Temp Electrode with Clogging Prevention System (CPS™) and BNC and RCA Connector	283 €
HI1049B	pH electrode with sleeve junction and increased chemical resistance for non-aqueous titrations	314 €
HI10530	Digital Glass Body pH Electrode for Semi-Solids and Emulsions	258 €
HI10532	HALO Bluetooth conical tip, refillable pH electrode for semi-solids	322 €
HI10533	pH Electrode with Conical Tip and Quick Connect DIN Connector	251 €
HI1053B	pH Electrode with Conical Tip and BNC Connector	235 €
HI1053P	pH Electrode with Conical Tip and BNC + Pin Connector	251 €
HI10832	HALO - micro pH electrode, refillable, no temperature, with Bluetooth® Smart Technology	460 €
HI1083B	pH Electrode with Micro Bulb and BNC Connector	424 €
HI1083P	pH Electrode with Micro Bulb and BNC + Pin Connector	439 €
HI1090B/5	Combination glass body pH electrode (High Temperature), 5 m cable	195 €
HI1090B/6	Combination glass body pH electrode (High Temperature), 6 m cable	207 €
HI1090T	Glass body combination pH electrode, double junction, T-type connector	212 €
HI1093B	Extended Length pH Electrode with Micro Bulb and BNC Connector	334 €
HI1093P	Refillable, combination pH electrode w/ extended length and micro bulb; Use for NMR tubes, BNC + Pin connector	321 €
HI1106-3805	Round tip pH Electrode pH Process Smart probe with HT (High Temperature) Sterilizable glass, PTFE junction, 6 Bar, 5 meters Cable	510 €
HI11102	HALO Glass Body Gel Filled pH Electrode with Bluetooth®	256 €
HI11103	Gel Filled pH Electrode with Quick Connect DIN Connector	143 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI1110B	Spare electrode, gel electrolyte; Use for general laboratory purposes, BNC connector	103 €
HI1110S	Glass pH electrode, single junction, screw cap	214 €
HI1110T	Glass pH electrode, double junction PG13.5 thread	230 €
HI1126-1805	Conic tip pH process smart probe for Food with LT (Low Temperature) glass, Open junction, and 5 meters of cable	545 €
HI11310	Digital Glass Body pH Electrode for General Purpose	213 €
HI11311	Digital Glass Body pH Electrode with Matching Pin for General Purpose	236 €
HI11312	HALO Glass Body Refillable pH Electrode with Bluetooth®	282 €
HI11313	Refillable Glass Body pH Electrode with Quick Connect DIN Connector	202 €
HI1131B	Refillable Combination pH Electrode with BNC Connector	172 €
HI1131P	Refillable Combination pH Electrode with BNC + Pin Connector	180 €
HI1131S	Refillable, combination pH electrode; Use for general laboratory purposes and beer, screw cap connector	180 €
HI1131Y	Refillable Combination pH/Temp Electrode with BNC and RCA Connector	202 €
HI1135B	Refillable pH Electrode with Side Arm Construction and BNC Connector	316 €
HI1143B	Refillable, combination pH electrode for fluoride applications, BNC connector	302 €
HI1144B	Refillable pH Electrode with Calomel References and BNC Connector	221 €
HI1151B	Refillable, combination pH electrode for non-aqueous titration applications, BNC connector	417 €
HI1190T	T-Type electrode, glass body, double junction, polymer electrolyte, -15 to 80°C (5 to 176°F), 3 bar	226 €
HI1191T	T-Type electrode, glass body, double junction, polymer electrolyte, -15 to 80°C (5 to 176°F), 8 bar	264 €
HI1192T	T-Type electrode, glass body, double junction, polymer electrolyte, -15 to 80°C (5 to 176°F), 8 bar	322 €
HI1210B/5	Combination PEI-body pH Electrode, 5 m cable	202 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI1210T	T-type, PEI body pH Electrode, Double cloth junction, gel electrolyte, -5 to 80°C (23 to 176°F), 3 bar	121 €
HI1211T	T-type, PEI body pH Electrode, Double PTFE junction, polymer electrolyte, -5 to 80°C (23 to 176°F), 3 bar	174 €
HI1217-1	pH electrode, NTC sensor, gel electrolyte; Use for general purpose, DIN connector	178 €
HI1217D	pH electrode, gel electrolyte; Use for general purpose, DIN connector	178 €
HI122-02	Wide screen printing pH benchtop meter, CAL Check™, 5 point automatic calibration, range: -2.00 to 16.00 pH / -2.000 to 16.000 pH, mV ± 999.9 and ± 2000 mV, 230V	1.260 €
HI12300	Digital PEI Body pH Electrode for Field Applications	154 €
HI12301	Digital PEI Body pH Electrode with Matching Pin for Field Applications	167 €
HI12302	HALO PEI Body Gel Filled pH Electrode with Bluetooth®	230 €
HI12303	Gel Filled PEI Body pH Electrode with Quick Connect DIN Connector	141 €
HI1230B	Gel Filled PEI Body pH Electrode with BNC Connector	117 €
HI1230S	Combination pH electrode, gel electrolyte; Use for field applications, screw type connector	129 €
HI1230Y	Gel Filled PEI Body pH/Temp Electrode with BNC and RCA Connector	141 €
HI1270	Spare pH electrode with screw connector	32 €
HI1271	HI98100 Checker Plus spare pH electrode with screw connector	17 €
HI1280	Spare electrode for general purpose and field applications	72 €
HI1283	Bar, grounding with 1 m (3.3') cable	32 €
HI1285-5	pH/EC/TDS electrode for greenhouses, hydroponics, environmental monitoring, water treatment, boilers with multi-pin connector recommended for HI9811-5, HI9812-5 and HI9813-5 series	153 €
HI1285-51	pH/EC/TDS electrode for greenhouses, hydroponics, environmental monitoring, water treatment, boilers with DIN connector recommended for HI9811-51, HI9812-51 and HI9813-51 series	153 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI1285-6	pH/EC/TDS electrode for HI9813-6 series with CAL Check™ recommended for greenhouses and hydroponics	153 €
HI1285-61	pH/EC/TDS electrode for greenhouses and hydroponics with DIN connector, recommended for HI9180-61 and HI9813-61 series with CAL Check™	153 €
HI1285-7	HI9814 pH/EC/TDS/Temperature probe with quick connect DIN connector	153 €
HI1285-8	pH/EC/TDS/Temperature probe with a DIN connector for use with the HI981420 GroLine monitor	180 €
HI1285-9	GroLine pH/EC/TDS/Temperature probe with 3/4" in-line threaded connection for use with the HI98142X monitor	343 €
HI1285-9/20	GroLine pH/EC/TDS/Temperature Probe with 3/4" In-line Threaded Connection with 20 meters Cable for use with the HI98142X Monitor	600 €
HI1286	Spare electrode for general purpose, water treatment and agriculture	85 €
HI1286/50	PoolLine pH Electrode, 50 mm long with 2 m Cable	78 €
HI1286T	pH electrode, plastic body, double junction, poly, tefrod, 110 mm body length, BNC connector, UNFCAP1R (PG13.5)	102 €
HI1288	Spare electrode for general purpose, water treatment, agriculture, boilers, cooling towers with DIN connector recommended for HI991300 and HI991301 multiparameter meters	176 €
HI12883	pH/EC probe with quick connect DIN connector for HI991300 and HI991301 multiparameter meters	199 €
HI1290	Spare electrode for general purpose and field applications	72 €
HI1291D	Gel filled, PEI body pH electrode with DIN connector for HI208	203 €
HI12922	HALO - pH/temperature electrode for direct soil pH measurement	321 €
HI12923	pH Electrode for Direct Soil Measurement	227 €
HI1292D	pH Electrode for Direct Soil Measurement	205 €
HI1293	Spare pH electrode for Hydroponics and greenhouses , DIN connector, for HI991401,HI991404,HI991405	126 €
HI12943	GroLine Direct Soil and Soiless Media pH electrode with quick connect DIN connector for use with HI9814	206 €
HI1295	Spare Electrode for PICCOLO® plus pH Tester	85 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI12963	Titanium Body pH Electrode for Wastewater with Quick Connect DIN Connector	246 €
HI1296D	Titanium Body pH Electrode for Wastewater with DIN Connector	221 €
HI12973	Ttitanium body pH/ORP electrode with quick connect DIN Connector	363 €
HI1297D	Titanium Body pH/ORP Electrode for Water Treatment Analysis with DIN Connector	345 €
HI1312S	pH electrode, KCl 3.5M electrolyte; Use for chemicals, field applications, quality control, screw type connector	130 €
HI13302	HALO - Glass body pH/Temperature electrode for flasks, with 3 mm tip	407 €
HI1330B	Combination pH electrode, KCl 3.5M + AgCl electrolyte; Specific for vials and test tubes, BNC connector	195 €
HI1330P	Combination pH electrode, KCl 3.5M + AgCl electrolyte; Specific for vials and test tubes, BNC + PIN connector	183 €
HI1331B	Refillable pH Electrode for Flasks with BNC Connector	221 €
HI1332B	Refillable PEI Body pH Electrode with BNC Connector	128 €
HI1332D	pH combination electrode PEI body, double-junction, refillable, DIN, 1 m cable	127 €
HI1332P	Refillable PEI Body pH Electrode with BNC + Pin Connector	153 €
HI1333B	Spare pH electrode, gel electrolyte; Use for field applications, BNC connector	74 €
HI1343B	PEI Body pH Electrode with Calomel References with BNC Connector	209 €
HI141001	Transmitter, Infrared, for PC Connection, for HI141 series	200 €
HI1413B	Flat Tip pH Electrode for Skin and Surfaces with BNC Connector	191 €
HI1413B/50	pH electrode, viscolene electrolyte; Use for skin and scalp, BNC connector	251 €
HI1413S/50	pH electrode, viscolene electrolyte; Use for skin and scalp, screw type connector	246 €
HI14140	Digital pH/temperature flat tip electrode for surface measurement	204 €
HI14142	HALO - pH/temperature flat tip electrode for surface measurement	322 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI14143	Pulp & Paper flat tip pH electrode with quick connect DIN connector	196 €
HI14143/50	Skin & Scalp flat tip pH electrode with quick connect DIN connector	261 €
HI1414D	Flat Tip pH Electrode for Skin and Surfaces with DIN Connector	178 €
HI144	Temperature T-Logger with wall cradle and lock	65 €
HI144002	USB communication cradle for HI 144 T-logger	83 €
HI144-10	Temperature T-Logger with locking wall cradle, HI92144 PC software, and HI144002 USB communication dock	125 €
HI145-00	HACCP pocket thermometer °C, with 125 mm probe Range: 50.0 to 220°C	67 €
HI145-01	HACCP pocket thermometer °F, with 125 mm probe Range: -58.0 to 428.0°F	67 €
HI145-20	HACCP pocket thermometer °C, with 300 mm probe Range: -50.0 to 220°C	88 €
HI145-30	HACCP pocket thermometer °F, with 300 mm probe Range: -58.0 to 428.0°F	88 €
HI146-00	Water resistant Pronto wall-mounting precision thermometer; resolution: 0.1°C Range: 50.0 to 150.0°C	101 €
HI147-00	Checkfridge™ remote sensor thermometer °C Range: -50.0 to 150.0°C	86 €
HI147-01	Checkfridge™ remote sensor thermometer °F Range: -58.0 to 302.0°F	86 €
HI151	Folding thermometer for dairy industry	45 €
HI151-000	Folding thermometer for dairy industry, EN 13485 certified	80 €
HI151-1	Folding thermometer for raw meat	45 €
HI151-100	Folding thermometer for raw meat, EN 13485 certified	80 €
HI151-2	Folding thermometer for raw fish	45 €
HI151-200	Folding thermometer for raw fish, EN 13485 certified	80 €
HI151-3	Folding thermometer for cooked meat	45 €
HI151-300	Folding thermometer for cooked meat, EN 13485 certified	80 €
HI151-4	Folding thermometer for fruit and salads	45 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI151-400	Folding thermometer for fruit and salads, EN 13485 certified	80 €
HI151-5	Folding thermometer for vegetables	45 €
HI151-500	Folding thermometer for vegetables, EN 13485 certified	80 €
HI1610D	pH Electrode with Built-In Temperature Sensor and DIN Connector	177 €
HI180-2	Magnetic mini stirrer, black, 230V	171 €
HI180A-2	Magnetic mini stirrer, yellow, 230V	171 €
HI180C-2	Magnetic mini stirrer, glacier blue, 230V	171 €
HI180E-2	Magnetic mini stirrer, green, 230V	171 €
HI180F-2	Magnetic mini stirrer, blue, 230V	171 €
HI180I-2	Magnetic mini stirrer, ivory, 230V	171 €
HI180J-2	Magnetic mini stirrer, charcoal, 230V	171 €
HI180K-2	Magnetic mini stirrer, orange, 230V	171 €
HI180L-2	Magnetic mini stirrer, lavender 230V	171 €
HI180M-2	Magnetic mini stirrer, moss green, 230V	171 €
HI180W-2	Magnetic mini stirrer, arctic white, 230V	171 €
HI181-2	Magnetic mini stirrer with probe holder, black, 230V	217 €
HI181A-2	Magnetic mini stirrer with probe holder, yellow, 230V	217 €
HI181C-2	Magnetic mini stirrer with probe holder, glacier blue, 230V	217 €
HI181E-2	Magnetic mini stirrer with probe holder, green, 230V	217 €
HI181F-2	Magnetic mini stirrer with probe holder, blue, 230V	217 €
HI181I-2	Magnetic mini stirrer with probe holder, ivory, 230V	217 €
HI181J-2	Magnetic mini stirrer with probe holder, charcoal, 230V	217 €
HI181K-2	Magnetic mini stirrer with probe holder, orange, 230V	217 €
HI181L-2	Magnetic mini stirrer with probe holder, lavender 230V	217 €
HI181M-2	Magnetic mini stirrer with probe holder, moss green, 230V	217 €
HI181W-2	Magnetic mini stirrer with probe holder , arctic white, 230V	217 €
HI190M-0	Magnetic stirrer with ABS cover; 12VDC power supply	149 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI190M-2	Magnetic stirrer with ABS cover; 220V	149 €
HI2000BC	Benchtop cradle for edge	97 €
HI2000BCW	Benchtop cradle for edge, white color	97 €
HI2000WC	Wall cradle for edge	97 €
HI2000WCW	Wall cradle for edge, white color	97 €
HI2001	HI2000 series ORP electrode for continuous flow-thru monitoring	228 €
HI2001/15	HI2000 series ORP electrode for continuous flow-thru monitoring- 15 meter (49.2') cable	318 €
HI2002/3	HI2000 series ORP electrode, 3 m cable	236 €
HI2002/5	HI2000 series ORP electrode, 5 m cable	257 €
HI2002-02	edge dedicated pH, 230V	535 €
HI2002-03	edge dedicated pH - Meter only and no accessories (i.e. probes, adpater, etc.)	457 €
HI2003/3	HI2000 series ORP electrode, with matching pin, 3 m cable	243 €
HI2003/5	HI2000 series ORP electrode, with matching pin, 5 m cable	266 €
HI2003-02	edge dedicated EC, 230V	780 €
HI2003-03	edge dedicated EC - Meter only and no accessories (i.e. probes, adpater, etc.)	457 €
HI2004-02	edge dedicated Dissolved Oxygen, with HI764080 probe, 230V	780 €
HI2004-03	edge dedicated DO - Meter only and no accessories (i.e. probes, adpater, etc.)	457 €
HI2004-1005	Industrial Flat Tip ORP electrode, PTFE junction, Pt sensor, BNC connector, 5 m cable	500 €
HI2004-1007	Industrial Flat Tip ORP electrode, PTFE junction, Pt sensor, BNC connector, 7 m cable	520 €
HI2004-1010	Industrial Flat Tip ORP electrode, PTFE junction, Pt sensor, BNC connector, 10 m cable	555 €
HI2004-1015	Industrial Flat Tip ORP electrode, PTFE junction, Pt sensor, BNC connector, 15 m cable	615 €
HI2004-1800	Flat tip ORP process smart probe with platinum sensor, PTFE junction, supplied with DIN connector (without cable)	400 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI2004-1805	Flat tip ORP process smart probe with platinum sensor, PTFE junction, and 5 meters of cable	440 €
HI2004-1810	Flat tip ORP process smart probe with platinum sensor, PTFE junction, and 10 meters of cable	495 €
HI2004-1815	Flat tip ORP process smart probe with platinum sensor, PTFE junction, and 15 meters of cable	605 €
HI2004-1825	Flat tip ORP process smart probe with platinum sensor, PTFE junction, and 25 meters of cable	770 €
HI2004-1850	Flat tip ORP process smart probe with platinum sensor, PTFE junction, and 50 meters of cable	1.050 €
HI2004-2005	Industrial Flat Tip ORP electrode, PTFE junction, Gold sensor, BNC connector, 5 m cable	500 €
HI2004-2007	Industrial Flat Tip ORP electrode, PTFE junction, Gold sensor, BNC connector, 7 m cable	520 €
HI2004-2800	Flat tip ORP process smart probe with gold sensor, PTFE junction, supplied with DIN connector (without cable)	400 €
HI2004-2805	Flat tip ORP process smart probe with gold sensor, PTFE junction, and 5 meters of cable	440 €
HI2004-2810	Flat tip ORP process smart probe with gold sensor, PTFE junction, and 10 meters of cable	495 €
HI2004-2815	Flat tip ORP process smart probe with gold sensor, PTFE junction, and 15 meters of cable	605 €
HI2004-2825	Flat tip ORP process smart probe with gold sensor, PTFE junction, and 25 meters of cable	770 €
HI2004-2850	Flat tip ORP process smart probe with gold sensor, PTFE junction, and 50 meters of cable	1.050 €
HI2008	ORP electrode with Gold Sensor, Double PTFE junction, Polymer electrolyte, amplifier, matching pin, 6 bar, DIN, 1.5 m cable	255 €
HI20083	Pool Line ORP/Temperature probe with quick connect DIN connector for BL101	167 €
HI20083/10	Pool Line ORP/Temperature Probe with Quick Connect DIN Connector, 10 meters Cable for BL101	271 €
HI200M-2	Magnetic stirrer with stainless steel cover, 220V	286 €
HI201	Submersible ORP electrode with PVC body & BNC	279 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI2014-1800	Flat tip ORP process smart probe with platinum sensor, ceramic junction, supplied with DIN connector (without cable)	400 €
HI2014-1805	Flat tip ORP process smart probe with platinum sensor, ceramic junction, and 5 meters of cable	440 €
HI2014-1810	Flat tip ORP process smart probe with platinum sensor, ceramic junction, and 10 meters of cable	495 €
HI2014-1815	Flat tip ORP process smart probe with platinum sensor, ceramic junction, and 15 meters of cable	605 €
HI2014-1825	Flat tip ORP process smart probe with platinum sensor, ceramic junction, and 25 meters of cable	770 €
HI2014-1850	Flat tip ORP process smart probe with platinum sensor, ceramic junction, and 50 meters of cable	1.050 €
HI2014-2800	Flat tip ORP process smart probe with gold sensor, ceramic junction, supplied with DIN connector (without cable)	400 €
HI2014-2805	Flat tip ORP process smart probe with gold sensor, ceramic junction, and 5 meters of cable	440 €
HI2014-2810	Flat tip ORP process smart probe with gold sensor, ceramic junction, and 10 meters of cable	495 €
HI2014-2815	Flat tip ORP process smart probe with gold sensor, ceramic junction, and 15 meters of cable	605 €
HI2014-2825	Flat tip ORP process smart probe with gold sensor, ceramic junction, and 25 meters of cable	770 €
HI2014-2850	Flat tip ORP process smart probe with gold sensor, ceramic junction, and 50 meters of cable	1.050 €
HI2020-02	edge® Multiparameter pH Meter, 230V	585 €
HI2020-03	edge dedicated pH/EC/DO - Meter only and no accessories (i.e. probes, adapter, etc.)	491 €
HI2030-02	edge EC, 230V	880 €
HI2031B	Spear Tip pH Electrode for Semi-Solid Samples with BNC Connector	228 €
HI2040-02	edge Oxygen kit, with HI764080 probe, 230V	880 €
HI2111B	Glass Body pH Half-Cell Electrode with BNC Connector	170 €
HI2112B	PEI Body pH Half-Cell Electrode with BNC Connector	148 €
HI2114P	Spare electrode for general purpose and agriculture	77 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI2114P/5	Spare electrode for general purpose and agriculture, 5 m cable	116 €
HI2600	pH/EC/DO Benchtop Meter includes HI11310 Glass Body Refillable pH Electrode, pH 4 Buffer Solution Sachets (2), pH 7 Buffer Solution Sachets (4), pH 10 Buffer Solution Sachets (2), Electrode Cleaning Solution Sachets (2), Electrode Holder, USB C to C Cable 1.5 m	495 €
HI2620	pH Benchtop Meter includes HI11310 Glass Body Refillable pH Electrode, Electrode Holder, USB C to C Cable 1.5 m	325 €
HI2621	pH + Logging Benchtop Meter includes HI11310 Glass Body Refillable pH Electrode, pH 4 Buffer Solution Sachets (2), pH 7 Buffer Solution Sachets (4), pH 10 Buffer Solution Sachets (2), Electrode Cleaning Solution Sachets (2), Electrode Holder, USB C to C Cable 1.5 m	425 €
HI2630	Conductivity Benchtop Meter includes HI763100 Conductivity Probe, Electrode Holder, USB C to C Cable 1.5 m	525 €
HI2631	Conductivity + Logging Benchtop Meter includes HI763100 Conductivity Probe, 1413 μ S/cm Conductivity Standard Sachets (4), 12880 μ S/cm Conductivity Standard Sachets (2), 5000 μ S/cm Conductivity Standard Sachets (2), Electrode Rinse Solution Sachets (2), Electrode Holder, USB C to C Cable 1.5 m	625 €
HI2640	Dissolved Oxygen + Logging Benchtop Meter includes HI764080 Dissolved Oxygen Electrode, HI7041S refill Electrolyte Solution, DO membrane caps (2), O-rings (2), Electrode Holder, USB C to C Cable 1.5 m	625 €
HI2641	Dissolved Oxygen + Logging Benchtop Meter includes HI764080 Dissolved Oxygen Electrode, HI7041S refill Electrolyte Solution, DO membrane caps (2), O-rings (2), Electrode Holder, USB C to C Cable 1.5 m	625 €
HI2910B	PEI body pH electrode with built-in amplifier, double junction, gel-filled, external thread & BNC, 3 m cable	165 €
HI2910B/10	PEI body pH electrode with built-in amplifier, double junction, gel-filled, external thread & BNC, 10 m cable	231 €
HI2910B/15	PEI body pH electrode with built-in amplifier, double junction, gel-filled, external thread & BNC, 15 m cable	258 €
HI2910B/5	AmpHel® pH Electrode with Internal Battery, PEI body, gel electrolyte	174 €
HI2911B/5	AmpHel® pH Electrode with Internal Battery, PEI body, polymer electrolyte	190 €
HI2930B/5	AmpHel® ORP Electrode with internal battery, PEI body, platinum glass type	206 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI2931B/5	AmpHel® ORP Electrode with internal battery, PEI body, platinum glass type	218 €
HI3001	Flow-thru conductivity probe with automatic Temperature compensation	260 €
HI3001D	Flow-thru conductivity probe with automatic Temperature compensation with DIN connector	292 €
HI3001D/10	Flow-through 4-ring conductivity probe for 6 BAR with platinum sensor, NTC temp sensor and DIN connector, 10 m cable	417 €
HI3001D/5	Flow-through 4-ring conductivity probe for 6 BAR with platinum sensor, NTC temp sensor and DIN connector, 5 m cable	352 €
HI3002	Submersion probe with automatic Temperature compensation	259 €
HI3003/D	Flow-thru conductivity probe with automatic Temperature compensation, PEI/PVDF body, 6 bar DIN, 3 m cable	163 €
HI30033	GroLine EC/Temperature probe with quick connect DIN connector for HI981413	160 €
HI300N-2	Heavy-duty magnetic stirrer with stainless steel cover, 2.5 liters, 230V	346 €
HI3011	Flow-thru conductivity probe	242 €
HI302N-2	Auto-reverse magnetic stirrer with stainless steel cover, 2.5 liters, 230V	497 €
HI304N-2	Auto-reverse magnetic stirrer with stainless steel cover, LCD tachometer, 2.5 liters, 230V	635 €
HI3090T	Glass body platinum, ORP electrode, double junction, T-type connector	229 €
HI310N-2	Heavy-duty magnetic stirrer with stainless steel cover, auto-feedback, 5 liters, 230V	391 €
HI3131B	Refillable Combination ORP Electrode with BNC Connector	226 €
HI3133B	Platinum ORP Half-Cell Electrode with BNC Connector	242 €
HI3148B	ORP Electrode with Clogging Prevention System (CPS™) and BNC Connector	289 €
HI3148B/50	ORP Electrode with CPS (Clogging Prevention System)	277 €
HI3149B	ORP electrode with sleeve junction and increased chemical resistance for non-aqueous titrations	375 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI3190T	Glass body ORP electrode with platinum sensor, double PTFE junction, polymer electrolyte, -15 to 100°C (5 to 212°F), 6 bar	340 €
HI3210B/5	Combination PEI-body ORP Electrode with Platinum Sensor, 5 m cable	228 €
HI3211T	Glass body ORP electrode with platinum sensor, double cloth junction, gel electrolyte, -5 to 80°C (23 to 176°F), 3 bar	235 €
HI3214P	Spare electrode for general purpose, agriculture and disinfection	112 €
HI3214T	ORP Platinum electrode, plastic body, double junction, gel, cloth, 110 mm body length, BNC connector, UNFCAP1Y (PG13.5)	112 €
HI3214T/2	ORP Platinum electrode, plastic body, double junction, gel, cloth, 110 mm body length, BNC connector, UNFCAP1Y (PG13.5) and 2 meters (6'6'') Cable	148 €
HI3230B	Gel Filled PEI Body ORP Electrode with BNC Connector	203 €
HI324N-2	Timer controlled magnetic stirrer with stainless steel cover, auto-feedback, LCD tachometer, 5 liters, 230V	550 €
HI3286/50	PoolLine ORP Electrode, 50 mm long with Platinum Sensor and 2 m Cable	104 €
HI3314	Spare EC probe for Resistivity process BL983314	212 €
HI3316D	Resistivity probe with internal Temperature sensor, DIN connector and 1 m (3.3') cable.	321 €
HI36180	Digital Glass Body ORP Electrode for General Purpose	238 €
HI36183	Glass Body ORP Electrode with Quick Connect DIN Connector	243 €
HI3618D	Glass Body ORP Electrode with DIN Connector	218 €
HI36200	Digital PEI body, gel filled, ORP electrode	234 €
HI36203	PEI body, single junction, gel filled, ORP/temperature probe with quick connect	243 €
HI38000	Sulfate (as SO ₄ ²⁻), Range: (20-100 mg/L) Method: Turbidimetric, 100 tests	110 €
HI38000-10	Sulfate, barium chloride method, Reagent kit for 100 tests (SO ₄ ²⁻)	37 €
HI38001	Sulfate (as SO ₄ ²⁻), Range: (100-1000 mg/L)(1000-10000 mg/L) Method: titration, 200 tests	111 €
HI38001-10	Sulfate LR / HR, barium chloride method, Reagent kit for 100 tests (SO ₄ ²⁻)	37 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI38015	Extended Range Chloride Test Kit	154 €
HI38015-100	Extended Range Chloride Test Kit Replacement Reagents (100 tests)	109 €
HI38017	Chlorine (as Cl ₂ , free & total), Range: (0.00-0.70 mg/L)(0.0-3.5 mg/L) Method: checker disc, 200 tests	109 €
HI38017-200	Chlorine, free and total, LR / MR, DPD colorimetric method, Reagent kit for 200 tests (free and total Cl)	63 €
HI38018	Chlorine (as Cl ₂ , free), Range: (0.00-0.70mg/L)(0.0-3.5mg/L) Method: checker disc, 200 tests	109 €
HI38018-200	Chlorine, free, LR / MR, DPD colorimetric method, Reagent kit for 200 tests (free chlorine)	63 €
HI38020	Chlorine (as Cl ₂ , free & total), Range: (0.00-0.70 mg/L)(0.0-3.5 mg/L)(0.0-10.0 mg/L) Method: checker disc, 200 tests	171 €
HI38020-200	Chlorine, free and total, LR / MR / HR, DPD colorimetric method, Reagent kit for 200 tests (free and total Cl)	63 €
HI38022	Total Chlorine High Range Test Kit	67 €
HI38022-100	Total Chlorine High Range Test Kit Replacement Reagents (100 tests)	63 €
HI38023	Chlorine (as Cl ₂ , total), Range: (10-200 mg/L) Method: titration, 100 tests	69 €
HI38023-100	Chlorine, total, extended range, iodometric method, Reagent kit for 100 tests (total chlorine)	63 €
HI38033	Hardness (as CaCO ₃)Total, Range: (0-30 gpg) Method: titration, 100 tests	28 €
HI38033-100	Hardness, total, EDTA method, Reagent kit for 100 test	20 €
HI38039	Iron (Fe+2 & Fe+3), Range: (0.00-1.00 mg/L) Method: checker disc, 100 tests	111 €
HI38039-100	Iron LR, phenantroline colorimetric method, Reagent kit for 100 tests (Fe)	28 €
HI38040	Iron (Fe+2 & Fe+3), Range: (0.0-5.0 mg/L) Method: checker disc, 100 tests	96 €
HI38040-100	Iron MR, phenantroline colorimetric method, Reagent kit for 100 tests (Fe)	28 €
HI38041	Iron (Fe+2 & Fe+3), Range: (0.0-10.0 mg/L) Method: checker disc, 100 tests	96 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI38041-100	Iron HR, phenantroline colorimetric method, Reagent kit for 100 tests (Fe)	28 €
HI38049	Ammonia Test Kit for Fresh Water with Checker Disc	116 €
HI38049-100	Ammonia Test Kit for Fresh Water Replacement Reagents (100 tests)	29 €
HI38050	Nitrate (as NO ₃ -N), Irrigation water and soil, Range: (water: 0-50 mg/L)(soil: 0-60 mg/L) Method: colorimetric, 100 tests ea.	159 €
HI38050-200	Nitrate (soil + irrigation), cadmium reduction method, Reagent kit for 200 tests (NO ₃ --N)	143 €
HI38054	Ozone, Range: (0.0-2.3 mg/L) Method: checker disc, 100 tests	110 €
HI38054-100	Ozone, DPD method, Reagent kit for 100 tests (O ₃)	32 €
HI38058	Checker Disc pH 4.0 to 10.0 Test Kit	111 €
HI38058-100	Checker Disc pH pH 4.0 to 10.0 Test Kit Replacement Reagents (300 Tests)	27 €
HI38061	Phosphate (as orthophosphate, PO ₄ ³⁻), Range: (0.00-1.00 mg/L) (0.0-5.0 mg/L) (0-50 mg/L) Method: checker disc, 100 tests	144 €
HI38061-100	Phosphate, ascorbic acid method, Reagent kit for 100 tests (PO ₄ ³⁻ orthophosphate)	56 €
HI38067	Silica, Range: (0-40 mg/L)(0-800 mg/L) Method: checker disc, 100 tests	159 €
HI38067-100	Silica HR, Heteropoly Blue method, Reagent kit for 100 tests (SiO ₂)	107 €
HI38074	Boron, Range: (0.0-5.0mg/L) Method: titration, 100 tests	137 €
HI38074-100	Boron, boric acid method, Reagent kit for 100 tests (B)	56 €
HI3810	Oxygen, Dissolved, Range: (0.0-10.0 mg/L) Method: titration, approx. 110 tests	97 €
HI3810-100	Dissolved Oxygen, Winkler method, Reagent kit for 110 tests (O ₂)	75 €
HI3811	Alkalinity (as CaCO ₃) Phenolphthalein and total acidity, Range: (0-100mg/L)(0-300mg/L) Method: titration, approx. 100 tests	61 €
HI3811-100	Alkalinity, acid titration method, Reagent kit for 110 tests (CaCO ₃)	54 €
HI3812	Hardness (as CaCO ₃)Total, Range: (0.0-30.0 mg/L)(0-300 mg/L) Method: titration, 100 tests	37 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI3812-100	Hardness, total, EDTA titration method, Reagent kit for 100 tests (CaCO ₃)	35 €
HI3814	Environmental monitoring test kit; acidity (as CaCO ₃), alkalinity (as CaCO ₃), carbon dioxide (as CO ₂), hardness (as CaCO ₃), dissolved oxygen, pH	294 €
HI3815	Chloride (as Chlorine), Method: Range: (0-100mg/L)(0-1000mg/L) titration, approx. 110 tests	59 €
HI3815-100	Chloride, mercury nitrate titration method, Reagent kit for 100 tests (Cl ⁻)	56 €
HI3817	Water quality test kit; alkalinity (as CaCO ₃), chloride (as Chlorine ⁻), hardness as (CaCO ₃), iron, pH, & sulfite (as Na ₂ SO ₃)	354 €
HI3817BP	Backpack Lab™ Water Quality test kit; acidity (CaCO ₃), alkalinity (CaCO ₃) phenolphthalein & total, carbon dioxide (as CO ₂), dissolved oxygen, hardness (CaCO ₃), nitrate (NO ₃ ⁻) in saltwater, phosphate (orthophosphate PO ₄ ⁻³)	555 €
HI3818	Carbon Dioxide (as CO ₂), Range: (0.0-10.0mg/L)(0.0-50mg/L)(0-100mg/L) Method: titration, approx. 110 tests	35 €
HI3818-100	Carbon dioxide, base titration method, Reagent kit for 110 tests (CO ₂)	29 €
HI3820	Acidity (as CaCO ₃), Range: (0-100mg/L) (0-500mg/L) Method: titration, approx. 110 tests	61 €
HI3820-100	Acidity, methyl orange method, Reagent kit for 110 tests (CaCO ₃)	56 €
HI3821	Cooling and boiler test kit; alkalinity (as CaCO ₃), chloride (Chlorine ⁻), hardness (as CaCO ₃), phosphate (as PO ₄ ⁻³), dissolved oxygen, & sulfite (as Na ₂ SO ₃)	487 €
HI3822	Sulfite (as Na ₂ SO ₃), Range: (0.0-20.0 mg/L)(0-200 mg/L) Method: titration, approx. 110 tests	111 €
HI3822-100	Sulfite, iodometric titration method, Reagent kit for 100 tests (Na ₂ SO ₃)	61 €
HI3823	Combination test kit for aquaculture; alkalinity, CO ₂ , hardness, dissolved oxygen, pH and salinity	395 €
HI3824	Ammonia (as NH ₃ -N), Fresh water, Range: (0.0-2.5 mg/L) Method: colorimetric, approx. 25 tests	49 €
HI3824-025	Ammonia (fresh water), Nessler colorimetric method, Reagent kit for 25 tests (NH ₃ -N fresh water)	32 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI3826	Ammonia (as NH ₃ -N), Salt water, Range: (0.0-2.5 mg/L) Method: colorimetric, approx. 25 tests	54 €
HI3826-025	Ammonia (sea water), Nessler colorimetric method, Reagent kit for 25 tests (NH ₃ - N sea water)	32 €
HI3827	Boiler test kit; alkalinity (as CaCO ₃), chloride (as Chlorine-), hardness (as CaCO ₃), pH, phosphate (as PO ₄ ³⁻)and sulfite (as Na ₂ SO ₃)	364 €
HI3829F	Free chlorine chemical test kit, 0.0 to 2.0 ppm	25 €
HI3829F-050	Reagents for HI3829F (50 tests)	20 €
HI3830	Bromine (as Br ₂), Range: (0.0-3.0mg/L) Method: colorimetric, approx. 60 tests	54 €
HI3830-060	Bromine, DPD colorimetric method, Reagent kit for 60 tests (Br ₂)	21 €
HI3831F	Chlorine (as Cl ₂ , free), Range: (0.0-2.5mg/L) Method: colorimetric, approx. 50 tests	30 €
HI3831F-050	Chlorine, free, DPD colorimetric method, Reagent kit for 50 tests (free chlorine)	19 €
HI3831T	Chlorine (as Cl ₂ , total), Range: (0.0-2.5mg/L) Method: colorimetric, 50 tests	30 €
HI3831T-050	Chlorine, total, DPD colorimetric method, Reagent kit for 50 tests	19 €
HI3833	Phosphate (as orthophosphate, PO ₄ ³⁻), Range: (0-5 mg/L) Method: colorimetric, 50 tests	30 €
HI3833-050	Phosphate, ascorbic acid method, Reagent kit for 50 tests (PO ₄ ³⁻ -orthophosphate)	21 €
HI3834	Iron (Fe+2 & Fe+3), Range: (0-5 mg/L) Method: colorimetric, 50 tests	30 €
HI3834-050	Iron, phenantroline colorimetric method, Reagent kit for 50 tests (Fe)	18 €
HI3835	Salinity, Range: (0.0-40.0 g/kg) Method: titration, approx. 110 tests	89 €
HI3835-100	Salinity, mercuric nitrate titration method, Reagent kit for 110 tests (salinity)	68 €
HI3838	Formaldehyde Chemical Test Kit	96 €
HI3838-100	Formaldehyde, acid titration method, Reagent kit for 110 tests (formaldehyde)	69 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI3840	Hardness, total, EDTA method, Test kit for 50 tests (range 0 to 150 mg/L (ppm))	15 €
HI3841	Hardness, total, EDTA method, Test kit for 50 tests (range 40 to 500 mg/L (ppm))	15 €
HI3842	Hardness, total, EDTA method, Test kit for 50 tests (range 400 to 3000 mg/L (ppm))	15 €
HI3843	Hypochlorite (as Cl ₂), Range: (50-150 g/L) Method: titration, approx. 100 tests	110 €
HI3843-100	Hypochlorite (bleach) reagents	85 €
HI38434	Pool Line Hypochlorite (as Cl ₂), Range: (50-150 g/L) Method: titration, approx. 100 tests	110 €
HI3844	Hydrogen Peroxide (as H ₂ O ₂), Range: (0.25 mg/L)(1.0 mg/L) Method: titration, approx. 100 tests	92 €
HI3844-100	Hydrogen Peroxide reagents	74 €
HI38444	Pool Line Hydrogen Peroxide (as H ₂ O ₂), Range: (0.25 mg/L)(1.0 mg/L) Method: titration, approx. 100 tests	92 €
HI3846	Chromium VI Chemical Test Kit	61 €
HI3846-100	Chromium VI, diphenylcarbohydrazide method, Reagent kit for 100 tests (Cr VI LR)	37 €
HI3847	Copper Chemical Test Kit	130 €
HI3847-100	Copper HR, bicinchoninate method, Reagent kit for 100 tests (Cu HR) Copper LR / HR, bicinchoninic acid	96 €
HI3850	Ascorbic Acid Test Kit	96 €
HI3850-100	Ascorbic Acid Test Kit Reagents (100 tests)	62 €
HI3854	Zinc (as Zn ⁺²), Range: (0.0-3.0 mg/L) Method: colorimetric, 100 tests	80 €
HI3854-100	Zinc Test Kit Replacement Reagents (100 Tests)	69 €
HI3859	Glycol, Range: (Present/Absent) Method: visual, 25 tests	150 €
HI3859-025	Glycol, oxidation method, Reagent kit for 25 tests (glycol)	130 €
HI3864	Phenols Test Kit with Checker Disc	165 €
HI3864-100	Phenols Test Kit Replacement Reagents (100 tests)	105 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI3873	Nitrite (as as NO ₂ -N), Range: (0.0-1.0 mg/L) Method: colorimetric, 100 tests	56 €
HI3873-100	Nitrite, chromotropic acid method, Reagent kit for 100 tests (NO ₂ --N)	29 €
HI3874	Nitrate (as NO ₃ -N), Range: (0-50 mg/L) Method: colorimetric, 100 tests	58 €
HI3874-100	Nitrate, cadmium reduction method, Reagent kit for 100 tests (NO ₃ --N)	36 €
HI3875	Chlorine (as Cl ₂ , free), Range: (0.0-3.5mg/L) Method: checker disc, 100 tests	76 €
HI3875-100	Chlorine, free, MR, DPD colorimetric method, Reagent kit for 100 tests (free chlorine)	32 €
HI3887	Chlorine (as Cl ₂ , free & pH), Range: (Cl ₂ 0.0-2.5mg/L)(pH 6.0-8.5) Method: colorimetric, approx. 100 tests	71 €
HI3890	Quick hardness chemical test kit	25 €
HI38904	Pool Line Quick hardness chemical test kit	25 €
HI3895	Agriculture test kit, (10 tests ea.)	38 €
HI3895-010	Soil analysis, Ned (N), ascorbic acid (P), tetraphenylborate (K), pH indicators (pH) Reagent kit for 10 tests (N, P, K, pH)	31 €
HI3896	Agriculture test kit, (25 tests ea.)	89 €
HI3896-025	Soil analysis, Ned (N), ascorbic acid (P), tetraphenylborate (K), pH indicators (pH) Reagent kit for 25 tests (N, P, K, pH)	65 €
HI3896BP	Backpack Lab™ Soil Quality test kit; nitrogen, phosphorus, potassium and pH	545 €
HI3897	Acidity of Olive Oil, Range: (0.00 - 1.00 % acidity) Method: titration, kit	302 €
HI3897-010	Acidity, olive oil, titration with hydroxide, Spare kit for 10 tests	56 €
HI3899BP	Backpack Lab™ Marine Science test kit; acidity (CaCO ₃), alkalinity (CaCO ₃) phenolphthalein & total, ammonia (NH ₃ /NH ₄ ⁺) in saltwater, carbon dioxide (as CO ₂), dissolved oxygen, nitrite (NO ₂ -N), nitrate (NO ₃ -) in saltwater, phosphate (orthophosphate PO ₄ -3), & salinity	575 €
HI4000-00	Ionic Strength Adjuster (ISA) for Halide ISEs	108 €
HI4000-47	ISE Slope Check Buffers with Chloride Background	94 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI4000-50	Liquid Membrane ISE Sensor Handle	419 €
HI4000-51	Replacement pH Assembly for Ammonia ISE	525 €
HI4000-52	Replacement Membrane Cap for Ammonia ISE	55 €
HI4000-54	Replacement pH Assembly for Carbon Dioxide ISE	520 €
HI4000-70	Halide Polishing Strips (24 pcs)	49 €
HI4001-00	Ionic Strength Adjuster (ISA) for Ammonia and Cyanide ISEs	95 €
HI4001-01	Ammonia ISE 0.1M Standard (500 mL)	95 €
HI4001-02	Ammonia ISE 100 ppm Standard (500 mL)	95 €
HI4001-03	Ammonia ISE 1000 ppm Standard (500 mL)	95 €
HI4001-40	Ammonia ISE Filling Solution (4 x 30 mL Bottles)	159 €
HI4001-45	Ammonia ISE Conditioning and Storage Solution	82 €
HI4001-51	Ammonia ISE Membrane Kit (20 pcs)	159 €
HI4002	Bromide Half-Cell Ion Selective Electrode, Solid State	775 €
HI4002-01	Bromide ISE 0.1M Standard (500 mL)	118 €
HI4003	Cadmium Half-Cell Ion Selective Electrode, Solid State	980 €
HI4003-01	Cadmium ISE 0.1M Standard (500 mL)	118 €
HI4004	Calcium Half-Cell Ion Selective Electrode, Polymer Membrane	990 €
HI4004-00	Ionic Strength Adjuster (ISA) for Calcium ISEs	123 €
HI4004-01	Calcium ISE 0.1M Standard (500 mL)	114 €
HI4004-45	Calcium ISE Conditioning and Storage Solution	105 €
HI4004-51	Calcium Module for Half-Cell ISE	312 €
HI4005-00	Ionic Strength Adjuster (ISA) for Carbon Dioxide ISEs	120 €
HI4005-01	Carbon Dioxide ISE 0.1M Standard (500 mL)	120 €
HI4005-03	Carbon Dioxide ISE 1000 ppm Standard (500 mL)	120 €
HI4005-40	Carbon Dioxide ISE Filling Solution (4 x 30 mL Bottles)	144 €
HI4005-45	Carbon Dioxide ISE Conditioning and Storage Solution	87 €
HI4005-53	Carbon Dioxide ISE Membrane Kit (3 pcs)	169 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI4007	Chloride Half-Cell Ion Selective Electrode, Solid State	775 €
HI4007-01	Chloride ISE 0.1M Standard (500 mL)	81 €
HI4007-02	Chloride ISE 100 ppm Standard (500 mL)	81 €
HI4007-03	Chloride ISE 1000 ppm Standard (500 mL)	81 €
HI4008	Cupric Half-Cell Ion Selective Electrode, Solid State	1.010 €
HI4008-01	Cupric ISE 0.1M Standard (500 mL)	137 €
HI4009	Cyanide Half-Cell Ion Selective Electrode, Solid State	780 €
HI4010	Fluoride Half-Cell Ion Selective Electrode, Solid State	835 €
HI4010-00	TISAB II for Fluoride ISEs (500 mL)	65 €
HI4010-01	Fluoride ISE 0.1M Standard 0.1M (500 mL)	94 €
HI4010-02	Fluoride ISE 100 ppm Standard (500 mL)	94 €
HI4010-03	Fluoride ISE 1000 ppm Standard (500 mL)	94 €
HI4010-05	TISAB II for Fluoride ISEs (1 gallon)	156 €
HI4010-06	TISAB III Concentrate for Fluoride ISEs	101 €
HI4010-10	Fluoride ISE 10 ppm Standard with TISAB II (500 mL)	93 €
HI4010-11	Fluoride ISE 1 ppm Standard with TISAB II (500 mL)	93 €
HI4010-12	Fluoride ISE 2 ppm Standard with TISAB II (500 mL)	93 €
HI4010-30	Fluoride Calibration Solution Kit (1 ppm with TISAB II, 10 ppm with TISAB II, TISAB II) (4 bottles of 500 mL each)	333 €
HI4011	Iodide Half-Cell Ion Selective Electrode, Solid State	780 €
HI4011-01	Iodide ISE 0.1M Standard (500 mL)	134 €
HI4012	Lead/Sulfate Half-Cell Ion Selective Electrode, Solid State	1.010 €
HI4012-00	Ionic Strength Adjuster (ISA) for Lead/Sulfate ISEs	110 €
HI4012-01	Lead ISE 0.1M Standard (500 mL)	134 €
HI4012-21	Sulfate ISE 0.1M Standard (500 mL)	134 €
HI4013	Nitrate Half-Cell Ion Selective Electrode, Polymer Membrane	1.000 €
HI4013-00	Ionic Strength Adjuster (ISA) for Nitrate ISEs	107 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI4013-01	Nitrate ISE 0.1M Standard (500 mL)	101 €
HI4013-02	Nitrate ISE 100 ppm Standard (500 mL)	101 €
HI4013-03	Nitrate ISE 1000 ppm Standard (500 mL)	101 €
HI4013-06	Interferent Suppressant ISA (ISISA) for Nitrate ISEs	101 €
HI4013-13	Nitrate standard 1000 ppm, 500 mL, regular bottle	72 €
HI4013-51	Nitrate Module for Half-Cell ISE (1 piece)	293 €
HI4013-53	Nitrate Module for Half-Cell ISE (3 pcs)	381 €
HI4014	Potassium Half-Cell Ion Selective Electrode, Polymer Membrane	1.010 €
HI4014-00	Ionic Strength Adjuster (ISA) for Potassium ISEs	129 €
HI4014-01	Potassium ISE 0.1M Standard (500 mL)	114 €
HI4014-51	Potassium Module for Half-Cell ISE	311 €
HI4015	Silver/Sulfide Half-Cell Ion Selective Electrode, Solid State	835 €
HI4015-00	Sulfide Antioxidant Buffer (SAOB) for Sulfide ISEs	76 €
HI4015-01	Silver ISE 0.1M Standard (500 mL)	129 €
HI4016-00	Ionic Strength Adjuster (ISA) for Sodium ISEs	74 €
HI4016-01	Sodium ISE 0.1M Standard (500 mL)	96 €
HI4016-02	Sodium ISE 100 ppm Standard (500 mL)	96 €
HI4016-03	Sodium ISE 1000 ppm Standard (500 mL)	96 €
HI4016-10	Sodium ISE 10 ppm Standard (500 mL)	96 €
HI4016-45	Sodium ISE Storage Solution	45 €
HI4016-46	Sodium ISE Conditioning Solution	15 €
HI4020-11	BRIX standard 50%, 10 mL	61 €
HI4101	Ammonia Combination Ion Selective Electrode, Gas Sensing	855 €
HI4102	Bromide Combination Ion Selective Electrode, Solid State	970 €
HI4103	Cadmium Combination Ion Selective Electrode, Solid State	1.140 €
HI4104	Calcium Combination Ion Selective Electrode, Polymer Membrane	1.070 €
HI4104-51	Calcium Module for Combination ISE	344 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI4105	Carbon Dioxide Combination Ion Selective Electrode, Gas Sensing	1.010 €
HI4107	Chloride Combination Ion Selective Electrode, Solid State	970 €
HI4108	Cupric Combination Ion Selective Electrode, Solid State	1.190 €
HI4109	Cyanide Combination Ion Selective Electrode, Solid State	1.000 €
HI4110	Fluoride Combination Ion Selective Electrode, Solid State	1.000 €
HI4110-51	Fluoride Module for Combination ISE	344 €
HI4111	Iodide Combination Ion Selective Electrode, Solid State	970 €
HI4112	Lead/Sulfate Combination Ion Selective Electrode, Solid State	1.190 €
HI4113	Nitrate Combination Ion Selective Electrode, Polymer Membrane	1.080 €
HI4113-51	Nitrate Module for Combination ISE (1 piece)	297 €
HI4113-53	Nitrate Module for Combination ISE (3 pcs)	381 €
HI4114	Potassium Combination Ion Selective Electrode, Polymer Membrane	1.140 €
HI4114-51	Potassium Module for Combination ISE	344 €
HI4115	Silver/Sulfide Combination Ion Selective Electrode, Solid State	1.010 €
HI4211T	ORP Au pin, plastic (PEI) body, screw cap S7 (PG13.5), gel filled, ref. double junction, cloth junction	380 €
HI4430B	Gel Filled ORP Electrode with Gold Contact and BNC Connector	319 €
HI4430B/3	Gel Filled ORP Electrode with Gold Contact and 3 meter cable with BNC Connector	358 €
HI4486/50	PoolLine ORP Electrode, 50 mm long with Golden Sensor and 2 m Cable	123 €
HI50001-02	pH 1.00 @ 25°C Technical Calibration Buffer Sachets, (25 x 20mL)	53 €
HI50002-02	pH 2.00 @ 25°C Technical Calibration Buffer Sachets, (25 x 20mL)	53 €
HI50003-02	pH 3.00 @ 25°C Technical Calibration Buffer Sachets, (25 x 20mL)	53 €
HI50004-02	pH 4.01 @ 25°C Technical Calibration Buffer Sachets, (25 x 20mL)	53 €
HI50005-02	pH 5.00 @ 25°C Technical Calibration Buffer Sachets, (25 x 20mL)	53 €
HI50007-02	pH 7.01 @ 25°C Technical Calibration Buffer Sachets, (25 x 20mL)	53 €
HI50009-02	pH 9.00 @ 25°C Technical Calibration Buffer Sachets, (25 x 20mL)	53 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI5001	pH 1.00 @ 25°C Technical Calibration Buffer, 500 mL	34 €
HI50010-02	pH 10.01 @ 25°C Technical Calibration Buffer Sachets, (25 x 20mL)	53 €
HI50011-02	pH 11.00 @ 25°C Technical Calibration Buffer Sachets, (25 x 20mL)	53 €
HI50012-01	12.00 pH Value @25°C, (10) 20 mL sachets	34 €
HI50012-02	pH 12.00 @ 25°C Technical Calibration Buffer Sachets, (25 x 20mL)	53 €
HI50013-02	pH 13.00 @ 25°C Technical Calibration Buffer Sachets, (25 x 20mL)	53 €
HI50016-02	pH 1.68 @ 25°C Technical Calibration Buffer Sachets, (25 x 20mL)	53 €
HI5002	pH 2.00 @ 25°C Technical Calibration Buffer, 500 mL	34 €
HI5002-01	pH 2.00 @ 25°C Technical Calibration Buffer, 1 L	53 €
HI50021P	CAL Check solution for HI9813-6, (25 x 20mL)	53 €
HI5003	pH 3.00 @ 25°C Technical Calibration Buffer, 500 mL	34 €
HI50036P	Quick Cal solution sachets for single point pH/EC calibration, (25 x 20mL)	38 €
HI5004	pH 4.01 @ 25°C Technical Calibration Buffer, 500 mL	34 €
HI5004-01	pH 4.01 @ 25°C Technical Calibration Buffer, 1 L	53 €
HI5004-R	pH 4.01 @ 25°C Red Technical Calibration Buffer, 500 mL	34 €
HI5004-R08	pH 4.01 @ 25°C Red Technical Calibration Buffer, (2) 1 Gal. (3.78 L)	106 €
HI5005	pH 5.00 @ 25°C Technical Calibration Buffer, 500 mL	34 €
HI5005-01	pH 5.00 @ 25°C Technical Calibration Buffer, 1 L	53 €
HI5006	pH 6.00 @ 25°C Technical Calibration Buffer, 500 mL	34 €
HI50068-02	pH 6.86 @ 25°C Technical Calibration Buffer Sachets, (25 x 20mL)	53 €
HI5007	pH 7.01 @ 25°C Technical Calibration Buffer, 500 mL	34 €
HI5007-01	pH 7.01 @ 25°C Technical Calibration Buffer, 1 L	53 €
HI5007-G	pH 7.01 @ 25°C Green Technical Calibration Buffer, 500 mL bottle	34 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI5007-G08	pH 7.01 @ 25°C Green Technical Calibration Buffer, (2) 1 Gal. (3.78 L)	106 €
HI5008	pH 8.00 @ 25°C Technical Calibration Buffer, 500 mL	34 €
HI5008-01	pH 8.00 @ 25°C Technical Calibration Buffer, 1 L	53 €
HI5009	pH 9.00 @ 25°C Technical Calibration Buffer, 500 mL	34 €
HI50091-02	pH 9.18 @ 25°C Technical Calibration Buffer Sachets, (25 x 20mL)	53 €
HI5010	pH 10.01 @ 25°C Technical Calibration Buffer, 500 mL	34 €
HI5010-01	pH 10.01 @ 25°C Technical Calibration Buffer, 1 L	53 €
HI5010-V	pH 10.01 @ 25°C Violet Technical Calibration Buffer, 500 mL	34 €
HI5010-V08	pH 10.01 @ 25°C Violet Technical Calibration Buffer, (2) 1 Gal. (3.78 L)	106 €
HI5011	pH 11.00 @ 25°C Technical Calibration Buffer, 500 mL	34 €
HI5012	pH 12.00 @ 25°C Technical Calibration Buffer, 500 mL	34 €
HI50124-02	pH 12.45 @ 25°C Technical Calibration Buffer Sachets, (25 x 20mL)	53 €
HI5013	pH 13.00 @ 25°C Technical Calibration Buffer, 500 mL	34 €
HI5016	pH 1.68 @ 25°C Technical Calibration Buffer, 500 mL	34 €
HI5030-12	12,880 µS/cm EC value @ 25°C, 120 mL	18 €
HI5031-12	1,413 µS/cm EC value @ 25°C, 120 mL	18 €
HI5033-12	84 µS/cm EC value @ 25°C, 120 mL	18 €
HI5034-12	80,000 µS/cm EC value @ 25°C, 120 mL	18 €
HI5036-012	GroLine Quick Cal Solution for Single point pH/EC Calibration, 120 mL Bottle	10 €
HI5036-023	GroLine Quick Cal Solution for Single Point pH/EC Calibration, 230 mL Bottle	16 €
HI5036-050	GroLine Quick Cal Solution for Single Point pH/EC Calibration, 500 mL Bottle	19 €
HI5068	pH 6.86 @ 25°C Technical Calibration Buffer, 500 mL	34 €
HI5074	pH 7.41 @ 25°C Technical Calibration Buffer, 500 mL	34 €
HI5091	pH 9.18 @ 25°C Technical Calibration Buffer (500 mL)	34 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI510-01	Panel-Mount Kit for HI510	69 €
HI510-02	Wall-Mount Kit for HI510	69 €
HI510-03	Pipe-Mount Kit for HI510	120 €
HI510-0320	HI510 Universal Controller with Digital Probe Inputs, 3 relays, 2 analog outputs	880 €
HI510-0540	HI510 Universal Controller with Digital Probe Inputs, 5 relays, 4 analog outputs	1.100 €
HI5110B	Silver ORP Half-Cell Electrode for argentometric titration with BNC Connector	315 €
HI5124	pH 12.45 @ 25°C Technical Calibration Buffer (500 mL)	34 €
HI5148B	Silver Billet Combination Electrode for Halide Titration	352 €
HI520-0320	Dual-Channel Universal Process Controller with Digital Probe Inputs, 3 Relays, 2 Analog Outputs, RS-485 / Modbus serial communication protocol, 100-240 Vac	1.100 €
HI520-0540	Dual-Channel Universal Process Controller with Digital Probe Inputs, 5 Relays, 4 Analog Outputs, RS-485 / Modbus serial communication protocol, 100-240 Vac	1.350 €
HI5300-12	Electrode storage solution, 120 mL	18 €
HI5311	Glass Body General Purpose Reference Electrode, Use for general purpose, and titration, 4mm banana connector	135 €
HI5312	Reference Electrode for Samples with Suspended Solids, 4mm banana connector	190 €
HI5313	PEI Body Reference Electrode for FC301B	167 €
HI5314	Glass Body Reference Electrode for Measurements with Remote Filling	224 €
HI5315	Reference Electrode for ISE Half-Cells	353 €
HI5412	Glass Body Calomel Reference Electrode, 4mm banana connector	170 €
HI5413	Glass Body Calomel Reference Electrode for ISE and Samples with Suspended Solids, 4mm banana connector	189 €
HI5414	Glass Body Calomel Reference Electrode for Measurements with Remote Filling, 4mm banana connector	188 €
HI54710	pH 4.01, pH 7.01, pH 10.01 @ 25°C Technical Calibration Buffer, (1 each) 500mL bottles	88 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI54710-10	pH 4.01, pH 7.01, pH 10.01, pH Value @ 25°C Technical Calibration Buffer, HI 70300L Storage Solution, (1 each) 500 mL bottles	106 €
HI54710-11	pH 4.01, pH 7.01, pH 10.01, pH Value @ 25°C Technical Calibration Buffer, HI 70300L Storage Solution, HI7061 General Purpose Cleaning Solution, (1 each) 500 mL bottles	125 €
HI6000-02	HI6000-01 is supplied with HI764060 electrode holder, 24 VDC power adapter, USB-C to USB-A cable, instrument quality certificate, quick reference with QR code for manual download. 230V	905 €
HI6000-1	pH/ORP module. Recommended probes: HI1131B (pH), HI7662-TW (Temperature). Works with all Hanna pH electrodes with BNC connector.	171 €
HI60001-02	pH 1.000 @ 25°C Millesimal Calibration Buffer Sachets, (25 x 20mL)	63 €
HI6000180	Compact Magnetic Mini-Stirrer for HI6000	216 €
HI6000-2	pH/ORP/ISE module. Recommended probes: HI1131B (pH), HI7662-TW (temperature), Hanna Ion Selective Electrodes. Works with all Hanna pH electrodes with BNC connector.	284 €
HI60002-02	pH 2.000 @ 25°C Millesimal Calibration Buffer Sachets, (25 x 20mL)	63 €
HI6000-3	EC module. Recommended probes: HI7631233 (EC)	284 €
HI6000-4	Dissolved Oxygen module Recommended probes: HI7641133 (optical DO), HI764833 (polarographic DO)	284 €
HI60004-02	pH 4.010 @ 25°C Millesimal Calibration Buffer Sachets, (25 x 20mL)	63 €
HI60007-02	pH 7.010 @ 25°C Millesimal Calibration Buffer Sachets, (25 x 20mL)	63 €
HI6001	pH 1.000 @ 25°C Millesimal Calibration Buffer, 500 mL	41 €
HI60010-02	pH 10.010 @ 25°C Millesimal Calibration Buffer Sachets, (25 x 20mL)	63 €
HI60016-02	pH 1.679 @ 25°C Millesimal Calibration Buffer Sachets, (25 x 20mL)	63 €
HI6002	pH 2.000 @ 25°C Millesimal Calibration Buffer, 500 mL	41 €
HI6003	pH 3.000 @ 25°C Millesimal Calibration Buffer, 500 mL	41 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI6004	pH 4.010 @ 25°C Millesimal Calibration Buffer, 500 mL	41 €
HI6006	pH 6.000 @ 25°C Millesimal Calibration Buffer, 500 mL	41 €
HI6007	pH 7.010 @ 25°C Millesimal Calibration Buffer, 500 mL	41 €
HI6008	pH 8.000 @ 25°C Millesimal Calibration Buffer, 500 mL	41 €
HI6009	pH 9.000 @ 25°C Millesimal Calibration Buffer, 500 mL	41 €
HI6010	pH 10.010 @ 25°C Millesimal Calibration Buffer, 500 mL	41 €
HI6011	pH 11.000 @ 25°C Millesimal Calibration Buffer, 500 mL	41 €
HI6012	pH 12.000 @ 25°C Millesimal Calibration Buffer, 500 mL	41 €
HI6013	pH 13.000 @ 25°C Millesimal Calibration Buffer, 500 mL	41 €
HI6016	pH 1.679 @ 25°C Millesimal Calibration Buffer, 500 mL	41 €
HI6031	1413 μ S/cm @ 25°C Technical EC Calibration Standard with Certificate of Analysis, 500 mL	34 €
HI6032	1382 mg/L (ppm) @ 25°C Technical TDS Calibration Standard with Certificate of Analysis, 500 mL	34 €
HI6033	84 μ S/cm @ 25°C Technical EC Calibration Standard with Certificate of Analysis, 500 mL	34 €
HI6050	Submersible Electrode Holder, 605 mm (23.8"), 475 mm (18.7") submersion length	167 €
HI60501	Immersion Electrode Holders for Tanks, Vessels, Baths and Open Channels, PVC body	295 €
HI60501-0	O-ring set for HI60501	35 €
HI605011	PVC mounting flange for HI60501 and HI60503	129 €
HI60501-1	Spare external cap for electrode holder	52 €
HI60503	Immersion Electrode Holders for Tanks, Vessels, Baths and Open Channels, PVDF body	434 €
HI6051	Submersible Electrode Holder, 1105 mm (43.5"), 975 mm (38.4") submersion length	176 €
HI605101	Industrial Probes Rail Mount Holder	423 €
HI6052	Submersible Electrode Holder, 1605 mm (63.2"), 1500 mm (59.1") submersion length	191 €
HI60542	Electrode holder for in-line direct pipe installation, PG 13.5 thread	324 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI60542-0	O-ring set for HI60542	47 €
HI60545	Electrode holder for by-pass loop configurations	290 €
HI60545-0	O-ring set for HI60545	35 €
HI605453	SS316 flow through cell for resistivity measurements	585 €
HI6054B	Electrode holder for in-line installation, 3/4x16UNF thread	56 €
HI6054T	Electrode holder for in-line installation, PG 13.5 thread	56 €
HI6068	pH 6.862 @ 25°C Millesimal Calibration Buffer, 500 mL	41 €
HI6074	pH 7.413 @ 25°C Millesimal Calibration Buffer, 500 mL	41 €
HI6091	pH 9.177 @ 25°C Millesimal Calibration Buffer, 500 mL	41 €
HI6100205	Industrial pH Electrode for Acid samples with Fluoride ions F-, PVDF body, double junction PTFE, -5 to 60 °C, 6 bar, BNC 5m	302 €
HI6100405	Industrial pH Electrode,general purpose, PVDF body, double junction PTFE, -5 to 80 °C, 6 bar, BNC 5m	302 €
HI6100410	Industrial pH Electrode,general purpose, PVDF body, double junction PTFE, -5 to 80 °C, 6 bar, BNC 10 m	335 €
HI6100805	Industrial pH Electrode for high Temperatures, PVDF body, double junction PTFE, 0to 100 °C, 6 bar, BNC 5m	302 €
HI6101205	Industrial pH Electrode for Acid samples with Fluoride ions F-, PVDF body, double junction PTFE, -5 to 60 °C, 6 bar, BNC 5m,PT100	361 €
HI6101405	Industrial pH Electrode,general purpose, PVDF body, double junction PTFE, -5 to 80 °C, 6 bar, BNC 5m,PT100	361 €
HI6101415	Industrial pH Electrode,general purpose, PVDF body, double junction PTFE, -5 to 80 °C, 6 bar, BNC 15m,PT100	575 €
HI6101605	Industrial pH Electrode for low Temperatures, PVDF body, double junction PTFE, -10 to 80 °C, 6 bar, BNC 5m,PT100	377 €
HI6101805	Industrial pH Electrode for high Temperatures, PVDF body, double junction PTFE, 0to 100 °C, 6 bar, BNC 5m,PT100	361 €
HI6124	pH 12.450 @ 25°C Millesimal Calibration Buffer, 500 mL	41 €
HI6200405	Industrial Platinum ORP Electrode, PVDF body, double junction PTFE, -5 to 100 °C, 6 bar, BNC 5m,	326 €
HI6200505	Industrial Gold ORP Electrode, PVDF body, double junction PTFE, -5 to 100 °C, 6 bar, BNC 5m,PT100	326 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI6221-02	Advanced pH/ORP/Temperature Benchtop Meter, 7-inch Color Display, 800 x 480p Resolution, Capacitive Multi-touch Screen and Keys, Ethernet and Wi-Fi Connection, USB type A & type C, 230V	990 €
HI6221-03	Advanced pH/ORP/Temperature Benchtop Meter, w/o Electrode & Power Adapter	855 €
HI6222-02	Kit supplied with two HI6000-2 pH/ISE modules; HI1131B pH electrode; HI7662-TW temperature probe; pH calibration starter kit consisting of: pH 4.01 buffer solution (2 sachets), pH 7.01 buffer solution sachet (4 sachets), pH 10.01 buffer solution sachet (2 sachets); HI700601 electrode cleaning solution sachet (2 sachets); HI70300S storage solution for pH & ORP electrodes (25 mL); HI7082 3.5M KCl electrolyte solution (30 mL); HI7631233 EC and resistivity probe; EC calibration starter kit consisting of: 1413 μ S/cm standard solution (4 sachets), 12880 μ S/cm standard solution (2 sachets), 5000 μ S/cm standard solution (2 sachets); electrode rinse solution (2 sachets); HI764060 electrode holder with following accessories: base plate (integrated pivot pin) and screw (requires installation), cable holder clip (attached), electrode holder with adapter, attached, capillary pipette; 24 VDC power adapter; USB-C to USB-A cable; probe quality certificate; quick reference guide with instrument quality certificate. 230V	1.360 €
HI6291005	AmpHel® pH electrode with replaceable battery, for general purpose	215 €
HI629113	Plating Bath titanium body pH Electrode with quick connect DIN connector	218 €
HI629113/2	Plating Bath Titanium Body pH Electrode with Quick Connect DIN Connector and 2 meters (6'6'') Cable	218 €
HI62911D	Titanium Body pH Electrode for Plating Baths with DIN Connector	197 €
HI6293005	AmpHel® ORP Electrode with replaceable battery, PEI body, platinum glass type	232 €
HI6321-02	Advanced Conductivity/Resistivity/TDS/Salinity/Temperature Benchtop Meter with HI7631233 EC Probe, 7-inch Color Display, 800 x 480p Resolution, Capacitive Multi-touch Screen and Keys, Ethernet and Wi-Fi Connection, USB type A & type C, 230V	1.240 €
HI6321-03	Advanced Conductivity/Resistivity/TDS/Salinity/Temperature Benchtop Meter with Power Adapter, w/o Electrode	845 €
HI6421-02	Advanced Dissolved Oxygen Benchtop Meter with HI7641133 Optical DO Probe , 7-inch Color Display, 800 x 480p Resolution, Capacitive Multi-touch Screen and Keys, Ethernet and Wi-Fi Connection, USB type A & type C, 230V	1.750 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI6421-03	Advanced Dissolved Oxygen Benchtop Meter with Power Adapter, w/o Electrode	845 €
HI6421P-02	Advanced Dissolved Oxygen Benchtop Meter with HI764833 Polarographic DO Probe , 7-inch Color Display, 800 x 480p Resolution, Capacitive Multi-touch Screen and Keys, Ethernet and Wi-Fi Connection, USB type A & type C, 230V	1.310 €
HI6421P-03	Advanced Dissolved Oxygen Benchtop Meter with Power Adapter, w/o Electrode	845 €
HI6493005	AmpHel® ORP Electrode with replaceable battery, PEI body, gold glass type	560 €
HI6522-02	Kit supplied with one HI6000-2 pH/ISE module and one HI6000-3 EC module; HI1131B pH electrode; HI7662-TW temperature probe; pH calibration starter kit consisting of: pH 4.01 buffer solution (2 sachets), pH 7.01 buffer solution sachet (4 sachets), pH 10.01 buffer solution sachet (2 sachets); HI700601 electrode cleaning solution sachet (2 sachets); HI70300S storage solution for pH & ORP electrodes (25 mL); HI7082 3.5M KCl electrolyte solution (30 mL); HI7631233 EC and resistivity probe; EC calibration starter kit consisting of: 1413 µS/cm standard solution (4 sachets), 12880 µS/cm standard solution (2 sachets), 5000 µS/cm standard solution (2 sachets); electrode rinse solution (2 sachets); HI764060 electrode holder with following accessories: base plate (integrated pivot pin) and screw (requires installation), cable holder clip (attached), electrode holder with adapter, attached, capillary pipette; 24 VDC power adapter; USB-C to USB-A cable; probe quality certificate; quick reference guide with instrument quality certificate. 230V	1.510 €
HI6542-02	1 pH, 1 optical (opdo®) DO kit: HI6542-01 (US power plug, main unit only) and HI6542-02 (EU power plug, main unit only) is supplied with one HI6000-2 pH/ISE module and one HI6000-4 DO module; HI1131B pH electrode; HI7662-TW temperature probe; pH calibration starter kit consisting of: pH 4.01 buffer solution (2 sachets), pH 7.01 buffer solution sachet (4 sachets), pH 10.01 buffer solution sachet (2 sachets); HI700601 electrode cleaning solution sachet (2 sachets); HI70300S storage solution for pH & ORP electrodes (25 mL); HI7082 3.5M KCl electrolyte solution (30 mL); HI7641133 optical DO probe (opdo®); HI764113-1 Smart Cap™ with O-ring; calibration / storage vessel; syringe, lens wipe, silicone grease (6 g sachet); DO Smart Cap quality certificate; HI764060 electrode holder with following accessories: base plate (integrated pivot pin) and screw (requires installation), cable holder clip (attached), electrode holder with adapter, attached, capillary pipette; 24 VDC power adapter; USB-C to USB-A cable; probe quality certificate; quick reference guide with instrument quality certificate. 230V	1.860 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI6542P-02	1 pH, 1 polarographic DO kit: HI6542P-01 (US power plug, main unit only) and HI6542P-02 (EU power plug, main unit only) is supplied with one HI6000-2 pH/ISE module and one HI6000-4 DO module; HI1131B pH electrode; HI7662-TW temperature probe; pH calibration starter kit consisting of: pH 4.01 buffer solution (2 sachets), pH 7.01 buffer solution sachet (4 sachets), pH 10.01 buffer solution sachet (2 sachets); HI700601 electrode cleaning solution sachet (2 sachets); HI70300S storage solution for pH & ORP electrodes (25 mL); HI7082 3.5M KCl electrolyte solution (30 mL); HI764833 polarographic DO probe; membrane cap with O-ring (2 pcs.); HI7041S electrolyte solution (30 mL); HI764060 electrode holder with following accessories: base plate (integrated pivot pin) and screw (requires installation), cable holder clip (attached), electrode holder with adapter, attached, capillary pipette; 24 VDC power adapter; USB-C to USB-A cable; probe quality certificate; quick reference guide with instrument quality certificate. 230V	1.410 €
HI6553-02	Kit supplied with one HI6000-2 pH/ISE module, one HI6000-3 EC module and one HI6000-4 DO module; HI1131B pH electrode; HI7662-TW temperature probe; pH calibration starter kit consisting of: pH 4.01 buffer solution (2 sachets), pH 7.01 buffer solution sachet (2 sachets), pH 10.01 buffer solution sachet (2 sachets); HI700601 electrode cleaning solution sachet (2 sachets); HI70300S storage solution for pH & ORP electrodes (25 mL); HI7082 3.5M KCl electrolyte solution (30 mL); HI7631233 EC and resistivity probe; EC calibration starter kit consisting of: 1413 μ S/cm standard solution (2 sachets), 12880 μ S/cm standard solution (2 sachets), 5000 μ S/cm standard solution (2 sachets); electrode rinse solution (2 sachets); HI7641133 optical DO probe (opdo®); HI764113-1 Smart Cap™ with O-ring; calibration / storage vessel; syringe, lens wipe, silicone grease (6 g sachet); DO Smart Cap quality certificate; HI764060 electrode holder with following accessories: base plate (integrated pivot pin) and screw (requires installation), cable holder clip (attached), electrode holder with adapter, attached, capillary pipette; 24 VDC power adapter; USB-C to USB-A cable; probe quality certificate; quick reference guide with instrument quality certificate. 230V	2.060 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI6553P-02	Kit supplied with one HI6000-2 pH/ISE module, one HI6000-3 EC module and one HI6000-4 DO module; HI1131B pH electrode; HI7662-TW temperature probe; pH calibration starter kit consisting of: pH 4.01 buffer solution (2 sachets), pH 7.01 buffer solution sachet (2 sachets), pH 10.01 buffer solution sachet (2 sachets); HI700601 electrode cleaning solution sachet (2 sachets); HI70300S storage solution for pH & ORP electrodes (25 mL); HI7082 3.5M KCl electrolyte solution (30 mL); HI7631233 EC and resistivity probe; EC calibration starter kit consisting of: 1413 μ S/cm standard solution (2 sachets), 12880 μ S/cm standard solution (2 sachets), 5000 μ S/cm standard solution (2 sachets); electrode rinse solution (2 sachets); HI764833 polarographic DO probe; membrane cap with O-ring (2 pcs.); HI7041S electrolyte solution (30 mL); HI764060 electrode holder with following accessories: base plate (integrated pivot pin) and screw (requires installation), cable holder clip (attached), electrode holder with adapter, attached, capillary pipette; 24 VDC power adapter; USB-C to USB-A cable; probe quality certificate; quick reference guide with instrument quality certificate, 230V	1.610 €
HI700	Ammonia Low Range Checker® HC	71 €
HI70000P	Electrode Rinsing Solution Sachets, (25 x 20 mL)	35 €
HI700044P	Pool Line 4.01 pH Value @25°C, (25) 20 mL sachets	36 €
HI70004C	pH 4.01 @ 25°C Calibration Buffer Sachets with Certificate of Analysis, (25 x 20mL)	39 €
HI70004G	GroLine pH 4.01 buffer (+/- 0.02 pH accuracy @ 25°C) with Certificate of Analysis, (25 x 20mL)	36 €
HI70004P	pH 4.01 @ 25°C Calibration Buffer Sachets, (25 x 20mL)	36 €
HI70006C	pH 6.86 @ 25°C Calibration Buffer Sachets with Certificate of Analysis, (25 x 20mL)	41 €
HI70006P	pH 6.86 @ 25°C Calibration Buffer Sachets, (25 x 20mL)	36 €
HI700074P	Pool Line 7.01 pH Value @25°C, 25 X 20 mL sachets	36 €
HI70007C	pH 7.01 @ 25°C Calibration Buffer Sachets with Certificate of Analysis, (25 x 20mL)	41 €
HI70007G	GroLine pH 7.01 buffer (+/- 0.02 pH accuracy @ 25°C) with Certificate of Analysis, (25 x 20mL)	36 €
HI70007P	pH 7.01 @ 25°C Calibration Buffer Sachets, (25 x 20mL)	36 €
HI70009C	pH 9.18 @ 25°C Calibration Buffer Sachets with Certificate of Analysis, (25 x 20mL)	41 €
HI70009P	pH 9.18 @ 25°C Calibration Buffer Sachets, (25 x 20mL)	36 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI70010C	pH 10.01 @ 25°C Calibration Buffer Sachets with Certificate of Analysis, (25 x 20mL)	41 €
HI70010P	pH 10.01 @ 25°C Calibration Buffer Sachets, (25 x 20mL)	36 €
HI700-11	Ammonia Checker calibration check set (0.00 and 1.00 ppm Ammonia)	36 €
HI7001L	pH 1.68 Value @ 25°C Calibration Buffer, 500 mL bottle	20 €
HI7001M	pH 1.68 @ 25°C Buffer Solution, 230 mL bottle	17 €
HI700224P	Pool Line ORP test solution, 25x20 ml sachets	36 €
HI70022P	470 mV @ 25°C ORP Calibration Standard Sachets, (25 x 20mL)	36 €
HI70023P	5.00 ppt @ 25°C Salinity Calibration Standard Sachets , (25 x 20mL)	36 €
HI70024L	35.00 ppt @ 25°C salinity calibration standard, 500 mL bottle	35 €
HI70024M	35.00 ppt @ 25°C Salinity Calibration Solution, 230 mL bottle	33 €
HI70024P	35.00 ppt @ 25°C salinity calibration standard sachets , (25 x 20mL)	34 €
HI700-25	Reagents for LR ammonia Checker	26 €
HI7003004P	Pool Line Storage Solution for PH/ORP Electrodes, 25x20 mL sachets	36 €
HI700304P	Pool Line 12880 μ S/cm EC value @25°C, (25) 20 mL sachets	36 €
HI70030C	12,880 μ S/cm @ 25°C EC Calibration Standard Sachets with Certificate of Analysis, (25 x 20mL)	41 €
HI70030P	12,880 μ S/cm @ 25°C EC Calibration Standard Sachets, (25 x 20mL)	36 €
HI70031C	1,413 μ S/cm @ 25°C EC Calibration Standard Sachets with Certificate of Analysis, (25 x 20mL)	41 €
HI70031G	GroLine 1,413 μ S/cm @ 25°C EC Calibration Standard Sachets with Certificate of Analysis, (25 x 20mL)	36 €
HI70031P	1,413 μ S/cm @ 25°C EC Calibration Standard Sachets, (25 x 20mL)	36 €
HI70032C	1382 mg/L (ppm) @ 25°C TDS Calibration Standard Sachets with Certificate of Analysis, (25 x 20mL)	41 €
HI70032P	1382 mg/L (ppm) @ 25°C TDS Calibration Standard Sachets, (25 x 20mL)	36 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI700384P	Pool Line 6.44 ppt TDS Standard, 25 x 20 sachets	36 €
HI70038C	6.44 g/L (ppt) @ 25°C TDS Calibration Standard Sachets with Certificate of Analysis, (25 x 20mL)	41 €
HI70038P	6.44 g/L (ppt) @ 25°C TDS Calibration Standard Sachets , (25 x 20mL)	36 €
HI70039C	5000 µS/cm EC value @ 25°C EC Calibration Standard Sachets with Certificate of Analysis, (25 x 20mL)	41 €
HI70039G	GroLine 5000 µS/cm EC value @ 25°C EC Calibration Standard Sachets with Certificate of Analysis, (25 x 20mL)	36 €
HI70039P	5000 µS/cm @ 25°C EC Calibration Standard Sachets, (25 x 20mL)	36 €
HI7004/1G	pH 4.01 @ 25°C Calibration Buffer, 1 Gal. (3.78 L) bottle	61 €
HI7004/1L	pH 4.01 @ 25°C Calibration Buffer, 1 L bottle	24 €
HI7004-023	GroLine pH 4.01 Buffer Solution (+/- 0.02 pH accuracy @ 25°C) with Certificate of Analysis, 230 mL bottle	17 €
HI7004-050	GroLine pH 4.01 buffer (+/- 0.02 pH accuracy @ 25°C) with Certificate of Analysis, 500 ml	20 €
HI7004C	pH 4.01 @ 25°C Red Color Calibration Buffer, 500 mL bottle	21 €
HI7004L	pH 4.01 @ 25°C Calibration Buffer, 500 mL bottle	20 €
HI7004L/C	pH 4.01 @ 25°C Calibration Buffer with Certificate of Analysis, 500 mL bottle	28 €
HI7004M	pH 4.01 @ 25°C Buffer Solution, 230 mL bottle	17 €
HI7006/1G	pH 6.86 @ 25°C Calibration Buffer, 1 Gal. (3.78 L) bottle	61 €
HI7006/1L	pH 6.86 @ 25°C Calibration Buffer, 1 L bottle	24 €
HI7006014P	Pool Line Cleaning Solution 25 sachets	36 €
HI700601P	General purpose cleaning solution sachets, (25 x 20 ml)	36 €
HI70060M	pH 6.00 @ 25°C Buffer Solution, 230 mL bottle	17 €
HI70061G	GroLine Cleaning solution for pH electrodes, (25 x 20 mL)	36 €
HI700620P	Cleaning and disinfection solution for skin residuals, 20 mL sachets (25 pcs.)	48 €
HI700621P	Electrode cleaning solution for skin grease and sebum, 20 mL sachets (25 pcs.)	48 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI700630P	Acid Cleaning Solution for Meat Grease and Fats (Food Industry), (25) 20 mL sachets	48 €
HI700635P	Cleaning Solution for Wine Deposits (Wine-Making), (25) 20 mL sachets	48 €
HI700636P	Cleaning Solution for Wine Stains (Wine-Making), (25) 20 mL sachets	48 €
HI700637P	Cleaning Solution for Juice, (25) 20 mL sachets	46 €
HI700640P	Cleaning Solution for Milk Deposits (Food Industry), (25) 20 mL sachets	48 €
HI700641P	Cleaning and Disinfection Solution for Dairy Products (Food Industry), (25) 20 mL sachets	48 €
HI700642P	Cleaning Solution for Cheese Deposits (Food Industry), (25) 20 mL sachets	48 €
HI700643P	Cleaning Solution for Yogurt Deposits (Food Industry), (25) 20 mL sachets	48 €
HI700661P	General purpose cleaning solution for agriculture (1 x 20 mL sachet)	48 €
HI700663P	Cleaning Solution for Soil Deposits (Agriculture), (25) 20 mL sachets	48 €
HI700664P	Cleaning Solution for Humus Deposits (Agriculture), (25) 20 mL sachets	48 €
HI700670P	Cleaning Solution for Salt Deposits (Industrial Processes), (25) 20 mL sachets	48 €
HI700671P	Cleaning and disinfection solution for algae, fungi and bacteria (industrial processes), 20 mL sachets (25 pcs.)	48 €
HI700680P	Cleaning solutions for cellulose deposits, 20 mL sachets (25 pcs.)	48 €
HI700682P	Electrode cleaning Solution for beer and wort, (25) 20 mL sachets	48 €
HI700683P	Cleaning solutions for sushi rice deposits, 20 mL sachets (25 pcs.)	48 €
HI700684P	Cleaning solution for bread and dough deposits, 20 mL sachets (25 pcs.)	48 €
HI700685P	Cleaning solutions for chocolate deposits, 20 mL sachets (25 pcs.)	48 €
HI7006L	pH 6.86 @ 25°C Calibration Buffer, 500 mL bottle	20 €
HI7006L/C	pH 6.86 @ 25°C Calibration Buffer with Certificate of Analysis, 500 mL bottle	28 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI7006M	pH 6.86 @ 25°C Buffer Solution, 230 mL bottle	17 €
HI7007/1G	pH 7.01 @ 25°C Calibration Buffer, 1 Gal. (3.78 L) bottle	61 €
HI7007/1L	pH 7.01 @ 25°C Calibration Buffer, 1 L bottle	24 €
HI7007-023	GroLine pH 7.01 Buffer Solution (+/- 0.02 pH accuracy @ 25°C) with Certificate of Analysis, 230 mL bottle	17 €
HI7007-050	GroLine pH 7.01 buffer (+/- 0.02 pH accuracy @ 25°C) with Certificate of Analysis, 500 ml	20 €
HI7007C	pH 7.01 @ 25°C Green Color Calibration Buffer, 500 mL bottle	20 €
HI7007L	pH 7.01 @ 25°C Calibration Buffer, 500 mL bottle	20 €
HI7007L/C	pH 7.01 @ 25°C Calibration Buffer with Certificate of Analysis, 500 mL bottle	28 €
HI7007M	pH 7.01 @ 25°C Buffer Solution, 230 mL bottle	17 €
HI70080C	800 mg/L (ppm) TDS value @ 25°C, (25) 20 mL sachets with certificate of analysis	42 €
HI70080P	800 mg/L (ppm) TDS value @ 25°C, (25) 20 mL sachets	36 €
HI70082M	pH 8.20 @ 25°C Buffer Solution, 230 mL bottle	17 €
HI70083M	pH 8.30 @ 25°C Buffer Solution, 230 mL bottle	17 €
HI7009/1G	pH 9.18 @ 25°C Calibration Buffer, 1 Gal. (3.78 L) bottle	61 €
HI7009/1L	pH 9.18 @ 25°C Calibration Buffer, 1 L bottle	24 €
HI7009L	pH 9.18 @ 25°C Calibration Buffer, 500 mL bottle	20 €
HI7009L/C	pH 9.18 @ 25°C Calibration Buffer with Certificate of Analysis, 500 mL bottle	28 €
HI7009M	pH 9.18 @ 25°C Buffer Solution, 230 mL bottle	17 €
HI701	Free Chlorine Checker® HC	71 €
HI7010/1G	pH 10.01 @ 25°C Calibration Buffer, 1 Gal. (3.78 L) bottle	61 €
HI7010/1L	pH 10.01 @ 25°C Calibration Buffer, 1 L bottle	24 €
HI7010-023	GroLine pH 10.01 Buffer Solution (+/- 0.02 pH accuracy @ 25°C) with Certificate of Analysis, 230 mL bottle	17 €
HI7010-050	GroLine pH 10.01 buffer (+/- 0.02 pH accuracy @ 25°C) with Certificate of Analysis, 500 ml	20 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI7010C	pH 10.01 @ 25°C Violet Color Calibration Buffer, 500 mL bottle	20 €
HI7010L	pH 10.01 @ 25°C Calibration Buffer, 500 mL bottle	20 €
HI7010L/C	pH 10.01 @ 25°C Calibration Buffer with Certificate of Analysis, 500 mL bottle	28 €
HI7010M	pH 10.01 @ 25°C Buffer Solution, 230 mL bottle	17 €
HI701-11	Free Chlorine Checker HC® Calibration Check set (0.00 and 1.00 ppm Free Cl ₂)	25 €
HI701-25	Chlorine, free, DPD method, reagents for 25 tests (free Chlorine)	13 €
HI7014	Pool Line Free Chlorine Checker® HC	71 €
HI7014-11	Pool Line Free Chlorine Checker HC® Calibration Check set (0.00 and 1.00 ppm Free Cl ₂)	25 €
HI7014-25	Pool Line Chlorine, free, DPD method, reagents for 25 tests (free Chlorine)	13 €
HI702	Copper High Range Checker	71 €
HI702-11	Copper High Range Checker calibration check set	37 €
HI7021L	ORP test solution @240 mV (@20°C), 500 mL	35 €
HI7021M	240 mV @25°C ORP Test Solution, 230 mL bottle	28 €
HI70224L	Pool Line ORP test solution @470 mV (@20°C), 500 mL	35 €
HI702-25	Copper High Range Checker reagents	20 €
HI7022L	ORP test solution @470 mV (@20°C), 500 mL	35 €
HI7022M	470 mV @25°C ORP Test Solution, 230 mL bottle	28 €
HI7023/1L	TISAB Solution, 1 L bottle	116 €
HI7023L	TISAB Solution, 500 mL bottle	63 €
HI7023M	TISAB II Solution, 230 mL bottle	38 €
HI7024	Pool Line Copper High Range Checker	71 €
HI7024-11	Pool Line Copper High Range Checker calibration check set	37 €
HI7024-25	Pool Line Copper High Range Checker reagents	20 €
HI7030/1G	12880 µS/cm EC value @ 25°C, 1 Gallon (3.78 L) bottle	76 €
HI7030/1L	12880 µS/cm EC value @ 25°C, 1 L bottle	24 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI70300-012	GroLine Storage Solution for pH electrodes, box, 120 ml	8 €
HI70300-023	GroLine Storage Solution for pH and ORP Electrodes, 230 mL bottle	17 €
HI70300-050	GroLine Storage Solution for pH electrodes, box, 500 ml	20 €
HI703004L	Pool Line Electrode storage solution, 500 mL bottle	21 €
HI70300G	GroLine Storage Solution for pH electrodes, (25 x 20 ml)	34 €
HI70300L	Electrode storage solution, 500 mL bottle	21 €
HI70300M	Storage Solution for pH and ORP Electrodes, 230 mL bottle	18 €
HI70300P	Storage Solution for pH and ORP electrodes, (25 x 20 ml)	34 €
HI70300S	Storage Solution for pH electrodes, 30 ml	11 €
HI7030L	12880 $\mu\text{S/cm}$ EC value @ 25°C, 500 mL bottle	20 €
HI7030L/C	12880 $\mu\text{S/cm}$ EC value @ 25°C, 500 mL bottle with certificate	28 €
HI7030M	12880 $\mu\text{S/cm}$ @ 25°C Conductivity Standard, 230 mL bottle	17 €
HI7031/1G	1413 $\mu\text{S/cm}$ EC value @ 25°C, 1 Gallon (3.78 L) bottle	76 €
HI7031/1L	1413 $\mu\text{S/cm}$ EC value @ 25°C, 1 L bottle	24 €
HI7031-012	GroLine 1413 $\mu\text{S/cm}$ @25°C Conductivity Standard Solution, 120 mL Bottle	8 €
HI7031-023	GroLine 1413 $\mu\text{S/cm}$ @25°C Conductivity Standard Solution, 230 mL Bottle	17 €
HI7031L	1413 $\mu\text{S/cm}$ EC value @ 25°C, 500 mL bottle	20 €
HI7031L/C	1413 $\mu\text{S/cm}$ EC value @ 25°C, 500 mL bottle with certificate of analysis	28 €
HI7031M	1413 $\mu\text{S/cm}$ @ 25°C Conductivity Standard Solution, 230 mL bottle	17 €
HI7032/1L	1382 mg/L (ppm) TDS value @ 25°C, 1 L bottle	24 €
HI7032L	1382 mg/L (ppm) TDS value @ 25°C, 500 mL bottle	20 €
HI7032M	1382 mg/L (ppm) @ 25°C TDS Standard Solution, 230 mL bottle	17 €
HI7033/1L	84 $\mu\text{S/cm}$ EC value @ 25°C, 1 L bottle	24 €
HI7033L	84 $\mu\text{S/cm}$ EC value @ 25°C, 500 mL bottle	20 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI7033M	84 µS/cm @ 25°C Conductivity Standard Solution, 230 mL bottle	17 €
HI7034/1L	80000 µS/cm EC value @ 25°C, 1 L bottle	24 €
HI7034L	80000 µS/cm EC value @ 25°C, 500 mL bottle	20 €
HI7034M	80000 µS/cm @ 25°C Conductivity Standard Solution, 230 mL bottle	17 €
HI7035/1L	111800 µS/cm EC value @ 25°C, 1 L bottle	24 €
HI7035L	111800 µS/cm EC value @ 25°C, 500 mL bottle	20 €
HI7035M	111800 µS/cm @ 25°C Conductivity Standard Solution, 230 mL bottle	17 €
HI7036/1L	12.41 g/L (ppt) TDS value @ 25°C, 1 L bottle	24 €
HI7036L	12.41 g/L (ppt) TDS value @ 25°C, 500 mL bottle	20 €
HI7037L	Calibration solution for 100% NaCl (Seawater Salinity), 500 mL bottle	22 €
HI7037M	Calibration Solution for 100% NaCl (Seawater Salinity), 230 mL bottle	15 €
HI7039/1L	5000 µS/cm EC value @ 25°C, 1 L bottle	24 €
HI7039-012	GroLine 5000 µS/cm @25°C Conductivity Standard Solution, 120 mL Bottle	8 €
HI7039-023	GroLine 5000 µS/cm @25°C Conductivity Standard Solution, 230 mL Bottle	17 €
HI7039L	5000 µS/cm EC value @ 25°C, 500 mL bottle	20 €
HI7039M	5000 µS/cm @25°C Conductivity Standard Solution, 230 mL bottle	17 €
HI70401	Potassium Hydrogen Phthalate, 20 g	94 €
HI70402	Tartaric Acid Reagent, 20 g	44 €
HI70403	Sodium Thiosulfate Pentahydrate Reagent, 20 g	27 €
HI70404	Potassium Iodide (KI) Powder Packets, 100 Packets	24 €
HI70405	Glucose/Fructose Standard Reagent, 20 g	27 €
HI70406	Sodium Chloride Standard Reagent, 20 g	23 €
HI70407	Potassium Iodate Standard Reagent, 20 g	57 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI70408	Oxalic Acid Standard Reagent, 20 g	62 €
HI70409	Potassium Permanganate Standard Reagent, 20 g	66 €
HI7040L	Zero oxygen solution, 500 mL bottle	26 €
HI7041L	Dissolved Oxygen probe electrolyte solution 500mL	89 €
HI7041M	Dissolved Oxygen Probe Electrolyte Fill Solution, 230 mL bottle	66 €
HI7041S	Electrolyte solution for polarographic DO probes, 30 mL bottle	27 €
HI70422	Silver Nitrate 0.1M, 1L	124 €
HI70422/1G	Silver Nitrate 0.1M, 1 Gallon	375 €
HI70423	Sodium Hydroxide 0.11N (N/9), 1L	24 €
HI70424	Amino-Methyl Propanol Buffer Reagent, 25 mL	27 €
HI70425	Sulfuric Acid Reagent 16%, 500 mL	24 €
HI70426	Glyoxal Solution Reagent 40%, 100 mL	61 €
HI70427	Nitric Acid Solution 1.5M, 500 mL	28 €
HI70428	Sodium Hydroxide Solution 0.25N, 1L	25 €
HI70429	Silver Nitrate 0.05M, 1L	91 €
HI7042B	Electrolyte Solution for Galvanic DO Process Smart Probes, 30 mL Bottle	28 €
HI7042S	Electrolyte solution for galvanic probes, 30 mL bottle	28 €
HI70430	DPD reagent for PCA series	71 €
HI70431	Total Chlorine reagent for PCA series	71 €
HI70432	Hydrogen Peroxide Reagent 3%, 25 mL	30 €
HI70433	Stabilized Iodine 0.01N, 1L	24 €
HI70434	Phosphoric Acid Solution 85%, 500 mL	71 €
HI70435	Sodium Hydroxide Solution 5M, 500 mL	27 €
HI70436	Deionized water, 3.75 L	27 €
HI70436M	Deionized Water, 230 mL bottle	14 €
HI70437	Concentrated Potassium Iodide Reagent 30%, 500 mL	96 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI70438	Tris buffer, 1L+3.5 g powder	51 €
HI70439	Sodium Thiosulfate 0.1M, 1L	38 €
HI70440	Stabilized Iodine 0.02N, 1L	60 €
HI70441	Stabilized Iodine 0.04N, 1L	56 €
HI70442/1L	1500 mg/L (ppm) TDS value @ 25°C, 1 L bottle	24 €
HI70442L	1500 mg/L (ppm) TDS value @ 25°C, 500 mL bottle	22 €
HI70442M	1500 mg/L (ppm) @ 25°C TDS Standard Solution, 230 mL bottle	17 €
HI70442P	1500 mg/L (ppm) TDS value @ 25°C, (25) 20 mL sachets	36 €
HI70443	Sulfuric Acid Reagent 10%, 500 mL	37 €
HI70444	Sulfuric Acid Reagent 25%, 500 mL	39 €
HI70445	Nitric Acid Solution 1M, 500 mL	27 €
HI70446	Fehling Solution A, 500 mL	33 €
HI70447	Fehling Solution B, 500 mL	52 €
HI70448	Silver Nitrate 0.02M, 1L	48 €
HI70449	EDTA 0.02M, 1L	37 €
HI70450	PCA Spare Parts, indicator solution	29 €
HI70451	PCA Spare Parts, buffer solution	29 €
HI70452	PCA Spare Parts, DPD reagents	29 €
HI70453	Hydrochloric Acid 0.02N, 1L	37 €
HI70454	Sodium Hydroxide 0.02N, 1L	37 €
HI70455	Sodium Hydroxide 0.01N, 1L	24 €
HI70456	Sodium Hydroxide 0.1N, 1L	24 €
HI70457	Sodium Hydroxide 1N, 1L	28 €
HI70458	Sulfuric Acid 0.01M, 1L	24 €
HI70459	Sulfuric Acid 0.05M, 1L	24 €
HI70460	PCA Spare Parts, Indicator solution for PCA 310, PCA 320 and PCA 330	29 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI70461	PCA Spare Parts, buffer solution for PCA 310, PCA 320 and PCA 330	29 €
HI70462	Hydrochloric Acid 0.01N, 1L	24 €
HI70463	Hydrochloric Acid 0.1N, 1L	27 €
HI70464	Hydrochloric Acid 1N, 1L	27 €
HI70465	Hydrogen Peroxide Reagent 30%, 25 mL	27 €
HI70466	Phenylarsine Oxide (PAO) 0.00564N standard solution (500 mL)	80 €
HI70467	pH 4.18 Acetate Buffer Solution, 230 mL bottle	27 €
HI70468	Potassium iodide powder for 100 tests	34 €
HI70469	0.00188N Iodine Solution, 4 x 230 mL bottles	46 €
HI70471	Phenylarsine Oxide (PAO) 0.000564N standard solution (500 mL)	27 €
HI70472	pH 7.15 Phosphate Buffer Solution, 230 mL bottle	27 €
HI70473	PCA tubing kit, pressure regulator to drain (2 pcs). Each kit includes: transparent Tygon tubes 86L x 3.2ID mm (3.4 x 0.1") (Length x Internal Diameter) (1, 2) and 105 x 9.5 mm (4.1 x 0.4") (3)	45 €
HI70474	PCA peristaltic pump tubing kit (6 pcs). Each kit includes: non-transparent C-flex tubes 55L x 0.8ID mm (2.1 x 0.03") (5)	132 €
HI70475	PCA peristaltic pump tubing kit (2 pcs). Each kit includes: non-transparent C-flex tubes 55L x 0.8ID mm (2.1 x 0.03") (5)	53 €
HI70476	PCA reagent bottle tubing kit (6 pcs). Each kit includes: non-transparent C-flex tubes 155L x 0.8ID mm (6.1 x 0.03") (11)	24 €
HI70477	PCA tubing set for measuring cell (2 pcs). Each set includes: non-transparent C-flex tube 50L x 0.8ID mm (2.0 x 0.03") (8) and Y strainer (7)	53 €
HI70478	PCA tubing kit, bottle to pump (6 pcs). Each kit includes: non-transparent C-flex tube 150L x 0.8ID mm (5.9 x 0.03") (4)	24 €
HI70479	PCA tubing kit, pump to Y strainer (6 pcs). Each kit includes: non-transparent C-flex tube 150L x 0.8ID mm (5.9 x 0.03") (6)	24 €
HI70480	PCA free chlorine reagent kit (for fresh water). The kit includes buffer solution, indicator and DPD powder.	71 €
HI70481	PCA total chlorine reagent kit (for fresh water). The kit includes buffer solution, indicator and DPD powder reagent.	71 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI70482	PCA filters. The kit includes 0.5 µm and 50 µm filters (13)	169 €
HI70483	PCA complete tubing kit. The kit includes: non-transparent C-flex tubes (4, 6) 150L x 0.8ID (5.9 x 0.03'') (4 pcs), non-transparent C-flex tubes (5) 55L x 0.8ID (2.1 x 0.03'') (2 pcs), non-transparent C-flex tubes (8) 50L x 0.8ID (2.0 x 0.03'') and Y strainer (7)	108 €
HI70483T	Peristaltic pump tubing for HI84XXX Minititrators (1 set)	91 €
HI70484	PCA complete tubing kit (3 pcs). Each kit includes: non-transparent C-flex tubes (4, 6) 150L x 0.8ID (5.9 x 0.03'') (4 pcs), non-transparent C-flex tubes (5) 55L x 0.8ID (2.1 x 0.03'') (2 pcs), non-transparent C-flex tubes (8) 50L x 0.8ID (2.0 x 0.03''), Y strainer (7)	301 €
HI70485	PCA Spare Parts, magnetic stirrer motor	221 €
HI70486	Magnetic Stirring Bar for PCA3XX Series, 5.8 mm x 3 mm (2 pcs)	50 €
HI704871	PCA Spare Parts, measuring cell	425 €
HI70488	PCA Spare Parts, electrovalve, 60 Hz	199 €
HI70489	PCA Spare Parts, electrovalve, 50 Hz	199 €
HI70490	PCA Spare Parts, free chlorine reagent kit	65 €
HI70491	PCA Spare Parts, total chlorine reagent kit	56 €
HI70492	Electrode holder	32 €
HI70493	Closing cap for electrode holder	32 €
HI70495	PCA Spare Parts, incoming pressure regulator	32 €
HI70496	PCA Spare Parts, 0.45 µm filter	61 €
HI70497	PCA Spare Parts, 50 µm filter	21 €
HI70498	Bromine replacement reagent set for process bromine analyzer, 500 mL (2) + 5 sachets (DPD)	73 €
HI705	Silica Checker	71 €
HI70500	Tube Set and Valve for Mini Titrators	135 €
HI705-11	Silica Low Range Checker HC Calibration Check Set	31 €
HI7051L	soil sample preparation solution, 500 mL	22 €
HI7051M	Soil Sample Preparation Solution, 230 mL bottle	18 €
HI705-25	Silica Checker (0.00 - 4.00 ppm) spare reagents (25 tests)	36 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI706	Phosphorous HR Checker HC®	71 €
HI70602	Relative humidity probe used with HI 9564, HI9565, DIN connector, 1 m (3.3') cable	101 €
HI7061-012	GroLine Cleaning solution for pH electrodes, box, 120 ml	8 €
HI7061-023	GroLine Cleaning Solution for General Use, 230 mL bottle	17 €
HI7061-050	GroLine Cleaning solution for pH electrodes, box, 500 ml	20 €
HI706-11	Phosphorus High Range Checker HC® Calibration Check Set (0.0 and 7.5 ppm)	17 €
HI70614L	Pool Line Cleaning Solution for General Purpose, 500 mL bottle	21 €
HI7061L	Cleaning Solution for General Purpose, 500 mL bottle	21 €
HI7061M	Cleaning Solution for General Use, 230 mL bottle	18 €
HI70621L	Cleaning Solution for Skin Grease and Sebum (Cosmetic Industry), 500 mL bottle	38 €
HI706-25	Checker HC reagents for 40 tests (Phosphorus HR)	12 €
HI70630L	Acid Cleaning Solution for Meat Grease and Fats (Food Industry), 500 mL bottle	38 €
HI70631L	Alkaline Cleaning Solution for Meat Grease and Fats (Food Industry), 500 mL bottle	38 €
HI70632L	Cleaning and Disinfection Solution for Blood Products, 500 mL bottle	38 €
HI70635L	Cleaning Solution for Wine Deposits (Wine-Making), 500 mL bottle	38 €
HI70636L	Cleaning Solution for Wine Stains (Wine-Making), 500 mL bottle	38 €
HI70637L	Cleaning Solution for Juice, 500 mL bottle	39 €
HI70640L	Cleaning Solution for Milk Deposits (Food Industry), 500 mL bottle	38 €
HI70641L	Cleaning and Disinfection Solution for Dairy Products (Food Industry), 500 mL bottle	38 €
HI70642L	Cleaning Solution for Cheese Deposits (Food Industry), 500 mL bottle	38 €
HI70643L	Cleaning Solution for Yogurt Deposits (Food Industry), 500 mL bottle	38 €
HI70663L	Cleaning Solution for Soil Deposits (Agriculture), 500 mL bottle	38 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI70664L	Cleaning Solution for Humus Deposits (Agriculture), 500 mL bottle	38 €
HI70670L	Cleaning Solution for Salt Deposits (Industrial Processes), 500 mL bottle	38 €
HI70671L	Cleaning and Disinfection Solution for Algae, Fungi and Bacteria (Industrial Processes), 500 mL bottle	38 €
HI70681L	Cleaning Solution for Ink Stains, 500 mL bottle	38 €
HI70682L	Cleaning solution for brewing deposits, 500 mL bottle	36 €
HI707	Nitrite LR Checker (0-999 ppb)	71 €
HI70701/1L	Standard Solution at 1 g/L F ⁻ , 1 L bottle	89 €
HI70701L	Standard Solution at 1 g/L F ⁻ , 500 mL bottle	62 €
HI70701M	1 g/L Fluoride Standard Solution, 230 mL bottle	51 €
HI70702/1L	Standard Solution at 10 mg/L F ⁻ , 1 L bottle	89 €
HI70702L	Standard Solution at 10 mg/L F ⁻ , 500 mL bottle	62 €
HI70702M	10 mg/L Fluoride Standard Solution, 230 mL bottle	51 €
HI70703/1L	Standard Solution at 100 mg/L F ⁻ , 1 L bottle	89 €
HI70703L	Standard Solution at 100 mg/L F ⁻ , 500 mL bottle	62 €
HI70703M	100 mg/L Fluoride Standard Solution, 230 mL bottle	51 €
HI7071	Electrolyte Solution, 3.5M KCl + AgCl, (4) 30 mL bottle	79 €
HI707-11	Nitrite Low Range Checker HC Calibration Check Set (0-999 ppb)	36 €
HI7071L	Electrolyte Solution, 3.5M KCl + AgCl, 500 mL bottle	93 €
HI7071M	3.5M KCl with AgCl Reference Electrolyte, 230 mL bottle	56 €
HI7072	Electrolyte solution, 1 M KNO ₃ , (4) 30 mL bottles	79 €
HI707-25	Nitrite LR Checker (0-999 ppb) spare reagents (25 tests)	23 €
HI7072L	Electrolyte Solution, 1M KNO ₃ , 500 mL bottle	100 €
HI7073L	Cleaning Solution for Proteins, 500 mL bottle	35 €
HI7073M	Protein Cleaning Solution, 230 mL bottle + 3 sachets	29 €
HI7074L	Cleaning Solution for Inorganic Substances, 500 mL bottle	35 €
HI7074M	Inorganic Cleaning Solution, 230 mL bottle	29 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI7075	Electrolyte solution with 1.7M Potassium Nitrate, 0.7M Potassium Chloride Electrode Fill Solution, (4) 30 mL bottles	105 €
HI7076	Electrolyte solution, 1 M NaCl, (4) 30 mL bottles	55 €
HI70774L	Pool Line Cleaning Solution for Oil and Fats, 500 mL bottle	35 €
HI7077L	Cleaning Solution for Oil and Fats, 500 mL bottle	35 €
HI7077M	Oil and Fats Cleaning Solution, 230 mL bottle	29 €
HI7078	Electrolyte solution, 0.5M (NH ₄) ₂ SO ₄ , (4) 30 mL bottle	55 €
HI7079	Reference Fill Solutions containing AgCl, Electrolyte for sodium ISE's (contains AgCl), 30 mL bottles (4)	53 €
HI708	Nitrite HR Checker (0-150 ppm)	71 €
HI7080L	2.3 g/L Sodium Standard Solution, 500 mL	34 €
HI7080M	2.3 g/L Sodium Standard Solution, 230 mL bottle	26 €
HI7081/1L	30 g/L Sodium Chloride Standard Solution, 1 L bottle	29 €
HI708-11	Nitrite High Range Checker HC Calibration Check Set (0-150 ppm)	41 €
HI7081L	30 g/L Sodium Chloride Standard Solution, 500 mL	27 €
HI7081M	30 g/L Sodium Chloride Standard Solution, 230 mL bottle	26 €
HI7082	3.5M KCL electrolyte solution for double junction electrodes (4 x 30 ml)	79 €
HI708-25	Nitrite HR Checker (0-150 ppm)spare reagents (25 tests)	28 €
HI7082L	3.5M KCL electrolyte solution for double junction electrodes, 500 mL	87 €
HI7082M	3.5M KCl Reference Electrolyte Fill Solution for Double Junction Electrodes, 230 mL bottle	66 €
HI7083L	Standard Solution at 3.0 g/L NaCl, 500 mL bottle	32 €
HI7083M	3 g/L Sodium Chloride Standard Solution, 230 mL bottle	26 €
HI7084L	Standard Solution at 58.4 g/L NaCl, 500 mL bottle	33 €
HI7084M	58.4 g/L Sodium Chloride Standard Solution, 230 mL bottle	26 €
HI7085L	Standard Solution at 0.3 g/L NaCl, 500 mL bottle	32 €
HI7085M	0.3 g/L Sodium Chloride Standard Solution, 230 mL bottle	26 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI7086L	Standard Solution at 23 g/L Na+, 500 mL bottle	33 €
HI7086M	23 g/L Sodium Standard Solution, 230 mL bottle	26 €
HI7087L	Standard Solution at 0.23 g/L Na+, 500 mL bottle	33 €
HI7087M	0.23 g/L Sodium Standard Solution, 230 mL bottle	26 €
HI7088L	Standard Solution at 5.84 g/L NaCl, 500 mL bottle	33 €
HI7088M	5.84 g/L Sodium Chloride Standard Solution, 230 mL bottle	26 €
HI7089L	Standard Solution at 125 g/L NaCl, 500 mL bottle	33 €
HI7089M	125 g/L Sodium Chloride Standard Solution, 230 mL bottle	26 €
HI709	Manganese High Range Checker	71 €
HI7090L	ISA Solution, 500 mL bottle	33 €
HI7090M	ISA Solution for Sodium ISE, 230 mL bottle	26 €
HI709-11	Manganese High Range Checker HC Calibration Check Set	23 €
HI7091L	Pretreatment reducing solution, 500 mL	32 €
HI709-25	Manganese High Range Checker reagents	18 €
HI7092L	Pretreatment oxidizing solution, 500 mL	32 €
HI7092M	Oxidizing Pretreatment Solution for ORP Electrodes, 230 mL bottle	26 €
HI7094	1M LiCl in Ethanol Electrode Filling Solution for Non-Aqueous Titration (4 X 30 mL)	54 €
HI70960	preparation solution for solid or semi-solid samples, 30 mL	26 €
HI710006	Power adapter, 230 Vac to 12 Vdc, European plug	27 €
HI710006/8	Adapter, for HI42xx family, 230 VAC to 12 VDC	32 €
HI7100061/8	Power Switching Adapter 230VAC to 12VAC	32 €
HI710007	Blue shockproof rubber boot (meter example: HI935005)	54 €
HI710008	Orange shockproof rubber boot (meter example: HI935005)	54 €
HI710009	Blue shockproof rubber boot (meter example: HI8010)	54 €
HI710011	Cap (sintered) for RH probes	51 €
HI710012	Power adapter, 230 Vac to 12 Vdc, UK plug	27 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI710015	Blue shockproof rubber boot (meter example: HI8424)	54 €
HI710024	Blue shockproof rubber boot (meter example: old HI991XXX)	54 €
HI710025	Green shockproof rubber boot (meter example: HI9814)	54 €
HI710026	Blue shockproof rubber boot for portable thermistor thermometers (i.e. HI93501)	54 €
HI710027	Blue shockproof rubber boot for portable thermocouple thermometers (i.e. HI935001)	54 €
HI710028	Orange shockproof rubber boot for portable meters (2018 HI991XX meters)	54 €
HI710029	Blue shockproof rubber boot for portable meters (2018 HI991XX Foodcare meters)	54 €
HI710030	Green shockproof rubber boot for portable meters (2018 HI9814 GroLine meter)	54 €
HI710031	Carrying case (rugged) for general use. 340 x 230 x 90 mm (13.4 x 9.1 x 3.5")	52 €
HI710032	Paper rolls for benchtop meters (10 pcs)	26 €
HI710033	1 pc ink cartridge for benchtop meters	55 €
HI710034	Orange shockproof rubber boot for portable meters (HI9819X meters)	54 €
HI710035	Blue shockproof rubber boot for portable meters (HI9816X Foodcare meters)	54 €
HI710036	Black rubber boot for HI9819X and HI98594	54 €
HI710045	Kit, HI9828 Accessory, Power supply cable	26 €
HI710046	Kit, HI9828 Accessory, Lighter cigarette cable	52 €
HI71006/8	Adapter, 230 VAC/12 VDC, 800 mA	83 €
HI710122	Protective case tray for HI8424 housing	159 €
HI710134	General rugged carrying case for HI98703 style casing	73 €
HI710136	General rugged carrying case for HI9125 style casing	89 €
HI710139	General rugged carrying case for HI93703 style casing	89 €
HI710140	Hard carrying case for HI9829	237 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI7101412	Blue carrying case for HI977XX portable ISM photometers with 2 CAL Check Standards Slots	120 €
HI7101413	Blue carrying case for HI977XX portable ISM photometers with 3 CAL Check Standards Slots	120 €
HI7101414	Blue carrying case for HI977XX portable ISM photometers with 4 CAL Check Standards Slots	136 €
HI7101415	Blue carrying case for HI977XX portable ISM photometers with 5 CAL Check Standards Slots	120 €
HI7101417	Blue carrying case for HI977XX portable ISM photometers with 7 CAL Check Standards Slots	120 €
HI7101418	Blue carrying case for HI97105C	117 €
HI7101419	Blue Carrying Case for HI97115C	114 €
HI710142	Black carrying case for HI991XX portable meters	120 €
HI7101420	Blue Carrying Case for HI971044R	127 €
HI7101421	Black Carrying Case for HI99121 Portable Instrument	136 €
HI710143	Green carrying case for HI9814 portable meter	107 €
HI7102	Calibration chamber for RH probes without sintered cap	176 €
HI711	Total chlorine Checker HC® colorimeter: Range 0.00 to 3.50 ppm (mg/L)	71 €
HI7111	Salt, 15 g LiCl replacement for HI7111/P	133 €
HI7111/P	Salt (LiCl calibration)for HI7101 and HI7102 calibration chambers (low RH) (15 g bottle, 6 pcs)	184 €
HI711-11	Total Chlorine Checker HC Calibration Check Set	25 €
HI711-25	Chlorine, total, DPD method, reagents for 25 tests (total Chlorine)	13 €
HI7121	Salt, 33 g NaCl replacement for HI7121/P	133 €
HI7121/P	Salt (NaCl calibration)for HI7101 and HI7102 calibration chambers (high RH) (33 g bottle, 6 pcs)	184 €
HI713	Phosphate low range Checker HC® colorimeter: Range 0.00 to 2.50 ppm (mg/L)	71 €
HI713-11	Phosphate Low Range Checker HC Calibration Check Set	25 €
HI713-25	Phosphate, LR Checker HC, ascorbic acid method, reagents for 25 tests	16 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI7134	Pool Line Phosphate low range Checker HC® colorimeter: Range 0.00 to 2.50 ppm (mg/L)	71 €
HI7134-11	Pool Line Phosphate Low Range Checker HC Calibration Check Set	25 €
HI7134-25	Pool Line Phosphate, LR Checker HC, ascorbic acid method, reagents for 25 tests	16 €
HI715	Ammonia Medium Range, Checker (0.00 to 9.99 ppm)	71 €
HI715-11	Ammonia Medium Range Checker HC Calibration Check Set	36 €
HI715-25	Ammonia Medium Range, Checker spare reagents	36 €
HI716	Bromine Checker (0.0 to 9.99 ppm)	71 €
HI716-11	Bromine Checker HC Calibration Check Set	36 €
HI716-25	Bromine Checker (0.0 to 9.99 ppm) spare reagents	18 €
HI7164	Connector, undecal	45 €
HI717	Phosphate HR Checker HC®, 0.0 to 30.0 ppm (mg/L)	71 €
HI717-11	Phosphate High Range Checker HC Calibration Check Set (0.0 and 15.0 ppm phosphate)	25 €
HI717-25	Phosphate HR Checker HC reagents for 40 tests (Phosphate HR)	12 €
HI718	Iodine Checker HC® colorimeter: Range 00.0 to 12.5 ppm (mg/L)	71 €
HI718-11	Iodine Checker HC Calibration Check Set	25 €
HI718-25	Iodine, DPD method, reagents for 25 tests	13 €
HI719	Magnesium Hardness Checker	71 €
HI719-11	Magnesium Hardness Checker HC Calibration Check Set	34 €
HI719-25	Magnesium Hardness Checker reagents	18 €
HI720	Calcium Hardness Checker	71 €
HI720029	Pump spare part, LDPE hose, 3 m (9.9')	18 €
HI720030	Pump spare part, LDPE hose, 10 m (33')	29 €
HI720031	Pump spare part, LDPE hose, 50 m (165')	119 €
HI720032	Pump spare part, LDPE hose, 100 m (333')	202 €
HI720-11	Calcium Hardness Checker HC Calibration Check Set	37 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI720161	Replacement carrying case for HI98161, HI98162, HI98163, and HI98164	140 €
HI720165	Replacement carrying case for HI98165	140 €
HI720169	Replacement Carrying Case for HI98169	140 €
HI720190	Spare carrying case for HI98190	140 €
HI720191	Spare carrying case for HI98191	140 €
HI720192	Spare carrying case for HI98192	140 €
HI720193	Spare carrying case for HI98193	140 €
HI720194	Spare thermoformed carrying case for HI98194, HI98195, and HI98196	140 €
HI720197	Carrying case for HI98197 portable EC/TDS/Salinity/resitivity meter	140 €
HI720198	Spare carrying case for HI98198	140 €
HI720199	Spare carrying case for HI98199	140 €
HI720-25	Calcium Hardness Checker reagents	18 €
HI720746	Spare Carrying Case for HI83746 and HI83749	118 €
HI72083300	Carrying case for HI833xx family	207 €
HI720935	Rugged thermoformed carrying case for HI93500X portable thermometers	65 €
HI7209811	Spare carrying case for HI981X-X	109 €
HI721	Iron Checker HC® colorimeter: Range 0.00 to 5.00 ppm (mg/L)	71 €
HI721003	Pump spare part, Glass ball with O-ring (10 pcs each)	72 €
HI721004	Pump spare part, Injection valve assembly	72 €
HI721005	Pump spare part, Foot valve assembly	47 €
HI721006	Pump spare part, Spring (4 pcs)	90 €
HI721008	Pump spare part, Ceramic weight (4 pcs)	54 €
HI721101	Pump spare part, Pump head, O-ring, screws (6 pcs) and washers (6 pcs)	146 €
HI721102	Pump spare part, Discharge valve assembly	59 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI721103	Pump spare part, Suction valve assembly	59 €
HI721104	Pump, small diaphragm	76 €
HI721106	Pump head assembly	159 €
HI721107	Pump Head with small diaphragm + Aluminium piston + disk	159 €
HI721-11	Iron Checker HC Calibration Check Set	25 €
HI721-25	Iron, EPA Phenantroline, reagents for 25 tests	13 €
HI721317	Hard Carrying case	148 €
HI721319	Auger for ground penetration	26 €
HI7214	Pool Line Iron Checker HC® colorimeter: Range 0.00 to 5.00 ppm (mg/L)	71 €
HI7214-11	Pool Line Iron Checker HC Calibration Check Set	25 €
HI7214-25	Pool Line Iron, EPA Phenantroline, reagents for 25 tests	13 €
HI723	Chromium VI High Range Checker HC®, 0 to 999 ppb	71 €
HI723-11	Chromium VI High Range Checker HC Calibration Check Set (0 and 300 ppb chromium VI)	22 €
HI723-25	Chromium VI High Range Checker HC reagents for 25 tests	12 €
HI726	Nickel HR Checker HC®, 0.00 to 7.00 g/L	71 €
HI726-11	Nickel High Range Checker HC Calibration Check Set (0 and 3.50 Nickel)	22 €
HI726-25	Nickel HR Checker HC reagents for 25 tests (Nickel HR)	72 €
HI727	Color of Water Checker HC®, 0 to 500 PCU	71 €
HI727-11	Color of Water Checker HC Calibration Check Set (0 and 150 PCU)	25 €
HI729	Fluoride LR Checker HC®, 0.00 to 2.00 ppm	71 €
HI729-11	Fluoride Low Range Checker HC Calibration Check Set (0 and 1.00 ppm)	17 €
HI729113	Boiler and Cooling Tower titanium body pH electrode with quick connect DIN connector	236 €
HI72911B	Titanium Body pH Electrode with BNC + Phono Connector	235 €
HI72911D	Titanium Body pH Electrode for Boilers and Cooling Towers with DIN Connector	235 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI729-26	Fluoride LR Checker HC Reagents for 20 tests (Fluoride LR)	21 €
HI73120	Electrode (spare) for HI98120	99 €
HI731225	Cap for checker chlorine cuvette HI701	39 €
HI73127	Electrode (spare) for HI 98121, HI 98127, HI 98128, HI 98129 and HI 98130	77 €
HI73128	Tool for electrode removal for new WP testers	31 €
HI731311	Vial, glass, with cap for HI83214 old version (5 pcs)	54 €
HI731313	Maintenance kit: rugged carrying case, HI93102-0 and HI93102-20 calibration solutions, HI93703-50 cuvette cleaning solution, cuvettes (2), and cuvette cleaning cloth	187 €
HI731314	Plastic Stopper Caps for 10 mL Glass Cuvettes (2 pcs.)	9 €
HI731315	Glass Cuvettes and Caps for Checker® HC Colorimeters (set of 2)	15 €
HI731318	Cuvette cleaning cloth (4 pcs)	24 €
HI731319	Magnetic Stirring Bar for HI180, HI190M, HI190MB and HI200M Stirrer Series 25 mm x 8.4 mm (10 pcs)	87 €
HI731320	Magnetic Stirring Bar for HI300 Stirrer Series, 50 mm x 8 mm (10 pcs)	116 €
HI731321	Cuvette (glass) for HI937xx portable meter, HI832xx series and Checkers (4 pcs)	31 €
HI731324	Bar, measuring for level controllers, 0.5 m (1.7') measuring bar (5 pcs)	137 €
HI731325	Cap for cuvette for HI937X3 turbidity meters and HI937xx series (4 pcs)	20 €
HI731325N	Cap for cuvette for old style benchtop photometers C21X and HI832XX series (4 pcs)	20 €
HI731325W	Caps for cuvette for HI83200 series of photometers (4 pcs)	25 €
HI731326	Screwdriver for calibration, length 90 mm (3.5''), to perform manual calibration with trimmers (20 pcs)	45 €
HI731331	Cuvette with plastic insert for portable photometers (4 pcs)	31 €
HI731331N	Cuvettes for turbidity meter (4 pcs)	39 €
HI731335	Caps for larger vials for HI95 and HI96 series photometers, 4 pcs	20 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI731335N	Caps for cuvette for HI837 series photometer and 987XX and 887XX turbidity meters (4 pcs)	20 €
HI731336N	Replacement cap for HI977XX photometers (4 pcs.)	22 €
HI731339P	Pipette for automatic dosage, 100 µL graduated pipette	30 €
HI731340	Pipette for automatic dosage, 200 µL graduated pipette	183 €
HI731341	Pipette for automatic dosage, 1000 µL graduated pipette	183 €
HI731342	Pipette for automatic dosage, 2000 µL graduated pipette	183 €
HI731349P	Pipette for automatic dosage, Tip for 100 µL graduated pipette (10 pcs)	8 €
HI731350	Pipette for automatic dosage, Tip for 200 µL graduated pipette (25 pcs)	16 €
HI731351	Pipette for automatic dosage, Tip for 1000 µL graduated pipette (25 pcs)	23 €
HI731352	Pipette for automatic dosage, Tip for 2000 µL graduated pipette (4 pcs)	25 €
HI731359	Glass cuvettes with plastic cap insert for HI759 Maple Syrup Digital Grader (25 pcs)	33 €
HI731360	Glass cuvette with cap (2 pcs.)	22 €
HI731361	Magnetic Stir Bar Retriever Accessory	32 €
HI733	Ammonia High Range Checker (0.0-99.9 ppm)	71 €
HI73311	Spare probe for HI98311 & HI98312	85 €
HI733-11	Ammonia High Range Checker HC Calibration Check Set (0.0-99.9 ppm)	36 €
HI733-25	Ammonia High Range Checker (0.0-99.9 ppm) spare reagents	39 €
HI735	Total Hardness Low Range Checker	94 €
HI735-11	Total Hardness Low Range certified standard kit	38 €
HI735-25	Reagents for 25 Total Hardness Low Range tests	33 €
HI736	Phosphorus ultra low range Checker HC® colorimeter: Range 0 to 200 ppb	71 €
HI736-11	Phosphorus Ultra Low Range Calibration Check Set	25 €
HI736-25	Phosphorus, ultra low range, ascorbic acid, reagents for 25 tests	15 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI739	Fluoride HR Checker HC®, 0.0 to 20.0 ppm	71 €
HI739-11	Fluoride High Range Checker HC Calibration Check Set (0 and 10.0 ppm)	22 €
HI739-26	Fluoride HR Checker HC reagents for 20 tests (Fluoride HR)	37 €
HI740024P	Base for Checktemp®1 (10 pcs)	51 €
HI740027P	Batteries, kit of 1.5V AA batteries (12 pcs)	26 €
HI740028P	Batteries, kit of 1.5V AAA batteries (12 pcs)	26 €
HI740029P	Batteries for portable non-waterproof instruments, 9 V (10 pcs)	104 €
HI740031	Battery, spare for AmpHel® electrodes	35 €
HI740032P	Beaker cap for 20 mL plastic beaker (10 pcs)	26 €
HI740033	Battery for HI141 series, 3.6V AA Lithium (1 pc)	58 €
HI740034P	Beaker cap for 100 mL plastic beaker (10 pcs)	26 €
HI740036P	Beaker, plastic 100 mL (10 pcs)	26 €
HI740037P	Beaker, plastic 20 mL (10 pcs)	26 €
HI740038	60 mL Glass bottle with cap	22 €
HI740129	Cover (transparent) for front of BL7916 and BL7917	37 €
HI740142P	Syringe, graduated, for accurately reagent dosing for CTK and photometers (1 mL) (10 pcs)	26 €
HI740143	Syringe, graduated, for accurately reagent dosing for CTK and photometers (1 mL) (6 pcs)	22 €
HI740144P	Syringe tip for HI740143 (10 pcs)	26 €
HI740145	Bracket for mounting for HI8710 housing (2 pcs)	33 €
HI740146	Bracket for mounting for BL 931700 housing (2 pcs)	31 €
HI740155P	Capillary Pipette for Electrode refilling (20 pcs)	14 €
HI740157P	Pipette for Electrode refilling (20 pcs)	22 €
HI740159	Tweezers (plastic)	20 €
HI740200	pH electrode storage cap with compression fitting (5 pcs)	18 €
HI740211	Cap (transparent) for DO probes	21 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI740216	Rack for test tube cooling (25 holes)	105 €
HI740217	Safety Shield for HI839800	170 €
HI740220	Test tube (glass) with caps, 25 mL (2 pcs)	26 €
HI740224	Plastic beaker (170 mL, 6 pcs)	72 €
HI740225	Syringe, graduated, for accurately reagent dosing for CTK and photometers (60 mL)	26 €
HI740226	Syringe, graduated, for accurately reagent dosing for CTK and photometers 5mL	16 €
HI740227	Filter Assembly Accessory	116 €
HI740228	HI781, HI83215 and HI83225 Accessory, Filter (25 pcs)	7 €
HI740229	Graduated Cylinder	7 €
HI740230	Deionized Water, 230 mL bottle	31 €
HI740231	20 mL Glass cylinder with cap, 2 pcs	26 €
HI740233	Replacement paper filter Type 2	53 €
HI740234	Replacement lamp for EPA turbidimeter	88 €
HI740236	5 mL Syringe for Mini Titrators	17 €
HI740237	5 mL Graduated Syringe with Blue printing (1 pc.)	7 €
HI740239	pH electrode storage cap with compression fitting, 8 mm stem diameter (5 pcs.)	21 €
HI740240	pH electrode storage cap with compression fitting, 12 mm stem diameter (5 pcs.)	21 €
HI740241	pH electrode storage cap with compression fitting, titanium stem (5 pcs.)	21 €
HI740242	pH Electrode Storage Cap, with Compression Fitting, White (5 pcs)	21 €
HI740243	Electrode PVC Storage Caps (5 pcs)	16 €
HI740244	pH Protective Green Sleeves (3 pcs.)	35 €
HI740245	pH Protective White Sleeves (3 pcs.)	35 €
HI740246	ISE and HI7698494 pH Sensor Storage cap (5 pcs.)	15 €
HI740247	Vial Adapter for HI97106	19 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI740270	10 mL syringe with Luer lock (1 pc.)	5 €
HI740271	Filter holder with Luer lock (1 pc.)	19 €
HI740272	16 gauge blunt needle (6 pcs.)	7 €
HI740273	Marine Nitrate LR measurement kit (1 pc.)	56 €
HI740274	Syringe Replacement kit for HI783	15 €
HI740275	Protective Caps for HI7698394 Probe (5 pcs.)	14 €
HI740318	Carrying case for portable 96 series photometers	78 €
HI7408011	Replacement 16mm vial adapters for HI801 iris spectrophotometer	22 €
HI7408012	Replacement 10mm vial adapters for HI801 iris spectrophotometer	22 €
HI7408013	Replacement 13mm vial adapters for HI801 iris spectrophotometer	22 €
HI7408014	Replacement Tungsten-Halogen lamp for HI801 iris spectrophotometer	120 €
HI7408015	Replacement battery for HI801 iris spectrophotometer	245 €
HI7408016	USB drive for HI801 iris spectrophotometer	107 €
HI7408018	HI802 COD Adapter	192 €
HI7408019	USB Drive for HI802 iris Spectrophotometer	235 €
HI7408020	Protective Dust Cover for HI80X Spectrophotometers	99 €
HI74083300	Replacement COD adapter for HI833XX benchtop colorimeters	37 €
HI746	Iron Low Range Checker HC® colorimeter: Range 0 to 999 ppb (ug/l)	71 €
HI746-11	Iron Low Range Checker HC® Cal Check standards	36 €
HI746-25	Iron Low Range Reagent for Checker HC colorimeter 25 tests	43 €
HI747	Copper Low Range Checker	71 €
HI747-11	Copper Low Range Checker HC Calibration Check Set	36 €
HI747-25	Copper Low Range Checker reagents	19 €
HI749	Chromium Low Range Checker (0-300 ppb)	71 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI749-11	Chromium Low Range Checker HC Calibration Check Set (0-300 ppb)	36 €
HI749-25	Chromium Low Range Checker (0-300 ppb) spare reagents	19 €
HI750146	Holder for HI146 probe, wall mounting	15 €
HI75110/15	120VAC to 15VDC power adapter, USA plug	78 €
HI75110/220E	Voltage adapter from 230 VAC to USB 5 VDC (European plug)	125 €
HI75115U	Voltage Adapter from 115 to 230 VAC input to 5 VDC output USB C (USA plug)	125 €
HI75220/15	230VAC to 15VDC power adapter, European plug	73 €
HI75230E	Voltage Adapter from 115 to 230 VAC input to 5 VDC output USB C (European plug)	125 €
HI753	Chloride Checker (0.0 to 20.0 ppm)	71 €
HI753-11	Chloride Checker HC Calibration Check Set	36 €
HI753-25	Chloride Checker spare reagents (25 tests)	37 €
HI755	Marine Alkalinity (CaCO ₃) Checker® HC	71 €
HI755-11	Marine Alkalinity Checker HC Calibration Check Set	23 €
HI755-26	Alkalinity, colorimetric method, Reagents for 25 tests	15 €
HI758	Marine calcium Checker HC® colorimeter	71 €
HI758-11	Marine Calcium Checker HC® Calibration Check Set	31 €
HI758-26	Marine calcium Checker HC® colorimeter reagents for 25 tests	38 €
HI759	Maple Syrup color grading Checker HC® colorimeter	83 €
HI759-11	Maple Syrup Digital Grader Glycerol Reference Set	25 €
HI7609829/10	HI9829 and HI98290 probe with no sensors - 10m (33') cable	1.370 €
HI7609829/2	HI9829 and HI98290 probe with no sensors - 2m (6.6') cable	1.230 €
HI7609829/20	HI9829 and HI98290 probe with no sensors - 20m (66') cable	1.520 €
HI7609829/4	HI9829 and HI98290 probe with no sensors - 4m (13.1') cable	1.220 €
HI7609829-0	Double Junction pH Sensor for HI76x9829 series of probes	243 €
HI7609829-1	Double Junction pH/ORP Sensor for HI76x9829 series of probes	343 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI7609829-10	Ammonium Ion Selective Electrode for HI76x9829 series of probes	477 €
HI7609829-11	Chloride Ion Selective Electrode for HI76x9829 series of probes	477 €
HI7609829-12	Nitrate Ion Selective Electrode for HI76x9829 series of probes	477 €
HI7609829-2	Dissolved Oxygen probe for HI76x9829 series of probes	343 €
HI7609829-3	Spare EC module for HI76x9829 series of probes	343 €
HI7609829-4	Spare EC/Turbidity module for HI76x9829 series of probes	855 €
HI761	Total Chlorine Checker Ultra Low Range (0 to 500 ppb)	71 €
HI7610	Stainless steel Temperature probe, Pt. 100	307 €
HI761-11	Total Chlorine Checker HC Ultra Low Range Calibration Check Set	22 €
HI761-25	Total Chlorine Checker Ultra Low Range spare reagents (25 tests)	15 €
HI762	Free Chlorine Ultra Low Range Checker® HC	71 €
HI762000C	Calibration check key @ 0°C, ($\pm 0.4^{\circ}\text{C}$)	35 €
HI762-004F	Calibration check key @ -0.4°F, ($\pm 0.8^{\circ}\text{F}$)	34 €
HI762032F	Calibration check key @ 32°F, ($\pm 0.8^{\circ}\text{F}$)	34 €
HI762070C	Calibration check key @ 70°C, ($\pm 0.4^{\circ}\text{C}$)	35 €
HI762-11	Free Chlorine Checker HC Ultra Low Range Calibration Check Set	23 €
HI762158F	Calibration check key @ 158°F, ($\pm 0.8^{\circ}\text{F}$)	34 €
HI762-18C	Calibration check key @ -18°C, ($\pm 0.4^{\circ}\text{C}$)	35 €
HI762-25	Free Chlorine Checker Ultra Low Range spare reagents (25 tests)	36 €
HI7629829/10	Logging probe (no protective sleeve, no sensors) for HI9829 and HI98290 - 10m (33') cable	2.080 €
HI7629829/20	Logging probe (no protective sleeve, no sensors) for HI9829 and HI98290 - 20m (66') cable	2.230 €
HI7629829/4	Logging probe (no protective sleeve, no sensors) for HI9829 and HI98290 - 4m (13.1') cable	1.950 €
HI762A	Air, gas probe with 3.3' (1m) cable, white handle	123 €
HI762BL	General purpose, liquid probe with 3.3' (1m) cable, black handle	94 €
HI762L	General purpose, liquid probe with 3.3' (1m) cable, white handle	90 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI762L/10	General purpose, liquid probe with 33' (10m) cable, white handle	121 €
HI762L/2	General purpose, liquid probe with 6.6' (2 m) cable, white handle	104 €
HI762PBL	General purpose penetration probe with 3.3' (1m) cable, blue handle	90 €
HI762PW	General purpose penetration probe with 3.3' (1m) cable, white handle	90 €
HI762PWL	Penetration probe with 3.3' (1m) cable, white handle	91 €
HI762W	Wire probe with 3.3' (1m) cable with out handle	79 €
HI762W/10	Wire probe with 33' (10m) cable with out handle	107 €
HI7630	EC/TDS probe, amperometric for HI993301, HI993302 with 2 m cable	89 €
HI76301D	4-ring conductivity probe with DIN connector and 1 m (3.3') cable for HI8633	153 €
HI76301W	4-ring conductivity probe with 1 m (3.3') cable	170 €
HI76302/10	4-ring conductivity probe with 10 m (3.3') cable	350 €
HI7630-2800	2-ring cell conductivity, inox, process smart probe, supplied with DIN connector (without cable)	605 €
HI7630-2805	2-ring cell conductivity, inox, process smart probe with 5 meters cable	660 €
HI7630-2810	2-ring cell conductivity, inox, process smart probe with 10 meters cable	715 €
HI7630-2815	2-ring cell conductivity, inox, process smart probe with 15 meters cable	825 €
HI7630-2825	2-ring cell conductivity, inox, process smart probe with 25 meters cable	985 €
HI7630-2850	2-ring cell conductivity, inox, process smart probe with 50 meters cable	1.270 €
HI76302W	4-ring conductivity probe with internal Temperature sensor, DIN connector and 1 m (3.3') cable	279 €
HI76303	Platinum 4-ring conductivity probe with internal Temperature sensor, DIN connector and 1 m (3.3') cable.	370 €
HI76304	Conductivity probe with internal Temperature sensor, DIN connector and 1 m (3.3') cable for HI933100 measurement in soil slurry sample	150 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI7630-4800	4-ring conductivity, platinum on glass, process smart probe, supplied with DIN connector (without cable)	605 €
HI7630-4805	4-ring conductivity, platinum on glass, process smart probe with 5 meters cable	660 €
HI7630-4810	4-ring conductivity, platinum on glass, process smart probe with 10 meters cable	715 €
HI7630-4815	4-ring conductivity, platinum on glass, process smart probe with 15 meters cable	825 €
HI7630-4825	4-ring conductivity, platinum on glass, process smart probe with 25 meters cable	985 €
HI7630-4850	4-ring conductivity, platinum on glass, process smart probe with 50 meters cable	1.270 €
HI76305	Stainless steel conductivity probe with internal Temperature sensor, DIN connector and 1 m (3.3') cable for direct soil measurement, for HI933100	207 €
HI76306	EC/TDS probe with internal Temperature sensor, DIN connector and 1 m (3.3') cable, for small casing portables	140 €
HI763063	EC/TDS probe with quick connect DIN connector for HI99300/HI99301	149 €
HI76309	Conductivity/TDS probe for HI9835 with 1 m cable	364 €
HI76309/1.5	4-ring conductivity probe with internal Temperature sensor, DIN connector and 1.5 m (4.9') cable.	367 €
HI763093	Digital conductivity/temperature probe for HI98199	413 €
HI763093/10	Digital Conductivity/temperature probe for HI98199, 10 m cable	483 €
HI7631/2	EC probe with 2 m cable and 1/2" thread	68 €
HI7631/2/5	EC probe with 5 m cable and 1/2" thread	100 €
HI76310	Platinum, 4-ring conductivity/TDS probe with 1 m (3.3') cable	443 €
HI763100	Digital EC probe for edge	515 €
HI76312	Platinum, 4-ring conductivity/TDS probe with internal Temperature sensor and 1 m (3.3') cable	570 €
HI763123	EC/resistivity probe for HI98197	575 €
HI7631233	EC/Resistivity Probe for HI6321	580 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI763133	Platinum, 4-ring conductivity/TDS probe w/ internal Temperature sensor, DIN connector and 1.5 m (4.9') cable for HI98192	491 €
HI7632	Conductivity/TDS probe, with 2 m (6.6') cable	67 €
HI76320	Volumetric Karl Fischer Electrode	465 €
HI7632-00	EC/TDS probe for high range Mini Controllers, 2 m cable	68 €
HI7632-00/6	EC/TDS probe for high range Mini Controllers, 6m cable	155 €
HI76330	Detector Electrode for HI934 and HI904	500 €
HI7634	EC/TDS probe for HI983301, HI983303 and HI983306	67 €
HI7634-00	EC/TDS probe for low range Mini Controllers, 2 m cable	68 €
HI7634-00/4	EC/TDS probe for low range Mini Controllers, 4 m cable	113 €
HI7634-00/5	EC/TDS probe for low range Mini Controllers, 5 m cable	146 €
HI7635	In-line conductivity probe with automatic Temperature compensation	181 €
HI7638	EC/TDS probe with NTC sensor for immersion installation	441 €
HI7638/10	4-ring EC probe with Pt rings, Temperature NTC sensor for ATC, 10 m cable	492 €
HI7638/20	4-ring EC probe with Pt rings, Temperature NTC sensor for ATC, 20 m cable	560 €
HI7639	EC/TDS probe with PT100 sensor for immersion installation	432 €
HI764	Nitrite ultra low range Checker HC®: Range 0 to 200 ppb	71 €
HI7640-1800	Galvanic Dissolved Oxygen process smart probe, supplied with DIN connector (without cable)	715 €
HI7640-1805	Galvanic Dissolved Oxygen process smart probe with 5 meters cable	825 €
HI7640-1810	Galvanic Dissolved Oxygen process smart probe with 10 meters cable	880 €
HI7640-1815	Galvanic Dissolved Oxygen process smart probe with 15 meters cable	985 €
HI7640-1825	Galvanic Dissolved Oxygen process smart probe with 25 meters cable	1.150 €
HI7640-1850	Galvanic Dissolved Oxygen process smart probe with 50 meters cable	1.430 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI7640-18A/P	Spare DO Membrane Caps (5 pcs) for Galvanic DO Process Smart Probes	108 €
HI76404	Electrode holder for pH 209 type benchtop meters	113 €
HI76404A	Electrode holder (blue) with attachment for HI833xx family	119 €
HI76404B	Electrode Holder for edge	125 €
HI76404N	Electrode holder (red) with attachment for HI4XXX benchtop meter	197 €
HI76404W	White electrode holder for HI2000 and HI5000 series	197 €
HI76405	Electrode holder with steel base	145 €
HI7640-5800	Optical DO process smart probe, supplied with DIN connector (without cable)	1.550 €
HI7640-5805	Optical DO process smart probe with 5 meters cable	1.650 €
HI7640-5810	Optical DO process smart probe with 10 meters cable	1.700 €
HI7640-5815	Optical DO process smart probe with 15 meters cable	1.810 €
HI7640-5825	Optical DO process smart probe with 25 meters cable	1.980 €
HI7640-5850	Optical DO process smart probe with 50 meters cable	2.250 €
HI764060	HI764060 Electrode Holder for HI6000 Family	147 €
HI76407/10	Dissolved oxygen probe with 10 m cable for use with HI9142, HI9143, HI9145, HI9141, HI91410	371 €
HI76407/10F	DO probe with protective sheath, 10 m cable, for use with HI9146	376 €
HI76407/2	Dissolved oxygen probe with 2 m cable for use with HI2400	310 €
HI76407/20	Dissolved oxygen probe with 20 m cable for use with HI9142, HI9143, HI9145, HI9141, HI91410	505 €
HI76407/20F	DO probe with protective sheath, 20 m cable, for use with HI9146	515 €
HI76407/4	Dissolved oxygen probe with 4 m cable for use with HI9142, HI9143, HI9145, HI9141, HI91410	339 €
HI76407/4F	DO probe with protective sheath, 4 m cable, for use with HI9146	294 €
HI764073	Dissolved oxygen probe with 4 m cable for use with HI98193	381 €
HI764073/10	Dissolved oxygen probe with 10 m cable for use with HI98193	480 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI76407A/P	Membrane for DO Probes; this kit contains 5 ready-to-use, replacement PTFE membranes.	137 €
HI76408	Dissolved oxygen probe for laboratories, 1 m cable, for use with HI2400	585 €
HI764080	Digital DO probe for edge	515 €
HI764080A/P	Spare membranes (2 pcs) for HI764080	93 €
HI76408W	Dissolved Oxygen Probe, BOD Test for HI2400 .	575 €
HI76409/10	Galvanic Dissolved Oxygen probe with built-in Temperature sensor, 10 m cable for HI9147	367 €
HI76409/4	Galvanic Dissolved Oxygen probe with built-in Temperature sensor, 4 m cable for HI9147	280 €
HI76409-0	Sleeve, protective sleeve for HI76409, xx Dissolved Oxygen probe series	50 €
HI76409A/P	Membrane, 5 pcs	92 €
HI76410/10	Galvanic DO probe for HI8410 process, 10 mt cable	555 €
HI76410/4	Galvanic DO probe for HI8410 process, 4 m cable	473 €
HI764103	Digital dissolved oxygen probe for HI98199	413 €
HI764103/10	Digital galvanic dissolved oxygen probe for HI98199, 10 m cable	482 €
HI76410A	Spare membranes for HI76410 probe, 1 pc.	69 €
HI764-11	Marine Nitrite Ultra Low Range Calibration Check Set	25 €
HI764113	Optical DO probe with built-in temperature sensor, shield and 4 m (13'4) cable	1.020 €
HI764113/10	Optical DO probe with built-in temperature sensor, shield and 10 m (32.8') cable	1.090 €
HI764113/20	Optical DO probe with built-in temperature sensor, shield and 20 m (65.6') cable	1.200 €
HI764113-1	Smart Cap with O-ring for HI764113 optical DO probe	138 €
HI764113-2	Calibration/Storage vessel for HI764113 optical DO probe	52 €
HI7641133	Optical Dissolved Oxygen Probe for HI6421	805 €
HI764113-3	Stainless Steel Protective Shield for HI764113 optical DO probe	132 €
HI764-25	Nitrite, ultra low range, EPA Diazotization, reagents for 25 tests	18 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI76483	Dissolved oxygen probe for HI5421	570 €
HI764833	Polarographic Dissolved Oxygen Probe for HI6421P	432 €
HI76483A/P	Spare membrane caps (5 pcs) for HI76483 DO Probe	139 €
HI765000C	Calibration check key @ 0°C, ($\pm 0.4^{\circ}\text{C}$)	32 €
HI765-004F	CAL Check key @ -0.4°F , ($\pm 0.8^{\circ}\text{F}$)	32 €
HI7650-1005	Inductive conductivity probe, ABS body, no ATC, 5 m cable	845 €
HI7650-1010	Inductive conductivity probe, ABS body, no ATC, 10 m cable	905 €
HI7650-1015	Inductive conductivity probe, ABS body, no ATC, 15 m cable	915 €
HI7650-1105	Inductive conductivity probe, ABS body, Pt100 Temperature sensor, 5 m cable	880 €
HI7650-1110	Inductive conductivity probe, ABS body, Pt100 Temperature sensor, 10 m cable	935 €
HI7650-1115	Inductive conductivity probe, polypropylene body, Pt100 Temperature sensor, 15 m cable	960 €
HI7650-1125	Inductive conductivity probe, polypropylene body, Pt100 Temperature sensor, 25 m cable	1.080 €
HI765032F	Calibration check key @ 32°F , ($\pm 0.8^{\circ}\text{F}$)	32 €
HI765070C	Calibration check key @ 70°C , ($\pm 0.4^{\circ}\text{C}$)	32 €
HI76510-05	Digital Process Probes Detachable Cable, 5 m (16'5")	155 €
HI76510-10	Digital Process Probes Detachable Cable, 10 m (32'9")	222 €
HI76510-15	Digital Process Probes Detachable Cable, 15 m (49'2")	346 €
HI76510-25	Digital Process Probes Detachable Cable, 25 m (82')	530 €
HI76510-50	Digital Process Probes Detachable Cable, 50 m (164')	850 €
HI765158F	Calibration check key @ 158°F , ($\pm 0.8^{\circ}\text{F}$)	32 €
HI765-18C	CAL Check key @ -18°C , ($\pm 0.4^{\circ}\text{C}$)	32 €
HI7660-2802	Low Range Turbidity Probe (400 NTU), 2m (6.7') Cable	1.920 €
HI7660-2805	Low Range Turbidity Probe (400 NTU), 5m (16.5') Cable	1.950 €
HI7660-2810	Low Range Turbidity Probe (400 NTU), 10m (33') Cable	2.020 €
HI76608	Replacement Temperature probe for HI8614	112 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI7662	Replacement Temperature probe for portable	98 €
HI7662-A	Autosampler temperature sensor w/1.5m cable	115 €
HI7662-AW	Autosampler temperature sensor w/1.5m cable	112 €
HI7662-M	Replacement Temperature Probe for HI845XX Minititrators	101 €
HI7662-T	Replacement Temperature probe for color benchtop	93 €
HI7662-TW	Replacement temperature probe for for HI931& HI932 titrators	93 €
HI7662-W	Replacement temperature probe for HI5XXX research grade benchtops	90 €
HI7669/2W	Replacement Temperature probe for portable with phono connector	94 €
HI7669AW	Replacement Temperature probe for portable with jack connector	98 €
HI766A	Roller surface K-type thermocouple probe with flexible stainless steel tube	120 €
HI766B	Surface Temperature K-type thermocouple probe with stainless steel tube	122 €
HI766B1	90°C angle surface K-type thermocouple probe with stainless steel tube	183 €
HI766B2	Surface Temperature K-type thermocouple probe, with stainless steel tube	99 €
HI766B3	Surface Temperature K-type thermocouple probe, insulated shaft, stain. steel	99 €
HI766B4	Grill surface K-type thermocouple probe with jacketed cable, stainless sensor	236 €
HI766C	Penetration K-type thermocouple probe with stainless steel tube	87 €
HI766C1	Ultra-fast penetration, K-type thermocouple probe with stainless steel tube	87 €
HI766CL	Penetration K-type thermocouple probe with stainless steel tube, 310 mm long, 5 mm (.19") diameter	92 €
HI766D	Air Temperature K-type thermocouple probe with stainless steel tube	106 €
HI766E1	General purpose K-type thermocouple probe with stainless steel tube	87 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI766E2	General purpose K-type thermocouple probe with stainless steel tube	87 €
HI766EX	Cable (extension) for K-type thermocouple probes, 1 m (3.3')	50 €
HI766F	High Temperature K-type thermocouple wire probe with stainless steel AISI 316 tube with out handle	54 €
HI766F1	Flexible wire Temperature K-type thermocouple probe without handle	59 €
HI766F1/5	Flexible wire Temperature K-type thermocouple probe without handle, 5 m cable	91 €
HI766HD	Probe handle with PVC, 3.3' (1m) cable with male K-thermocouple connector	55 €
HI766PA	Roller surface K-type thermocouple probe with stainless steel tube	99 €
HI766PB	Surface Temperature K-type thermocouple probe with stainless steel tube	97 €
HI766PC	Penetration K-type thermocouple probe with stainless steel tube	50 €
HI766PD	Air Temperature K-type thermocouple probe with stainless steel tube	70 €
HI766PE1	General purpose K-type thermocouple probe with stainless steel tube	57 €
HI766PE2	General purpose K-type thermocouple probe with stainless steel tube	57 €
HI766TR1	Penetration K-type thermocouple probe with stainless steel tube	100 €
HI766TR2	Penetration K-type thermocouple probe with stainless steel tube	112 €
HI766TR3	Penetration K-type thermocouple probe with stainless steel 1.5 m tube	121 €
HI766TR4	Penetration K-type thermocouple probe with stainless steel 2 m tube	135 €
HI766TV1	Pipe clamp K-type thermocouple Temperature probe with sensor in clamp	79 €
HI766Z	Wire Temperature probe for ovens, 1 m cable	97 €
HI766Z/3	Wire Temperature probe for ovens, 3 m cable	131 €
HI766Z/7	Wire Temperature probe for ovens, 7 m cable	201 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI767	Marine Nitrite low range Checker HC: Range 0 to 999 ppb	71 €
HI767-11	Marine Nitrite low range certified Calibration Check Set	17 €
HI767-25	Marine Nitrite, low range reagents for 25 tests	13 €
HI7676602	Flow Cell for HI7660-28XX Probe	392 €
HI7676603	Calibration Beaker for HI7660-28XX Low Range Turbidity Probe	300 €
HI7676604	Dry Standard for HI7660-28XX Low Range Turbidity Probe	605 €
HI7676605	Flow Tee for HI7660-28XX Low Range Turbidity Probe	349 €
HI7676605-0	O-Ring for HI7676605 Flow Tee	6 €
HI7676605-1	Adapter for HI7676605 Flow Tee	47 €
HI7676606	Flow Cell for HI7660-28XX Probe for Measurements > 40 NTU	408 €
HI768A	Air, gas Pt100 4-wire Temperature probe, 1 m cable	182 €
HI768L	General purpose, liquid Pt100 4-wire probe, 1 m cable	169 €
HI768P	PT100 penetration Temperature probe	169 €
HI7698194	Multiparameter (pH/EC/DO) Probe for HI98194	870 €
HI7698194/10	pH/ORP/EC/DO probe (no protective sleeve, no sensors) for HI98194 - 10m (32.8') cable	1.370 €
HI7698194/20	pH/ORP/EC/DO probe (no protective sleeve, no sensors) for HI98194 - 20m (65.6') cable	1.520 €
HI7698194/40	pH/ORP/EC/DO probe (no protective sleeve, no sensors) for HI98194 - 40m (131.2') cable	1.800 €
HI7698194-0	Spare pH Sensor for HI769819X Probe	189 €
HI7698194-1	Spare pH/ORP Sensor for HI769819X Probe	262 €
HI76981942	Probe Maintenance Kit	206 €
HI7698194-2	Spare Galvanic DO Sensor for HI7698194 and HI7698196 Probes	262 €
HI7698194-3	Spare EC Sensor for for HI7698194 and HI7698195 Probes	262 €
HI7698195	pH/ORP/EC probe (no protective sleeve, no sensors) for HI98195 - 4m (13.1') cable	935 €
HI7698195/10	pH/ORP/EC probe (no protective sleeve, no sensors) for HI98195 - 10m (32.8') cable	1.070 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI7698195/20	pH/ORP/EC probe (no protective sleeve, no sensors) for HI98195 - 20m (65.6') cable	1.230 €
HI7698195/40	pH/ORP/EC probe (no protective sleeve, no sensors) for HI98195 - 40m (131.2') cable	1.520 €
HI76981952	Probe maintenance kit consisting of small brush, small hex key, O-rings for probe (5), and syringe with grease to lubricate the O-rings.	54 €
HI7698196	pH/ORP/DO probe (no protective sleeve, no sensors) for HI98196 - 4m (13.1') cable	935 €
HI7698196/10	pH/ORP/DO probe (no protective sleeve, no sensors) for HI98196 - 10m (32.8') cable	1.070 €
HI7698196/20	pH/ORP/DO probe (no protective sleeve, no sensors) for HI98196 - 20m (65.6') cable	1.230 €
HI7698196/40	pH/ORP/DO probe (no protective sleeve, no sensors) for HI98196 - 40m (131.2') cable	1.520 €
HI7698290	Short calibration beaker	166 €
HI7698291	USB cable, PC to meter	83 €
HI76982910	USB cable, PC to probe	143 €
HI7698292	Probe maintenance kit consisting of HI7042S (electrolyte solution for DO sensor), O-rings for DO sensor (5), small brush, O-rings for probe (5), and syringe with grease to lubricate the O-rings.	231 €
HI7698293	Long calibration beaker	187 €
HI7698294	Short flow cell	139 €
HI7698294/10	Multiparameter pH/EC/ISE/Turbidity/DO Probe for HI98294 with 10m (33') Cable	1.750 €
HI7698294/20	Multiparameter pH/EC/ISE/Turbidity/DO Probe for HI98294 with 20m (66') Cable	1.860 €
HI7698294/30	Multiparameter pH/EC/ISE/Turbidity/DO Probe for HI98294 with 30m (98') Cable	2.060 €
HI7698294/4	Multiparameter pH/EC/ISE/Turbidity/DO Probe for HI98294 with 4m (13') Cable	1.160 €
HI7698294/40	Multiparameter pH/EC/ISE/Turbidity/DO Probe for HI98294 with 40m (131') Cable	2.160 €
HI7698294/50	Multiparameter pH/EC/ISE/Turbidity/DO Probe for HI98294 with 50m (164') Cable	2.365 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI7698295	Short protective shield	143 €
HI7698296	Long protective shield	182 €
HI7698297	Long, quick release flow cell	484 €
HI7698394/10	Multiparameter pH/EC/ISE/Turbidity/DO, Autonomously Logging Probe for HI98394 with 10m (33') Cable	1.860 €
HI7698394/20	Multiparameter pH/EC/ISE/Turbidity/DO, Autonomously Logging Probe for HI98394 with 20m (66') Cable	2.060 €
HI7698394/30	Multiparameter pH/EC/ISE/Turbidity/DO, Autonomously Logging Probe for HI98394 with 30m (98') Cable	2.270 €
HI7698394/4	Multiparameter pH/EC/ISE/Turbidity/DO, Autonomously Logging Probe for HI98394 with 4m (13') Cable	1.260 €
HI7698394/40	Multiparameter pH/EC/ISE/Turbidity/DO, Autonomously Logging Probe for HI98394 with 40m (131') Cable	2.370 €
HI7698394/50	Multiparameter pH/EC/ISE/Turbidity/DO, Autonomously Logging Probe for HI98394 with 50m (164') Cable	484 €
HI76983948	Atmospheric Pressure Box For HI98394	141 €
HI7698494	Multiparameter (pH/EC/OPDO) probe for HI98494 with 4 meter cable	1.680 €
HI7698494/10	Multiparameter (pH/EC/OPDO) probe for HI98494 with 10 meters cable	1.760 €
HI7698494/20	Multiparameter (pH/EC/OPDO) probe for HI98494 with 20 meters cable	1.870 €
HI7698494/30	Multiparameter pH/EC/OPDO Probe for HI98494 with 30m (98') Cable	TBD
HI7698494/40	Multiparameter (pH/EC/OPDO) probe for HI98494 with 40 meters cable	2.080 €
HI7698494/50	Multiparameter pH/EC/OPDO Probe for HI98494 with 50m (164') Cable	TBD
HI76984942	Probe Maintenance Kit	35 €
HI7698494-5	Replacement optical OPDO sensor for HI7698494	840 €
HI7698594	Multiparameter pH/EC/Turbidity/OPDO Probe for HI98594 with 4m (13') Cable	2.320 €
HI7698594/10	Multiparameter pH/EC/Turbidity/OPDO Probe for HI98594 with 10m (33') Cable	2.420 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI7698594/20	Multiparameter pH/EC/Turbidity/OPDO Probe for HI98594 with 20m (66') Cable	2.580 €
HI7698594/30	Multiparameter pH/EC/Turbidity/OPDO Probe for HI98594 with 30m (98') Cable	2.730 €
HI7698594/40	Multiparameter pH/EC/Turbidity/OPDO Probe for HI98594 with 40m (131') Cable	2.890 €
HI7698594/50	Multiparameter pH/EC/Turbidity/OPDO Probe for HI98594 with 50m (164') Cable	3.040 €
HI7698594-3	Spare EC Module for HI7698594 Probes	387 €
HI7698594-4	Spare EC/Turbidity Module for HI7698594 Probes	620 €
HI7698594-5	Spare Optical OPDO Sensor for HI7698594	850 €
HI770	Silica HR Checker HC®, 0 to 200 ppm	71 €
HI770-11	Silica High Range Checker HC Calibration Check Set (0 and 100 ppm)	22 €
HI770-25	Silica HR Checker HC reagents for 25 tests (Silica HR)	63 €
HI770710C	pH 10.01 & 7.01 @ 25°C Calibration Solution Sachets with Certificate of Analysis, (5 each x 20 mL)	28 €
HI770710P	pH 10.01 & 7.01 @ 25°C Calibration Solution Sachets, (5 each x 20 mL)	27 €
HI771	Chlorine Checker, Ultra High Range (0-500 ppm)	71 €
HI771-11	Chlorine Ultra High Range Calibration Check Set	36 €
HI771-25	Chlorine UHR Checker HC reagents for 25 tests	18 €
HI772	Marine Alkalinity (dKH) Checker® HC	71 €
HI772-11	Marine Alkalinity Checker HC Calibration Check Set	36 €
HI772-26	Marine alkalinity, colorimetric method, Reagents for 25 tests	13 €
HI774	Marine phosphate - ultra low range Checker HC® colorimeter: Range 0.00 to 0.60 ppm	71 €
HI77400C	pH 4.01 & 7.01 @ 25°C Calibration Solution Sachets with Certificate of Analysis, (5 each x 20 mL)	28 €
HI77400P	pH 4.01 & 7.01 @ 25°C Calibration Solution Sachets, (5 each x 20 mL)	27 €
HI774-11	Marine phosphate - ultra low range calibration check Set	22 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI774-25	Marine phosphate - ultra low range, ascorbic acid, reagents for 25 tests	15 €
HI775	Alkalinity Checker for drinking water	71 €
HI775-11	Freshwater Alkalinity Checker HC Calibration Check Set	36 €
HI775-26	Reagents for Alkalinity Checker	36 €
HI7754	Pool Line Alkalinity Checker for drinking water	71 €
HI7754-11	Pool Line Freshwater Alkalinity Checker HC Calibration Check Set	36 €
HI7754-26	Pool Line Reagents for Freshwater Alkalinity Checker	36 €
HI7785P/1	Connection cable 5 mm diameter, with screw and BNC connectors, 1 m (3.3')	47 €
HI7785P/10	Connection cable 5 mm diameter, with screw and BNC connectors, 10 m (33')	80 €
HI7785P/3	Connection cable 5 mm diameter, with screw and BNC connectors, 3 m (9.9')	55 €
HI7785P/5	Connection cable 5 mm diameter, with screw and BNC connectors, 5 m (16.5')	63 €
HI7785P/7	Connection cable 5 mm diameter, with screw and BNC connectors, 7 m (23.1')	70 €
HI7787P/1	Connection cable, 5 mm diameter, with screw and DIN connectors, 1 m (3.3')	47 €
HI7787P/10	Connection cable, 5 mm diameter, with screw and DIN connectors, 10 m (33')	80 €
HI7787P/3	Connection cable, 5 mm diameter, with screw and DIN connectors, 3 m (9.9')	55 €
HI7787P/5	Connection cable, 5 mm diameter, with screw and DIN connectors, 5 m (16.5')	63 €
HI7787P/7	Connection cable, 5 mm diameter, with screw and DIN connectors, 7 m (23.1')	70 €
HI779	Pool Line pH Handheld Colorimeter®	71 €
HI779-11	Pool Line pH Certified Standard Kit	20 €
HI779-25	Pool Line pH Reagent Set for 100 Tests	21 €
HI780	Marine pH Checker	71 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI780-11	Marine pH certified standard kit	19 €
HI780-25	Marine pH Checker refills (100 tests)	21 €
HI781	Marine nitrate low range Checker	71 €
HI781-11	Marine nitrate low range certified standard kit	23 €
HI781-25	Marine LR Nitrate Reagents (25 tests)	21 €
HI782	Marine Nitrate High Range	71 €
HI782-11	Marine Nitrate HR certified standard kit	23 €
HI782-25	Reagents for 25 Marine Nitrate High Range tests	21 €
HI783	Marine Magnesium Checker	73 €
HI783-11	Marine Magnesium Certified Standard kit	25 €
HI783-25	Marine Magnesium Reagents for 25 tests	22 €
HI784	Marine Ammonia Checker	73 €
HI784-11	Marine Ammonia Certified Standard kit	25 €
HI784-25	Marine Ammonia Reagents for 25 tests	25 €
HI7855/1	Connection cable with screw and BNC connectors, 1 m (3.3')	39 €
HI7855/10	Connection cable with screw and BNC connectors, 10 m (33')	70 €
HI7855/15	Connection cable with screw and BNC connectors, 15 m (49.5')	148 €
HI7855/3	Connection cable with screw and BNC connectors, 3 m (9.9')	50 €
HI7855/5	Connection cable with screw and BNC connectors, 5 m (16.5')	55 €
HI7855/7	Connection cable with screw and BNC connectors 7 m (23.1')	63 €
HI7857/1	Connection cable, 3 mm diameter, with screw and DIN connectors, 1 m (3.3')	39 €
HI7857/10	Connection cable, 3 mm diameter, with screw and DIN connectors, 10 m (33')	70 €
HI7857/3	Connection cable, 3 mm diameter, with screw and DIN connectors, 3 m (9.9')	50 €
HI7857/5	Connection cable, 3 mm diameter, with screw and DIN connectors, 5 m (16.5')	55 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI7857/7	Connection cable, 3 mm diameter, with screw and DIN connectors, 7 m (23.1')	63 €
HI7858/1	Connection cable with BNC and BNC connectors, 1 m (3.3')	34 €
HI7858/10	Connection cable with BNC and BNC connectors, 10 m (33')	110 €
HI7858/5	Connection cable with BNC and BNC connectors, 5 m (16.5')	60 €
HI7871/220	Mini Level Controller, control relay: high and low, 220, 240V	152 €
HI7873/220	Mini Level Controller, control relay: high, low and overflow, 220, 240V	173 €
HI7874	Holder for level controller bars, bar holder and level transmitter	161 €
HI8004L	pH 4.01 @ 25°C Calibration Buffer in FDA bottle, 500 ml	32 €
HI8004L/C	pH 4.01 @ 25°C Calibration Buffer in FDA bottle with Certificate of Analysis, 500 ml	41 €
HI8006L	pH 6.86 @ 25°C Calibration Buffer in FDA bottle, 500 ml	32 €
HI8006L/C	pH 6.86 @ 25°C Calibration Buffer in FDA bottle with Certificate of Analysis, 500 ml	41 €
HI8007L	pH 7.01 @ 25°C Calibration Buffer in FDA bottle, 500 ml	32 €
HI8007L/C	pH 7.01 @ 25°C Calibration Buffer in FDA bottle with Certificate of Analysis, 500 ml	41 €
HI8009L	pH 9.18 @ 25°C Calibration Buffer in FDA bottle, 500 ml	32 €
HI8009L/C	pH 9.18 @ 25°C Calibration Buffer in FDA bottle with Certificate of Analysis, 500 ml	41 €
HI801-02	iris® Visible Spectrophotometer, 230 VAC	3.300 €
HI8010L	pH 10.01 @ 25°C Calibration Buffer in FDA bottle, 500 ml	32 €
HI8010L/C	pH 10.01 @ 25°C Calibration Buffer in FDA bottle with Certificate of Analysis, 500 ml	41 €
HI801-11	Holmium oxide glass filter for spectrophotometers	410 €
HI802-02	iris® Visible Spectrophotometer with Method Identification via Barcode Reader, 230 VAC	3.900 €
HI80300L	Electrode storage solution, 500 mL FDA bottle	32 €
HI80300M	Storage Solution for pH and ORP Electrodes, 230 mL FDA bottle	28 €
HI8030L	12880 µS/cm EC value @ 25°C, 500 mL FDA bottle	32 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI8031L	1413 $\mu\text{S}/\text{cm}$ EC value @ 25°C, 500 mL FDA bottle	32 €
HI8033L	84 $\mu\text{S}/\text{cm}$ EC value @ 25°C, 500 mL FDA bottle	32 €
HI8034L	80000 $\mu\text{S}/\text{cm}$ EC value @ 25°C, 500 mL FDA bottle	32 €
HI8035L	111800 $\mu\text{S}/\text{cm}$ EC value @ 25°C, 500 mL FDA bottle	32 €
HI8039L	5000 $\mu\text{S}/\text{cm}$ EC value @ 25°C, 500 mL FDA bottle	32 €
HI8061L	Cleaning Solution for General Purpose, 500 mL FDA bottle	37 €
HI8071	Electrolyte Solution, 3.5M KCl + AgCl, (4) 30 mL FDA bottle	90 €
HI8073L	Cleaning Solution for Proteins, 500 mL FDA bottle	37 €
HI8077L	Cleaning Solution for Oil and Fats, 500 mL FDA bottle	37 €
HI8080L	Standard Solution at 2.3 g/L Na+, 500 mL FDA bottle	37 €
HI8082	Electrolyte Solution, 3.5M KCl, (4) 30 mL FDA bottle	90 €
HI8086L	Standard Solution at 23 g/L Na+, 500 mL FDA bottle	37 €
HI8087L	Standard Solution at 0.23 g/L Na+, 500 mL FDA bottle	37 €
HI8088L	Standard Solution at 5.84 g/L NaCl, 500 mL FDA bottle	37 €
HI8093	Electrolyte Solution, 1M KCl + AgCl, (4) 30 mL FDA bottle	90 €
HI829113	Digital pH/Temp electrode for HI98199	403 €
HI829113/10	Digital pH/Temp electrode for HI98199, 10 m cable	472 €
HI8299505	AmpHel® pH electrode with replaceable battery, for high Temperatures	258 €
HI8314-1	Analog pH/mV/°C meter with HI1217-1 electrode, range: pH 0.00 to 14.00 pH, mV $\pm$ 1999 mV, Temperature 0.0 to 100.0°C	356 €
HI83141-1	Analog pH/mV/°C meter with HI1230B electrode, range: pH 0.00 to 14.00 pH, mV $\pm$ 1999 mV, Temperature 0.0 to 100.0°C	356 €
HI83224-02	COD/multiparameter photometer w/bar code recognition of sample vials, 230V	1.960 €
HI83300-02	Multiparameter photometer, with digital pH (230V)	1.320 €
HI83300-100	Sample preparation kit for HI83325	66 €
HI83300-11	CalCheck cuvette kit for HI83300	179 €
HI83303-02	Multiparameter photometer and pH meter for Aquaculture (230V)	770 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI83303-11	CalCheck cuvette kit for HI83303	179 €
HI83305-02	Multiparameter photometer and pH meter for Boilers & Cooling towers (230V)	770 €
HI83305-11	CalCheck cuvette kit for HI83305	179 €
HI83306-02	Multiparameter photometer and pH meter for Environmental analysis (230V)	770 €
HI83306-11	CalCheck cuvette kit for HI83306	179 €
HI83308-02	Multiparameter photometer and pH meter for Water Conditioning (230V)	770 €
HI83308-11	CalCheck cuvette kit for HI83308	179 €
HI83314-02	Multiparameter photometer, COD and pH meter for Waste water treatment analysis (230V)	1.460 €
HI83314-11	CalCheck cuvette kit for HI83314	179 €
HI83325-02	Multiparameter photometer and pH meter for Plants Nutrient analysis (230V)	970 €
HI83325-11	CalCheck cuvette kit for HI83325	179 €
HI83326-02	Multiparameter photometer and pH meter for Swimmin Pools & SPAs (230V)	870 €
HI83326-11	CalCheck cuvette kit for HI83326	179 €
HI83399-02	Multiparameter photometer, with COD and with digital pH (230V)	1.610 €
HI83399-11	CalCheck cuvette kit for HI83399	179 €
HI83414-02	Precision turbidity and free/total chlorine meter with 4 measuring ranges; 230V	2.670 €
HI83730-02	Photometer for Peroxide Value in Olive Oil, 230V	960 €
HI83730-20	Peroxide in olive oil spare reagents set (20 tests)	65 €
HI83741-20	Iron reagent	77 €
HI83742-25	Color reagent set (wine solvent 1) for phenols in wine (20 tests)	65 €
HI83746-02	Photometer for residual sugar measurement in wine, Range 0.00 to 50.00 mg/L 230V	960 €
HI83746-20	Reagents for reducing sugar analysis	65 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI83748-02	Photometer for the determination of Tartaric Acid in wine; Range 0.0 to 5.0 g/L 230V	695 €
HI83748-20	Tartaric acid reagents	75 €
HI83749-02	Photometer for monitoring turbidity and Bentonite in wine, Range 0.00 to 9.99 NTU; 10.0 to 99.9 NTU; 100 to 1200 NTU 230V	1.320 €
HI83749-11	Calibration turbidity kit	195 €
HI83749-20	Bentocheck solution	33 €
HI83900-25	Lysimeter, cleaning solution replacement kit for suction lysimeter, 500 mL	39 €
HI83900-30	Suction lysimeter for root level soil monitoring, for use with HI83225 and HI83215; 30 cm	78 €
HI83900-60	Suction lysimeter for root level soil monitoring, for use with HI83225 and HI83215; 60 cm	108 €
HI83900-90	Suction lysimeter for root level soil monitoring, for use with HI83225 and HI83215; 90 cm	147 €
HI839150-02	COD test tube heater with 25 vial capacity; Temperature of Reaction 105°C or 150°C (221°F or 302°F), Protective shield, 230V	1.050 €
HI839800-02	COD Reactor for Chemical Oxygen Demand and User-Specific Analysis, 25 Vials Capacity, 3 Standard & 3 Custom Programs, Temperature Heating Range 30.0 to 170.0°C (86 to 338°F), Protective shield, 230V	1.330 €
HI8410	Panel Mounted Dissolved Oxygen Controller with Extended Range and Analog Output, range: 0.0 to 50.0 mg/L (ppm) O ₂ , 0 to 600 % O ₂ , Temperature -5.0 to 50.0 °C	900 €
HI84100-50	Titrant for Sulfur Dioxide Mini Titrator (100 mL)	22 €
HI84100-51	Alkaline Reagent for Total Sulfur Dioxide (500 mL)	22 €
HI84100-52	Acid Reagent for Total Sulfur Dioxide (500 mL)	22 €
HI84100-53	Acid Reagent for Free Sulfur Dioxide (500 mL)	22 €
HI84100-54	Stabilizer Reagent for Sulfur Dioxide Mini Titrator (100 Packets)	22 €
HI84100-55	Pump Calibration Standard for Sulfur Dioxide Mini Titrator (500 mL)	43 €
HI84102-50	Titrant solution, 100 mL	22 €
HI84102-55	Calibration standard, 100 mL	43 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI84102-60	pH 7.00 buffer for acidity in wine mini titrator	27 €
HI84102-61	pH 8.20 buffer for acidity in wine mini titrator	27 €
HI8424	Microprocessor pH/mV meter, automatic calibration, ATC, range: pH -2.00 to 16.00 pH, mV ± 699.9 mV; ± 1999 mV	418 €
HI84500-02	Sulfur Dioxide Mini Titrator for Wine Analysis, 230V	795 €
HI84500-50	Low Range Titrant for Sulfur Dioxide Mini Titrator, 230 mL bottle	27 €
HI84500-51	High Range Titrant for Sulfur Dioxide Mini Titrator, 230 mL bottle	27 €
HI84500-55	Pump Calibration Standard for Sulfur Dioxide Mini Titrator (120 mL)	46 €
HI84500-60	Acid Reagent for Sulfur Dioxide Mini Titrator, 230 mL bottle	27 €
HI84500-61	Alkaline Reagent for Total Sulfur Dioxide (120 mL)	27 €
HI84500-62	Stabilizer Powder Packets for Sulfur Dioxide Mini Titrator (100 Packets)	27 €
HI84502-02	Titrateable Acidity Mini Titrator for Wine Analysis, 230V	795 €
HI84502-50	Titrant for Total Titrateable Acidity in Wine Mini Titrator, 230 mL bottle	27 €
HI84502-55	Pump Calibration Standard for Titrateable Acidity in Wine Mini Titrator (120 mL)	46 €
HI84529-02	Titrateable Acidity Mini Titrator for Dairy Analysis, 230V	795 €
HI84529-50	Low Range 20 Titrant for Titrateable Acidity in Dairy Mini Titrator (120 mL)	35 €
HI84529-51	High Range 20 Titrant for Titrateable Acidity in Dairy Mini Titrator (120 mL)	35 €
HI84529-52	Low Range 50 Titrant for Titrateable Acidity in Dairy Mini Titrator (120 mL)	35 €
HI84529-55	Pump Calibration Standard for Titrateable Acidity in Dairy Mini Titrator, 230 mL bottle	35 €
HI84530-02	Titrateable Acidity Mini Titrator for Water Analysis, 230V	795 €
HI84530-50	Low Range Titrant for Titrateable Acidity in Water Mini Titrator (120 mL)	35 €
HI84530-51	High Range Titrant for Titrateable Acidity in Water Mini Titrator (120 mL)	35 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI84530-55	Pump Calibration Standard for Titratable Acidity in Water Mini Titrator, 230 mL bottle	35 €
HI84530-60	Hydrogen Peroxide Reagent for Titratable Acidity in Water Mini Titrator (30 mL)	38 €
HI84531-02	Titration Alkalinity Mini Titrator for Water Analysis, 230V	795 €
HI84531-50	Low Range Titrant for Titratable Alkalinity in Water Mini Titrator (120 mL)	22 €
HI84531-51	High Range Titrant for Titratable Alkalinity in Water Mini Titrator (120 mL)	22 €
HI84531-55	Pump Calibration Standard for Titratable Alkalinity in Water Mini Titrator, 230 mL bottle	22 €
HI84532-02	Titration Acidity Mini Titrator for Fruit Juice Analysis, 230V	795 €
HI84532-50	Low Range Titrant for Titratable Acidity in Fruit Juice Mini Titrator (120 mL)	35 €
HI84532-51	High Range Titrant for Titratable Acidity in Fruit Juice Mini Titrator (120 mL)	35 €
HI84532-55	Pump Calibration Standard for Titratable Acidity in Fruit Juice Mini Titrator, 230 mL bottle	35 €
HI84533-02	Formol Number Mini Titrator for Wine and Fruit Juice Analysis, 230V	795 €
HI84533-50	Titrant for Formol Number Mini Titrator, 230 mL bottle	35 €
HI84533-55	Pump Calibration Standard for Formol Number Mini Titrator (120 mL)	35 €
HI84533-60	Hydrogen Peroxide Reagent for Formol Number Mini Titrator (30 mL)	35 €
HI84533-61	Formol Number Base Reagent for Formol Number Mini Titrator, 230 mL bottle	35 €
HI84533-62	pH Adjustment Reagent for Formol Number Mini Titrator (30 mL)	35 €
HI84534-02	Titration Acidity mini titrator and pH meter for vinegar, 230V	795 €
HI84534-50	Titrant for Titratable Acidity in vinegar mini titrator (120 mL)	35 €
HI84534-55	Pump Calibration Standard for Titratable Acidity in vinegar mini titrator (120 mL)	35 €
HI847492-02	Haze meter for beer quality analysis, USEPA; Range 0.00 to 9.99 FTU 10.0 to 99.9 FTU 100 to 1000 FTU; 230V	1.030 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI847492-11	Calibration set for HI84792 haze meter for beer quality analysis	135 €
HI8510	Panel Mounted pH Analog Indicator with Self-diagnostic test, range: 0.00 to 14.00 pH	610 €
HI8512	Panel Mounted ORP Analog Indicator with Self-diagnostic test, range: +/-1999 mV	610 €
HI8614LN	pH Transmitter with 4-20 mA Galvanically Isolated output; with LCD display, range: 0.00 to 14.00 pH	670 €
HI8614N	pH Transmitter with 4-20 mA Galvanically Isolated output, range: 0.00 to 14.00 pH	462 €
HI8615LN	ORP Transmitter with 4-20 mA Galvanically Isolated output; with LCD display, HI8615(L): ± 1000 mV / 4-20 mA, HI8615(L)-01: ± 1999 mV / 4-20 mA	670 €
HI8615N	ORP Transmitter with 4-20 mA Galvanically Isolated output, HI8615(L): ± 1000 mV / 4-20 mA, HI8615(L)-01: ± 1999 mV / 4-20 mA	465 €
HI8710	Panel Mounted pH Analog Controller with Self-diagnostic test, range: 0.00 to 14.00 pH	685 €
HI8711	Panel Mounted pH Analog Controller with Dual Output and Self-diagnostic test, range: 0.00 to 14.00 pH	730 €
HI8720	Panel Mounted ORP Analog Controller with Self-diagnostic test, range: +/-1999 mV	685 €
HI8733	Multi-range EC meter with HI76302W probe, Range: 0.0 to 199.9 mS/cm w/ATC	560 €
HI8734	TDS meter, Range: 0.0 to 199.9 mg/L (ppm); 0 to 1999 mg/L (ppm); 0.00 to 19.99 g/L (ppt)	560 €
HI88703-02	Precision turbidity and free/total chlorine meter with 2 measuring ranges; Range: 0.00 to 4000 NTU, 0.0 to 26800 Nephelos 0.00 to 980 EBC; 230V	2.230 €
HI88703-11	Turbidity calibration KIT for HI88703	204 €
HI88713-02	ISO turbidity meter; Range: FNU Mode 0.00 to 9.99; 10.0 to 99.9; 100 to 1000 FNU, FAU Mode 10.0 to 99.9; 100 to 4000 FAU, NTU Ratio Mode 0.00 to 9.99; 10.0 to 99.9; 100 to 4000 NTU 0.00 to 9.99; 10.0 to 99.9; 100 to 980 EBC, NTU Non-Ration Mode 0.00 to 9.99; 10.0 to 99.9; 100 to 1000 NTU 0.00 to 9.99; 10.0 to 99.9; 100 to 245 EBC; 230V	2.330 €
HI88713-11	Calibration set for HI88713-0/10/100/800/2000	204 €
HI8931AN	Panel mounted conductivity controller 0.0-199.9 mS/cm	805 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI8931BN	Panel mounted conductivity controller 0.00-19.99 mS/cm	805 €
HI8931CN	Panel mounted conductivity controller 0-1999 µS/cm	805 €
HI8931DN	Panel mounted conductivity controller 0.0-199.9 µS/cm	805 €
HI8936ALN	Conductivity Transmitter Using 4-Ring Technology, range: 0.0 to 199.9 mS/cm; with LCD display	505 €
HI8936AN	Conductivity Transmitter Using 4-Ring Technology, range: 0.0 to 199.9 mS/cm	327 €
HI8936BLN	Conductivity Transmitter Using 4-Ring Technology, range: 0.00 to 19.99 mS/cm; with LCD display	505 €
HI8936BN	Conductivity Transmitter Using 4-Ring Technology, range: 0.00 to 19.99 mS/cm	327 €
HI8936CLN	Conductivity Transmitter Using 4-Ring Technology, range: 0 to 1999 µS/cm; with LCD display	505 €
HI8936CN	Conductivity Transmitter Using 4-Ring Technology, range: 0 to 1999 µS/cm	327 €
HI8936DLN	Conductivity Transmitter Using 4-Ring Technology, range: 0.0 to 199.9 µS/cm; with LCD display	505 €
HI8936DN	Conductivity Transmitter Using 4-Ring Technology, range: 0.0 to 199.9 µS/cm	327 €
HI900100	Dosing Pump for Automatic Titration System	2.740 €
HI900105	5 mL burette assembly for titrator(includes syringe, aspiration and dispensing tubes)	1.190 €
HI900110	10 mLburette assembly for titrator (includes syringe, aspiration and dispensing tubes)	1.110 €
HI900125	25 mL burette assembly for titrator (includes syringe, aspiration and dispensing tubes)	1.100 €
HI900150	50 mL burette assembly for titrator (includes syringe, aspiration and dispensing tubes)	1.220 €
HI900180	Solvent Handling Pump for HI903 and HI904	309 €
HI900181	Reagent adapter holder (assembly) for HI904	188 €
HI900182	HI904Reagent Adapter Holder (glass only)	92 €
HI900190	Blank burette Holder	71 €
HI900205	5 mL burette syringe for Titrator	374 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI900210	10 mL burette syringe for Titrator	374 €
HI900225	25 mL burette syringe for Titrator	374 €
HI900250	50 mL burette syringe for Titrator	374 €
HI900260	Replacement 3-Way Valve for Titrator	374 €
HI900270S	Aspiration tube set with 316 stainless steel fitting for HI9XX potentiometric titrators	108 €
HI900271S	Aspiration Tube Set for the HI902 series (5m)	178 €
HI900280S	Dispensing tube set with 316 stainless steel fitting for HI9XX potentiometric titrators	108 €
HI900281S	Dispensing Tube Set for the HI902 series (5m)	178 €
HI900301	Overhead Stirrer Assembly for Titrator	910 €
HI900302	Replacement Propellers for Titrator Overhead Stirrer (3)	30 €
HI900303	Replacement PVDF Propellers for Titrator Overhead Stirrer (3)	71 €
HI900304	Replacement shearing type polycarbonate propeller for HI901 and HI902 overhead stirrer (1)	42 €
HI900310	Overhead electrode holder (includes overhead stirrer without electronics and stir bar)	131 €
HI900320	Stirrer Stand for HI902C Titrator	101 €
HI900401	Potentiometric analog board	825 €
HI900403	HI903 Analog Board	425 €
HI900404	Coulometric Analog Board	425 €
HI900505	Burette Assembly for HI903, 5 mL	1.130 €
HI900511	HI904 Generator electrode with diaphragm	1.270 €
HI900512	HI904 Generator electrode without diaphragm	1.120 €
HI900520	Beaker assembly for HI903 Karl Fischer Titrator	1.330 €
HI900521	Beaker locker ring for HI903	22 €
HI900522	Volumetric Karl Fischer beaker for HI903	471 €
HI900523	Glass Dispensing Tip for HI903 (2 pcs)	118 €
HI900524	Teflon Beaker Cap with o-ring for HI903 Karl Fischer Titrator	515 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI900525	Beaker holder for HI903	22 €
HI900526	Septum holder for HI903 volumetric Karl Fischer Titrator	24 €
HI900527	Set of 5 Septums for HI903	37 €
HI900528	Solvent port plugs (2 pcs) for Karl Fischer Titrator	37 €
HI900529	Plastic fittings for HI900524 beaker cap used with HI903 Karl Fischer Titrator	433 €
HI900530	Titration Bottle Top Assembly for HI903	555 €
HI900531	Solvent or Waste Bottle Top Assembly for HI903	555 €
HI900532	Desiccant Cartridge for Titration or Vessel for HI903	72 €
HI900533	Desiccant Cartridge for Solvent or Waste for HI903	72 €
HI900534	Waste bottle (HI904)	88 €
HI900535	Tubing set for solvent/waste (HI904)	80 €
HI900536	Tubing for solvent-handling pump	64 €
HI900537	Bottle top assembly, with molecular sieves (HI904)	443 €
HI900538	Desiccant cartridge for reagent/waste bottle, with molecular sieve (HI904)	113 €
HI900539	Titration waste bottle cap	17 €
HI900540	Set of O-Rings for HI903	67 €
HI900541	Burette Valve Gasket Set	6 €
HI900542	O-rings set for HI904	25 €
HI900543	Glass joint grease for HI904	14 €
HI900550	Desiccant for KF titration, 250 gr	80 €
HI900551	Molecular sieves, 150g	545 €
HI900560	Titration vessel for HI904 (assembly)	770 €
HI900561	Titration vessel for HI904 (glass only)	471 €
HI900563	Glass stopper, standard taper 19	137 €
HI900564	Desiccant cartridge for generator electrode	88 €
HI900566	Open-Top GL18 Cap	46 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI900567	Septum kit for HI904	17 €
HI900568	Reagent exchange adapter for HI904	355 €
HI900570S	Aspiration tube set with 316 stainless steel fitting for HI903 KF volumetric titrator	107 €
HI900580S	Dispensing tube set with 316 stainless steel fitting for HI903 KF volumetric titrator	104 €
HI900601	Photometric electrode with green LED (525 nm)	555 €
HI900602	Photometric electrode with red LED (625 nm)	555 €
HI900603	Photometric electrode with yellow LED (590 nm)	555 €
HI900604	Photometric electrode with blue LED (470 nm)	545 €
HI900801	HI902C Instruction Manual +Binder (English)	88 €
HI900803	HI903 Instruction Manual + Binder (English)	88 €
HI900804	HI904 Instruction Manual + Binder (English)	88 €
HI900805	HI902C1/HI902C2 Design, Installation, Operation, and Performance Qualification (DQ/IQ/OQ/PQ) Documentation	605 €
HI900806	HI903 Design, Installation, Operation, and Performance Qualification (DQ/IQ/OQ/PQ) Documentation	605 €
HI900807	HI904/HI904D Design, Installation, Operation, and Performance Qualification (DQ/IQ/OQ/PQ) Documentation	605 €
HI900900U	USB flash drive with titration software (HI902, HI903, HI904)	37 €
HI900930	RS232 cable for PC connection	56 €
HI900931	Generator cable for calibrating HI904	59 €
HI900939	Generator cable for calibrating HI904	65 €
HI900940	Calibration key HI904	52 €
HI900941	Shorting connector	22 €
HI900942	Burette Cap Removal Tool for Titrator	58 €
HI900943	Fuse 1A (UL)	4 €
HI900944	Fuse 2A (UL)	4 €
HI900945	Shorting Cap	42 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI900947	230 VAC to 24 VDC Power Adapter, European plug	99 €
HI900950	Chemical spoon for measuring and introducing sample into HI903 and HI904	112 €
HI90140	Transmitter, Infrared, for PC Connection, for HI140 series	128 €
HI9071	Bridge electrolyte for FC2053	21 €
HI9072	Electrode storage solution, 13 mL dropper bottle	8 €
HI9142	Manual calibration dissolved oxygen meter, Range 0.0 to 19.9 mg/L	580 €
HI9146-04	Microprocessor dissolved oxygen meter; probe w/ 4 m cable, Range: O2 0.00 to 45.00 mg/L % Saturation O2 0.0 to 300.0% Temp 0.0 to 50.0°C	690 €
HI9146-10	Microprocessor dissolved oxygen meter; probe w/ 10 m cable, Range: O2 0.00 to 45.00 mg/L % Saturation O2 0.0 to 300.0% Temp 0.0 to 50.0°C	775 €
HI9147-04	Dissolved oxygen meter for aquaculture; 4 m probe cable, Range: O2: 0.0 to 50.0 mg/L; % Saturation O2: 0 to 600 %; Temp: -5.0 to 50.0°C	595 €
HI9147-10	Dissolved oxygen meter for aquaculture; 10 m probe cable, Range: O2: 0.0 to 50.0 mg/L; % Saturation O2: 0 to 600 %; Temp: -5.0 to 50.0°C	655 €
HI9147-15	Dissolved oxygen meter for aquaculture; 15 m probe cable, Range: O2: 0.0 to 50.0 mg/L; % Saturation O2: 0 to 600 %; Temp: -5.0 to 50.0°C	725 €
HI920005	iButton Fast Tracker tags, 5 tag holders with tags	173 €
HI920010	Cable (serial) for PC connection (9 to 9-pin)	55 €
HI920011	Cable (serial) for PC connection (5 to 9-pin)	59 €
HI920013	Cable, USB PC connection (excluding HI9828, use HI7698281 instead)	54 €
HI920014	Mini USB cable connector	54 €
HI920015	USB to micro USB cable connector for HI20X0, HI200X, and HI9819X meters	54 €
HI920016	USB Type A to C Cable	52 €
HI920018	USB Type C to C Cable, 1.5m	50 €
HI920-053	20x Plastic Beakers (100 mL) for HI920-11853	17 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI920-060	20x Plastic Beakers (120 mL) for HI920-11660	17 €
HI920-101	Peristaltic Pump with dispensing Tubing	423 €
HI920-102	Peristaltic Pump with aspiration Tubing	423 €
HI920-103	Peristaltic pump with dispensing tubing	407 €
HI920-104	Peristaltic pump with dispensing tubing	407 €
HI920-111	HI921 Autosampler Membrane pump for rinsing probes	645 €
HI920-112	HI921 Autosampler electrode holder accessory for HI920-111 membrane pump	52 €
HI920-11268	Single Row Tray with RFID 12 Beakers, 250 mL	304 €
HI920-11268W	Single Row Tray with RFID 12 Beakers, 250 mL	304 €
HI920-113	HI922 Autosampler membrane pump for rinsing probes	660 €
HI920-11660	Single Row Tray with RFID 16 Beakers, 60 mm Diameter	495 €
HI920-11660W	HI922 16 Beaker Tray, 60 mm diameter, Single Row with RFID	505 €
HI920-11853	Single Row Tray with RFID 18 Beakers, 53 mm Diameter	495 €
HI920-11853W	HI922 18 Beaker Tray, 53 mm diameter, Single Row with RFID	505 €
HI920-190	Peristaltic pump covers for HI921 autosampler	23 €
HI920-191	Peristaltic pump covers for HI922 autosampler	61 €
HI920-201	Peristaltic pump replacement cap and rotor	107 €
HI920-202	Peristaltic Pump Tubing Set with plastic dispensing tube	66 €
HI920-203	Peristaltic Pump Tubing Set with SS aspiration tube	80 €
HI920-204	Peristaltic Pump Roller Tube 3 pcs with fittings and grease - general purpose	121 €
HI920-205	Peristaltic Pump Roller Tube 3 pcs with fittings and grease - increased chemical resistance	145 €
HI920-206	Tygon E-LFL tubing set for peristaltic pump, inlet and outlet with increased chemical resistance	271 €
HI920-207	Tygon E-LFL tubing set with SS aspiration tube for peristaltic pump, inlet and outlet with increased chemical resistance	265 €
HI920-208	Peristaltic pump tubing set with plastic dispensing tube	62 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI920-280S	1.5m dispensing tube set with 316 stainless steel fitting for burette to autosampler	117 €
HI920-281	1.5m dispensing tube set with 316 stainless steel fitting for burette to autosampler	117 €
HI920-290	5 m Tygon Tube	52 €
HI920-301	Overhead Stirrer	705 €
HI920-302	3 x Replacement Propellers	23 €
HI920-303	3 x High Chemical resistance replacement Propellers	66 €
HI920-304	Replacement shearing type polycarbonate propeller (1) for HI921 overhead stirrer	42 €
HI920-305	Autosampler peristaltic tubing attachment (HI921 - ivory)	14 €
HI920-306	Autosampler peristaltic tubing attachment (HI922 - white)	14 €
HI920-307	Autosampler peristaltic tubing attachment (High Chemical Resistance)	152 €
HI920-310	3-Electrode Holder	208 €
HI920-320	HI921 autosampler Cable chain	308 €
HI920-900	USB Memory Stick	23 €
HI920-901	USB memory stick	23 €
HI920-921	Control Panel	403 €
HI920-922	Control panel for HI922	406 €
HI920-930	Titration/Autosampler Communication Cable	66 €
HI920-931	BNC Extension Cable	66 €
HI920-932	Reference Extension Cable	37 €
HI920-933	Titration/Autosampler communication cable for HI932 to HI921/HI922	66 €
HI920-960	Tray Locking screw	121 €
HI92150	RS232 to USB cable	53 €
HI922-100	Autosampler with 16 beaker tray with no pumps	10.720 €
HI922-110	Autosampler with 16 beaker tray with 1 peristaltic pump	10.930 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI922-120	Autosampler with 16 beaker tray with 2 peristaltic pump	11.140 €
HI922-130	Autosampler with 16 beaker tray with 3 peristaltic pump	11.460 €
HI922-200	Autosampler with 18 beaker tray with no pumps	10.720 €
HI922-210	Autosampler with 18 beaker tray with 1 peristaltic pump	10.930 €
HI922-220	Autosampler with 18 beaker tray with 2 peristaltic pump	11.140 €
HI922-230	Autosampler with 18 beaker tray with 3 peristaltic pump	11.460 €
HI930-02	Potentiometric Titrator with Dosing Pump, One Input Analog Board, Magnetic Stirrer with Stand 10 mL Glass Burette, Temperature Sensor, and USB flash drive,230 VAC	TBD
HI930100	Dosing Pump for HI931& HI932 automatic titration system	3.020 €
HI930101	Dosing Pump with peristaltic pump for HI931& HI932 automatic titration system	3.410 €
HI930105	5 mL burette assembly for titrator(includes syringe, aspiration and dispensing tubes)	1.100 €
HI930110	10 mLburette assembly for titrator (includes syringe, aspiration and dispensing tubes)	1.100 €
HI930125	25 mL burette assembly for titrator (includes syringe, aspiration and dispensing tubes)	1.100 €
HI930150	50 mL burette assembly for titrator (includes syringe, aspiration and dispensing tubes)	1.170 €
HI930160	HI93X Titrators Burette Holder	144 €
HI930161	Glass Drip Tube for HI930160 (2 pcs.)	38 €
HI930162	Tubbing Retention Clip for HI930160 (2 pcs.)	14 €
HI930180	Air pump and magnetic stirrer for HI933/HI934	119 €
HI930182	Reagent adapter holder for HI934	90 €
HI930190	Blank burette holder for HI931& HI932 titrators	67 €
HI930191	Blank for HI931& HI932 titrators	67 €
HI930201	Replacement cap and rotor for HI930101 peristaltic pump	97 €
HI930202	Tubing set with plastic dispensing tube for HI930101 peristaltic pump	61 €
HI930204	Roller tube for HI930101 peristaltic pump (3)	110 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI930280	Dispensing tube set with 316 stainless steel fitting for HI931 & HI932 potentiometric titrators	97 €
HI930301	Overhead stirrer and propellers (3) for HI931/HI932 titrators and HI922 autosampler	840 €
HI930302	Replacement propellers (3) for HI931/HI932 titrators and HI922 autosampler overhead stirrer	27 €
HI930303	Replacement PVDF propellers (3) for HI931 & HI932 titrator and HI922 autosampler overhead stirrer	66 €
HI930310	Overhead electrode holder for HI931 & HI932 titrators	175 €
HI930311	Electrode adapter for overhead stirrer holder	31 €
HI930315	Titration Bottle Holder	80 €
HI930320	Stirrer support rod for HI931& HI932 titrators	115 €
HI930330	Titration bottle top assembly	30 €
HI930401	Potentiometric analog board for HI931& HI932 titrators	740 €
HI930505	5 mL burette assembly for HI933	1.020 €
HI930520	Beaker assembly for HI933	1.300 €
HI930521	Beaker locker ring for HI933	20 €
HI930525	Beaker holder for HI933	20 €
HI930560	Titration vessel assembly for HI934	775 €
HI930800	Instruction manual for HI931	80 €
HI930801	Instruction manual for HI932C1 and HI932C2	80 €
HI930803	Instruction manual binder for HI933	45 €
HI930804	Instruction manual binder for HI934	45 €
HI930805	HI932 Design, Installation, Operation, and Performance Qualification (DQ/IQ/OQ/PQ) Documentation	630 €
HI930806	HI933 Design, Installation, Operation, and Performance Qualification (DQ/IQ/OQ/PQ) Documentation	234 €
HI930807	HI934 Design, Installation, Operation, and Performance Qualification (DQ/IQ/OQ/PQ) Documentation	234 €
HI930808	HI931 Design, Installation, Operation, and Performance Qualification (DQ/IQ/OQ/PQ) Documentation	224 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI930900U	USB flash drive with PC software for HI931 & HI932 titrators	32 €
HI930932	Titrator / Analytical Balance RS232 Connection Cable	44 €
HI930939	HI934 Generator Calibration Cable	116 €
HI930940	Protective Cover for HI93X Titrator Series	155 €
HI931001	pH and mV precision simulator with a pH resolution of ± 0.01 and an mV resolution of 1, range: pH 0.00 to 14.00 pH, mV -1000 to 1000	345 €
HI9310014	Pool Line pH and mV precision simulator with a pH resolution of ± 0.01 and an mV resolution of 1, range: pH 0.00 to 14.00 pH, mV -1000 to 1000	345 €
HI93102	Portable Turbidity with Bromine, Free & Total Chlorine, Cyanuric Acid, Iron, Iodine and pH; Ranges: Turbidity 0.00 to 50.0 NTU*, Bromine 0.00 to 8.00 mg/L, Free Cl ₂ 0.00 to 2.50 mg/L, Total Cl ₂ 0.00 to 3.50 mg/L, CYS 0 to 80 mg/L, Iodine 0.0 to 12.5 mg/L, LR Iron 0.00 to 1.00 mg/L, pH 5.9 to 8.5	1.400 €
HI931-02	Potentiometric Titrator with Dosing Pump, One Input Analog Board, Overhead Propeller Stirrer with 25 mL Glass Burette, Temperature Sensor, USB Cable and USB flash drive, 230 VAC	5.600 €
HI93102-0	AMCO-AEPA-1 Turbidity Calibration Solution at 0 NTU, 30 mL bottle	31 €
HI93102-20	AMCO-AEPA-1 Turbidity Calibration Solution at 20 NTU, 30 mL bottle	46 €
HI93124	Haze turbidity meter malting/brewing	600 €
HI93124-0	Standard Turbidity Solution at 0 EBC, 30 mL bottle	34 €
HI93124-03	EBC haze meter calibration Set	195 €
HI93124-1	Standard Turbidity Solution at 2.5 EBC, 30 mL bottle	43 €
HI93124-2	Standard Turbidity Solution at 125 EBC, 30 mL bottle	43 €
HI932-02	Potentiometric Titrator with Dosing Pump, two Analog Boards, Overhead Propeller Stirrer with 25 mL Glass Burette, Temperature Sensor, USB Cable and USB flash drive, 115 VAC	TBD
HI933-02	Karl Fischer Volumetric Titrator, 230 VAC	6.700 €
HI934-02	Karl Fischer Coulometric Titrator with Diaphragm - less Generator, 230 VAC	6.700 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI93414-02	EPA compliant turbidity and free/total chlorine meter with Fast Tracker™ technology; Range 0.00 to 9.99; 10.0 to 99.9 and 100 to 1000 NTU, Free Cl ₂ 0.00 to 5.00 mg/L; Total Cl ₂ 0.00 to 5.00 mg/L; 230V	1.540 €
HI93414-11	Calibration set for HI93414	200 €
HI934D-02	Karl Fischer Coulometric Titrator with Diaphragm Generator, 230 VAC	7.900 €
HI935001	Portable K-type thermocouple thermometer with replaceable probe	107 €
HI935001-03	Portable K-type thermocouple thermometer - Meter only and no accessories (i.e. probes)	78 €
HI9350011	Portable K-type thermocouple thermometer with HI766C1 ultra-fast penetration probe	120 €
HI935002	2-channel, K-type thermocouple thermometer, Range: -50.0 to 199.9°C and 200 to 1350°C; -58.0 to 399.9°F and 400 to 2462°F	195 €
HI935003	K type thermometer for Industrial applications (meter only)	89 €
HI935004	Portable T-type thermocouple thermometer with replaceable probe	107 €
HI935004-03	Portable T-type thermocouple thermometer - Meter only and no accessories (i.e. probes)	78 €
HI9350041	Portable T-type thermocouple thermometer with HI767C1 ultra-fast penetration probe	120 €
HI935005	K-type thermocouple thermometer, Range: -50.0 to 199.9°C and 200 to 1350°C; -58.0 to 399.9°F and 400 to 2462°F	158 €
HI935007	Portable K-type thermocouple thermometer with fixed probe	108 €
HI935008	Portable T-type thermocouple thermometer with fixed probe	108 €
HI93501	Portable thermistor thermometer with replaceable probe	108 €
HI93501-03	Portable thermistor thermometer - Meter only and no accessories (i.e. probes)	78 €
HI935012	Portable thermistor thermometer with FC762N2 1m stainless steel probe for brewing	182 €
HI93531	0.1° resolution K-type thermocouple thermometer, Range: -200.0 to 999.9°C; 1000 to 1371°C -328.0 to 999.9°F; 1000 to 2500°F	230 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI93531N	0.1° resolution K-type thermocouple thermometer with CAL button and backlit LCD, Range: -200.0 to 999.9°C; 1000 to 1371°C -328.0 to 999.9°F; 1000 to 2500°F	290 €
HI93700-01	Ammonia LR, Nessler method, Reagent kit for 100 tests (NH3-N LR)	68 €
HI93700-03	Ammonia LR, Nessler method, Reagent kit for 300 tests (NH3-N LR)	200 €
HI93701-01	Chlorine, free, DPD method, Powder reagent kit for 100 tests (free Cl ₂)	33 €
HI93701-03	Chlorine, free, DPD method, Powder reagent kit for 300 tests (free Cl ₂)	95 €
HI93701-F	Chlorine, free, DPD method, Liquid reagent Kit for 300 tests (free Cl ₂)	37 €
HI93701-T	Chlorine, total, DPD method, Liquid reagent Kit for 300 tests (total Cl ₂)	57 €
HI93702-01	Copper HR, bicinchoninate acid method, Reagent kit for 100 tests (Cu HR)	54 €
HI93702-03	Copper HR, bicinchoninate acid method, Reagent kit for 300 tests (Cu HR)	154 €
HI93702T-01	Copper HR, bicinchoninate acid method, Reagent kit for total copper 100 tests (Cu HR)	183 €
HI93702T-03	Copper HR, bicinchoninate acid method, Reagent kit for total copper 300 tests (Cu HR)	545 €
HI93703	Portable logging turbidity meter	935 €
HI93703-0	AMCO-AEPA-1 Turbidity Calibration Solution at 0 FTU, 30 mL bottle	33 €
HI93703-05	AMCO-AEPA-1 Turbidity Calibration Solution at 500 FTU, 30 mL bottle	91 €
HI93703-10	AMCO-AEPA-1 Turbidity Calibration Solution at 10 FTU, 30 mL bottle	46 €
HI93703-11	Logging turbidity meter (ISO 7027) with PC connectivity and real time clock; Range 0.00 to 50.00 FTU/50 to 1000 FTU	1.050 €
HI93703-50	Cuvette Cleaning Solution, 230 mL bottle	36 €
HI93703-51	Dispersing agent	20 €
HI93703-52	Glycine powder 100 pcs	26 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI93703-53	Dropper bottle (Chlorine remover)	36 €
HI93703-55	Activated Carbon (50 packets)	20 €
HI93703-56	Glycerol (30 mL), 100 square cuvettes, 2 x 5 mL syringe	145 €
HI93703-57	Glycerol AR, 4x30 mL	29 €
HI93703-58	Silicon oil set for turbidity meter	29 €
HI93703-59	Charcoal, Activated (10g)	29 €
HI93703-60	Spare caps for HI98703, 4pcs	20 €
HI93703C	Logging turbidity meter (ISO 7027) with HI731313 maintenance kit; Range 0.00 to 50.00 FTU/50 to 1000 FTU	1.110 €
HI93704-01	Hydrazine, p-dimethylaminobenzaldehyde method, Reagent kit for 100 tests (N2H4)	25 €
HI93704-03	Hydrazine, p-dimethylaminobenzaldehyde method, Reagent kit for 300 tests (N2H4)	68 €
HI93705-01	Silica, LR heteropoly blue method, Reagent kit for 100 tests (SiO2)	68 €
HI93705-03	Silica, LR heteropoly blue method, Reagent kit for 300 tests (SiO2)	200 €
HI93706-01	Phosphorus, amino acid method, Reagent kit for 100 tests	36 €
HI93706-03	Phosphorus, amino acid method, Reagent kit for 300 tests	105 €
HI93707-01	Nitrite LR, diazotation method, Reagent kit for 100 tests (N-NO2-LR)	48 €
HI93707-03	Nitrite LR, diazotation method, Reagent kit for 300 tests (N-NO2-LR)	141 €
HI93708-01	Nitrite HR, ferrous sulphate method, Reagent kit for 100 tests (NO2- HR)	52 €
HI93708-03	Nitrite HR, ferrous sulphate method, Reagent kit for 300 tests (NO2- HR)	147 €
HI93709-01	Manganese HR, periodate method, Reagent kit for 100 tests (Mn HR)	65 €
HI93709-03	Manganese HR, periodate method, Reagent kit for 300 tests (Mn HR)	190 €
HI93710-01	pH, phenol red method, Reagent kit for 100 tests (pH)	29 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI93710-03	pH, phenol red method, Reagent kit for 300 tests (pH)	80 €
HI93711-01	Chlorine, total, DPD method, Powder reagent kit for 100 tests (total Cl ₂)	33 €
HI93711-03	Chlorine, total, DPD method, Powder reagent kit for 300 tests (total Cl ₂)	95 €
HI93711-D3	Chlorine, total, DPD method, DPD3 reagent for 600 tests (total Cl ₂)	41 €
HI93712-01	Aluminum, aluminon method, Reagent kit for 100 tests (Al)	127 €
HI93712-03	Aluminum, aluminon method, Reagent kit for 300 tests (Al)	382 €
HI93713-01	Phosphate LR, ascorbic acid method, Reagent kit for 100 tests (PO ₄ ³⁻ LR)	41 €
HI93713-03	Phosphate LR, ascorbic acid method, Reagent kit for 300 tests (PO ₄ ³⁻ LR)	122 €
HI93714-01	Cyanide, pyridine-pyrazalone method, Reagent kit for 100 tests (CN ⁻)	101 €
HI93714-03	Cyanide, pyridine-pyrazalone method, Reagent kit for 300 tests (CN ⁻)	299 €
HI93715-01	Ammonia MR, Nessler method, Reagent kit for 100 tests (NH ₃ -N MR)	68 €
HI93715-03	Ammonia MR, Nessler method, Reagent kit for 300 tests (NH ₃ -N MR)	200 €
HI93716-01	Bromine, DPD method, Reagent kit for 100 tests (Br ₂)	33 €
HI93716-03	Bromine, DPD method, Reagent kit for 300 tests (Br ₂)	95 €
HI93717-01	Phosphate HR, amino acid method, Reagent kit for 100 tests (PO ₄ ³⁻ HR)	36 €
HI93717-03	Phosphate HR, amino acid method, Reagent kit for 300 tests (PO ₄ ³⁻ HR)	105 €
HI93717-11	Phosphate standard 1000 ppm, 500 mL, regular bottle	61 €
HI93718-01	Iodine, DPD method, Reagent kit for 100 tests (I ₂)	33 €
HI93718-03	Iodine, DPD method, Reagent kit for 300 tests (I ₂)	95 €
HI93719-01	Hardness magnesium, EDTA method, Reagent kit for 100 tests (Mg hardness, CaCO ₃)	65 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI93719-03	Hardness magnesium, EDTA method, Reagent kit for 300 tests (Mg hardness, CaCO ₃)	186 €
HI93720-01	Hardness calcium, calmagite method, Reagent kit for 100 tests (Ca hardness, CaCO ₃)	65 €
HI93720-03	Hardness calcium, calmagite method, Reagent kit for 300 tests (Ca hardness, CaCO ₃)	186 €
HI93721-01	Iron HR, phenantroline method, Reagent kit for 100 tests (Fe HR)	32 €
HI93721-03	Iron HR, phenantroline method, Reagent kit for 300 tests (Fe HR)	91 €
HI93722-01	Cyanuric Acid, turbidimetric method, Reagent kit for 100 tests (cyanuric acid)	59 €
HI93722-03	Cyanuric Acid, turbidimetric method, Reagent kit for 300 tests (cyanuric acid)	170 €
HI93723-01	Chromium VI HR, diphenylcarbohydrazide method, Reagent kit for 100 tests (Cr VI HR)	37 €
HI93723-03	Chromium VI HR, diphenylcarbohydrazide method, Reagent kit for 300 tests (Cr VI HR)	109 €
HI93726-01	Nickel HR, photometric method, reagent kit for 100 tests (Ni HR)	246 €
HI93726-03	Nickel HR, photometric method, reagent kit for 300 tests (Ni HR)	735 €
HI93728-01	Nitrate, cadmium reduction method, Reagent kit for 100 tests (NO ₃ --N)	92 €
HI93728-03	Nitrate, cadmium reduction method, Reagent kit for 300 tests (NO ₃ --N)	269 €
HI93729-01	Fluoride LR, SPADNS method, Reagent kit for 100 tests (F- LR)	40 €
HI93729-03	Fluoride LR, SPADNS method, Reagent kit for 300 tests (F- LR)	116 €
HI93730-01	Molybdenum, mercaptoacetic acid method, Reagent kit for 100 tests (Mo)	115 €
HI93730-03	Molybdenum, mercaptoacetic acid method, Reagent kit for 300 tests (Mo)	339 €
HI93731-01	Zinc, zincon method, Reagent kit for 100 tests (Zn)	73 €
HI93731-03	Zinc, zincon method, Reagent kit for 300 tests (Zn)	217 €
HI93732-01	Dissolved Oxygen, Winkler method, Reagent kit for 100 tests (O ₂)	91 €
HI93732-03	Dissolved Oxygen, Winkler method, Reagent kit for 300 tests (O ₂)	267 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI93733-01	Ammonia HR, Nessler method, Reagent kit for 100 tests (NH ₄ ⁺ HR)	98 €
HI93733-03	Ammonia HR, Nessler method, Reagent kit for 300 tests (NH ₄ ⁺ HR)	288 €
HI93734-01	Chlorine, free and total HR, DPD method, Powder reagent kit for 100 tests (Cl ₂ free or total)	33 €
HI93734-03	Chlorine, free and total HR, DPD method, Powder reagent kit for 300 tests (Cl ₂ free or total)	95 €
HI93735-0	Hardness, total, colorimetric method, Reagent kit for 100 tests (0-750 mg/L CaCO ₃)	154 €
HI93735-00	Hardness, total, colorimetric method, Reagent kit for 100 tests (0-250 mg/L CaCO ₃)	57 €
HI93735-01	Hardness, total, colorimetric method, Reagent kit for 100 tests (200-500 mg/L CaCO ₃)	57 €
HI93735-02	Hardness, total, colorimetric method, Reagent kit for 100 tests (400-750 mg/L CaCO ₃)	57 €
HI93737-01	Silver, PAN method, Reagent kit for 50 tests (Ag)	229 €
HI93737-03	Silver, PAN method, Reagent kit for 150 tests (Ag)	680 €
HI93738-01	Chlorine Dioxide, chlorophenol red method, Reagent kit for 100 tests (ClO ₂)	101 €
HI93738-03	Chlorine Dioxide, chlorophenol red method, Reagent kit for 300 tests (ClO ₂)	299 €
HI93739-01	Fluoride HR, SPADNS method, Reagent kit for 100 tests (F ⁻ HR)	127 €
HI93739-03	Fluoride HR, SPADNS method, Reagent kit for 300 tests (F ⁻ HR)	380 €
HI93740-01	Nickel LR, PAN method, Reagent kit for 50 tests (Ni LR)	234 €
HI93740-03	Nickel LR, PAN method, Reagent kit for 150 tests (Ni LR)	700 €
HI93746-01	Iron LR, TPTZ method, Reagent kit for 50 tests (Fe LR)	70 €
HI93746-03	Iron LR, TPTZ method, Reagent kit for 150 tests (Fe LR)	207 €
HI93748-01	Manganese LR, PAN method, Reagent kit for 50 tests (Mn LR)	154 €
HI93748-03	Manganese LR, PAN method, Reagent kit for 150 tests (Mn LR)	456 €
HI93749-01	Chromium VI LR, diphenylcarbohydrazide method, Reagent kit for 100 tests (Cr VI LR)	74 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI93749-03	Chromium VI LR, diphenylcarbohydrazide method, Reagent kit for 300 tests (Cr VI LR)	220 €
HI93750-01	Potassium, turbidimetric method, Reagent kit for 100 tests (K)	160 €
HI93750-03	Potassium, turbidimetric method, Reagent kit for 300 tests (K)	476 €
HI93751-01	Sulfate, turbidimetric method, Reagent kit for 100 tests (SO ₄ ²⁻)	60 €
HI93751-03	Sulfate, turbidimetric method, Reagent kit for 300 tests (SO ₄ ²⁻)	174 €
HI937520-01	Magnesium, calmagite method, reagent kit for 50 tests	36 €
HI937520-03	Magnesium, calmagite method, reagent kit for 150 tests	106 €
HI93752-01	Calcium and magnesium HR, oxalate (Ca) and calmagite (Mg) methods, Reagent kit for 100 tests (50 ea.)	46 €
HI93752-03	Calcium and magnesium HR, oxalate (Ca) and calmagite (Mg) methods, Reagent kit for 300 tests (150 ea.)	138 €
HI937521-01	Calcium, oxalate method, reagent kit for 50 tests (Ca)	39 €
HI937521-03	Calcium, oxalate method, reagent kit for 150 tests (Ca)	113 €
HI93753-01	Chloride, mercury (II) thiocyanate method, Reagent kit for 100 tests (Cl ⁻)	105 €
HI93753-03	Chloride, mercury (II) thiocyanate method, Reagent kit for 300 tests (Cl ⁻)	311 €
HI93754-11	COD standard 500 ppm, 500 mL, regular bottle	67 €
HI93754-12	COD standard 14000 ppm, 500 mL, regular bottle	67 €
HI93754A-25	COD, LR EPA*, dichromate method, Reagent kit for 25 test vials (O ₂)	71 €
HI93754B-25	COD, MR EPA*, dichromate method, Reagent kit for 25 test vials (O ₂)	71 €
HI93754C-25	COD, HR, dichromate method, Reagent kit for 25 test vials (O ₂)	71 €
HI93754D-25	COD, LR, dichromate method mercury free, Reagent kit for 25 test vials (O ₂)	71 €
HI93754E-25	COD, MR, dichromate method mercury free, Reagent kit for 25 test vials (O ₂)	71 €
HI93754F-25	COD, LR ISO**, dichromate method, Reagent kit for 25 test vials (O ₂)	71 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI93754G-25	COD, MR ISO**, dichromate method, Reagent kit for 25 test vials (O2)	71 €
HI93754H-25	COD certified reagents LR compatible	71 €
HI93754J-25	Chemical Oxygen Demand Ultra High Range (13 mm Vial)	71 €
HI93755-01	Alkalinity, colorimetric method, Reagent kit for 100 tests (CaCO3)	54 €
HI937554-53	Pool Line Chlorine removal kit	19 €
HI93755-53	Chlorine removal kit	19 €
HI93756-01	Calcium Hardness powder reagent, 100 test	72 €
HI93756-03	Calcium Hardness powder reagent , 300 tests	212 €
HI93757-01	Ozone, DPD method, Reagent kit for 100 tests (O3)	37 €
HI93757-03	Ozone, DPD method, Reagent kit for 300 tests (O3)	109 €
HI93758A-50	Phosphorus, reactive, ascorbic acid method, Reagent kit for 50 test vials (PO43-)	97 €
HI93758B-50	Phosphorus acid-hydrolyzable, ascorbic acid method, Reagent kit for 50 test vials (PO43-)	97 €
HI93758C-50	Phosphorus total, ascorbic acid method, Reagent kit for 50 test vials (PO43-)	91 €
HI93763A-50	Phosphorus reactive HR, vanadomolibdophosphoric acid method, Reagent kit for 50 test vials (PO43-)	101 €
HI93763B-50	Phosphorus total, HR, vanadomolibdophosphoric acid method, Reagent kit for 50 test vials (PO43-)	117 €
HI93764A-25	Ammonia LR, Nessler method, Reagent kit for 25 test vials (NH3-N LR)	102 €
HI93764B-25	Ammonia HR, Nessler method, Reagent kit for 25 test vials (N-NH3 HR)	98 €
HI93766-50	Nitrate, chromotropic acid method, Reagent kit for 50 test vials (NO3--N)	95 €
HI93767A-50	Nitrogen, total, LR, chromotropic acid method, Reagent kit for 50 test vials (N)	149 €
HI93767B-50	Nitrogen, total, HR, chromotropic acid method, Reagent kit for 50 test vials (N)	165 €
HI943500A	Conductivity Analog Controller with Direct Input from Potentiometric Probe, range: 0.0 to 199.9 mS/cm	750 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI943500B	Conductivity Analog Controller with Direct Input from Potentiometric Probe, range: 0.00 to 19.99 mS/cm	750 €
HI943500C	Conductivity Analog Controller with Direct Input from Potentiometric Probe, range: 0 to 1999 µS/cm	750 €
HI943500D	Conductivity Analog Controller with Direct Input from Potentiometric Probe, range: 0.0 to 199.9 µS/cm	750 €
HI95747-01	Copper LR, bicinchoninate acid method, Reagent kit for 100 tests (Cu LR)	160 €
HI95747-03	Copper LR, bicinchoninate acid method, Reagent kit for 300 tests (Cu LR)	475 €
HI95761-01	Chlorine, total, ULR, DPD method, Reagent kit for 100 tests (total Cl ₂)	34 €
HI95761-03	Chlorine, total, ULR, DPD method, Reagent kit for 300 tests (total Cl ₂)	98 €
HI95762-01	Chlorine, free, ULR, DPD method, Reagent kit for 100 tests (free Cl ₂)	33 €
HI95762-03	Chlorine, free, ULR, DPD method, Reagent kit for 300 tests (free Cl ₂)	95 €
HI95769-01	Detergents, Anionic, MBAS method, Reagent kit for 40 tests (SDBS)	95 €
HI95771-01	Ultra HR chlorine reagent set 100 test	34 €
HI95771-03	Ultra HR chlorine reagent set 300 tests	98 €
HI96770-01	Silica HR powder reagent 100 tests	202 €
HI96770-03	Silica HR powder reagent 300 tests	590 €
HI96773-01	Oxygen Scavengers Reagents for 50 tests	72 €
HI96773-03	Oxygen Scavenger Reagents for 150 tests	218 €
HI96776-01	Iron II (ferrous) Reagents Set, 100 Tests	39 €
HI96776-03	Iron II (ferrous) Reagents Set, 300 Tests	113 €
HI96777-01	Iron II and III Reagent Set (ferrous and ferric), 100 Tests	36 €
HI96777-03	Iron II and III Reagent Set (ferrous and ferric), 300 Tests	104 €
HI96778-25	Total Iron (16 mm vial) Reagents for 25 tests	250 €
HI96779-01	Chlorine Dioxide Rapid Method Reagents for 100 tests	63 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI96779-03	Chlorine Dioxide Rapid Method Reagents for 300 tests	180 €
HI96780-25	non-ionic surfactants reagents 16 mm vial	102 €
HI96781-25	Chromium total and hexavalent reagent - 25 tests	93 €
HI96782-25	Anionic surfactants(16 mm vial) - 25 tests	102 €
HI96783-25	Nitrite low range reagent (16 mm vial) - 25 tests	91 €
HI96784-25	Nitrite medium range reagents (16 mm vial) - 25 tests	93 €
HI96785	Portable honey grade analyzer	436 €
HI96785-25	Cationic Surfactants Reagent - 25 tests	103 €
HI96786-25	Iron Reagent - 25 tests	96 €
HI96788-25	Phenols, Adaptation of 4-aminoantipyrine method EPA 420.1, Range 0.00 to 5.00 mg/L, Reagent kit for 25 tests	102 €
HI96789-25	Nitrite for Sea Water, Reagent Kit for 25 tests	120 €
HI96791-25	Ammonia Low Range ISO, Reagent Kit for 25 tests	88 €
HI96792-25	Ammonia High Range ISO, Reagent Kit for 25 tests	88 €
HI96793-25	Chloride Low Range, Reagent Kit for 25 tests	98 €
HI96794-25	Chloride High Range, Reagent Kit for 25 tests	98 €
HI96800	Refracting Index refractometer - uncompensated readings (nD), temperature compensated to sucrose (nD20) and % Brix	438 €
HI96801	Sugar in foods refractometer; sugar content Range: 0 to 85% Brix (% Brix)	277 €
HI96802	Sugar in foods refractometer; sugar content Range: 0 to 85% (by weight) (% Fructose)	277 €
HI96803	Sugar in foods refractometer; sugar content Range: 0 to 85% (by weight) (% Glucose)	277 €
HI96804	Sugar in foods refractometer; sugar content Range: 0 to 85% (by weight) (%Invert Sugar)	277 €
HI96811	Sugar in wine refractometer; sugar content Range: 0 to 50 % Brix	277 €
HI96812	Sugar in wine refractometer; sugar content Range: 0 to 27 °Baumé	277 €
HI96813	Sugar in wine refractometer; sugar content Range: 0 to 50 % Brix; 0.0-25.0 % V/V Potential Alcohol	277 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI96814	Sugar in wine refractometer; sugar content Range: 0 to 50 % Brix; 0-230° Oechsle; 0-42° KMW	277 €
HI96816	Sugar in wine refractometer; sugar content Range: 4.9 to 56.8 %v/v Potential Alcohol (10 to 75 %Brix)	277 €
HI96821	Sodium chloride measurement for the food industry Range: (g/100 g) 0-28, (g/100 mL) 0-34, Specific Gravity 1.000 to 1.216, °Baumé 0-26, Temp 0 to 80 °C (32 to 176 °F)	277 €
HI96822	Seawater analysis refractometer, Range: PSU 0 to 50, ppt 0 to 150, Specific Gravity (20/20) 1.000 to 1.114, Temperature 0 to 80°C (32 to 176°F)	277 €
HI96831	Refractometer for ethylene glycol, Range: 0 to 100 %Volume 0 to -50 °C (32 to -58 °F) Freezing Point	277 €
HI96832	Refractometer for propylene glycol, Range: 0 to 100 %Volume 0 to -51 °C (32 to -59.8 °F) Freezing Point	277 €
HI96841	Refractometer for beer, Plato 0-30	277 €
HI97101	Bromine, Chlorine, Cyanuric Acid, Iron, Iodine, and pH portable photometer with CAL Check - meter only	421 €
HI97101C	Bromine, Chlorine, Cyanuric Acid, Iron, Iodine, and pH portable photometer with CAL Check - kit including carrying case and CAL Check standards	595 €
HI97104	Free & Total Chlorine, Cyanuric Acid, and pH Portable Photometer with CAL Check - meter only	366 €
HI971044	Pool Line Free & Total Chlorine, Cyanuric Acid, and pH Portable Photometer with CAL Check - meter only	366 €
HI971044C	Pool Line Free & Total Chlorine, Cyanuric Acid, and pH Portable Photometer with CAL Check - kit including carrying case and CAL Check standards	497 €
HI971044R	Pool Line Free & Total Chlorine, Cyanuric Acid, and pH Portable Photometer with CAL Check - Kit including Carrying Case and Reagents	497 €
HI97104C	Free & Total Chlorine, Cyanuric Acid, and pH Portable Photometer with CAL Check - kit including carrying case and CAL Check standards	595 €
HI97105	Marine Master Waterproof Multiparameter Photometer pH, Alkalinity, Calcium, Nitrate Low Range, Nitrate High Range, Nitrite Ultra Low Range, Phosphate Ultra Low Range	369 €
HI97105-11	CAL Check™ standards for HI97105 - cuvette kit	67 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI97106	Chemical Oxygen Demand Portable Photometer, Low, Medium, High & Ultra High Range	429 €
HI97106-11	CAL Check™ standards for HI97106 - cuvette kit	79 €
HI97115	Marine Master Waterproof Wireless Multiparameter Photometer pH, Alkalinity, Ammonia, Calcium, Magnesium, Nitrate Low Range, Nitrate High Range, Nitrite Ultra Low Range, Phosphate Ultra Low Range	425 €
HI97115C	Marine Master Waterproof Wireless Multiparameter Photometer pH, Alkalinity, Ammonia, Calcium, Magnesium, Nitrate Low Range, Nitrate High Range, Nitrite Ultra Low Range, Phosphate Ultra Low Range with Chemicals Starter Kits including Carrying Case	480 €
HI97500	Portable lux meter Range: 0.001 to 1.999 Klux/0.01 to 19.99 Klux/0.1 to 199.9 Klux	206 €
HI97700	Ammonia Low Range Portable Photometer with CAL Check - meter only	366 €
HI97700-11	Ammonia Low Range CAL Check standard kit for HI97 series photometers	202 €
HI97700C	Ammonia Low Range Portable Photometer with CAL Check - kit including carrying case and CAL Check standards	595 €
HI97701	Free Chlorine Portable Photometer with CAL Check - meter only	366 €
HI97701-11	Free & Total Chlorine CAL Check standard kit for HI97 series photometers	202 €
HI97701C	Free Chlorine Portable Photometer with CAL Check - kit including carrying case and CAL Check standards	590 €
HI97702	Copper, high range photometer: range 0.00 to 5.00 mg/L (ppm) - meter only	366 €
HI97702-11	CAL Check™ standards for Copper HR, 0.0 and 2.0 ppm	202 €
HI97702C	Copper, high range photometer: range 0.00 to 5.00 mg/L (ppm) - kit including carrying case and CAL Check standards	595 €
HI97704	Hydrazine photometer: Range 0 to 400 µg/L - meter only	366 €
HI97704-11	CAL Check™ standards for Hydrazine, 0.0 and 1 µg/l	202 €
HI97704C	Hydrazine photometer: Range 0 to 400 µg/L - kit including carrying case and CAL Check standards	595 €
HI97705	Silica photometer: Range 0.00 to 2.00 mg/L - meter only	366 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI97705-11	CAL Check™ standards for Silica LR, 0.0 and 1.00 ppm	202 €
HI97705C	Silica photometer: Range 0.00 to 2.00 mg/L - kit including carrying case and CAL Check standards	595 €
HI97706	Phosphorus photometer: Range 0.0 to 15.0 mg/L - meter only	366 €
HI97706-11	CAL Check™ standards for Phosphorous, 0.0 and 7.5 ppm	202 €
HI97706C	Phosphorus photometer: Range 0.0 to 15.0 mg/L- kit including carrying case and CAL Check standards	595 €
HI97707	Nitrite LR photometer: Range 0.000 to 0.600 mg/L (ppm) - meter only	366 €
HI97707-11	CAL Check™ standards for Nitrite LR, 0.0 and 0.2 ppm	202 €
HI97707C	Nitrite LR photometer: Range 0.000 to 0.600 mg/L (ppm) - kit including carrying case and CAL Check standards	595 €
HI97708	Nitrite HR photometer: Range 0 to 150 mg/L - meter only	366 €
HI97708-11	CAL Check™ standards for Nitrite HR, 0.0 and 75 ppm	202 €
HI97708C	Nitrite HR photometer: Range 0 to 150 mg/L - kit including carrying case and CAL Check standards	595 €
HI97709	Manganese HR photometer: Range 0.0 to 20.0 mg/L - meter only	366 €
HI97709-11	CAL Check™ standards for Manganese HR, 0.0 and 10 ppm	202 €
HI97709C	Manganese HR photometer: Range 0.0 to 20.0 mg/L- kit including carrying case and CAL Check standards	595 €
HI97710	pH, Free and Total Chlorine Portable Photometer with CAL Check - meter only	366 €
HI97710-11	pH CAL Check standard kit for HI97 series photometers	202 €
HI97710C	pH, Free and Total Chlorine Portable Photometer with CAL Check - kit including carrying case and CAL Check standards	595 €
HI97711	Free and Total Chlorine Portable Photometer with CAL Check - meter only	366 €
HI97711C	Free and Total Chlorine Portable Photometer with CAL Check - kit including carrying case and CAL Check standards	595 €
HI97712	Aluminum Photometer: Range 0.00 to 1.00 mg/L - meter only	366 €
HI97712-11	CAL Check™ standards for Aluminum, 0.0 and 0.50 ppm	202 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI97712C	Aluminum Photometer: Range 0.00 to 1.00 mg/L - kit including carrying case and CAL Check standards	595 €
HI97713	Phosphate Low Range Portable Photometer with CAL Check	366 €
HI97713-11	Phosphate Low Range CAL Check standard kit for HI97 series photometers	202 €
HI97713C	Phosphate Low Range Portable Photometer with CAL Check - kit including carrying case and CAL Check standards	595 €
HI97714	Cyanide portable photometer: Range 0.000 to 0.200 mg/L (ppm) - meter only	366 €
HI97714-11	CAL Check™ standards for Cyanide, 0.0 and 0.100 ppm	202 €
HI97714C	Cyanide portable photometer: Range 0.000 to 0.200 mg/L (ppm) - kit including carrying case and CAL Check standards	595 €
HI97715	Ammonia Medium Range Portable Photometer with CAL Check - meter only	366 €
HI97715-11	Ammonia Medium Range CAL Check standard kit for HI97 series photometers	202 €
HI97715C	Ammonia Medium Range Portable Photometer with CAL Check - kit including carrying case and CAL Check standards	595 €
HI97716	Bromine photometer: Range, Free Chlorine 0.00 to 10.00 mg/L (ppm) - meter only	366 €
HI97716-11	CAL Check™ standards for Bromine portable photometer	202 €
HI97716C	Bromine photometer: Range, Free Chlorine 0.00 to 10.00 mg/L (ppm) - kit including carrying case and CAL Check standards	595 €
HI97717	Phosphate HR photometer: Range 0.0 to 30.0 mg/L - meter only	366 €
HI97717-11	CAL Check™ standards for Phosphate HR, 0.0 and 15.0 ppm	202 €
HI97717C	Phosphate HR photometer: Range 0.0 to 30.0 mg/L - kit including carrying case and CAL Check standards	595 €
HI97718	Iodine portable photometer: range 0.0 to 12.5 mg/L (ppm) - meter only	366 €
HI97718-11	CAL Check™ standards for Iodine, 0.0 and 2.5 ppm	202 €
HI97718C	Iodine portable photometer: range 0.0 to 12.5 mg/L (ppm) - kit including carrying case and CAL Check standards	595 €
HI97719	Magnesium hardness photometer: Range 0.00 to 2.00 mg/L - meter only	366 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI97719-11	CAL Check™ standards for Magnesium Hardness, 0.0 and 1.00 ppm	202 €
HI97719C	Magnesium hardness photometer: Range 0.00 to 2.00 mg/L - kit including carrying case and CAL Check standards	595 €
HI97720	Calcium hardness photometer: Range 0.00 to 2.70 mg/L (ppm) - meter only	366 €
HI97720-11	CAL Check™ standards for Calcium Hardness, 0.0 and 1.50 ppm	202 €
HI97720C	Calcium hardness photometer: Range 0.00 to 2.70 mg/L (ppm) - kit including carrying case and CAL Check standards	595 €
HI97721	Iron High Range Portable Photometer with CAL Check	366 €
HI97721-11	Iron High Range CAL Check standard kit for HI97 series photometers	202 €
HI97721C	Iron High Range Portable Photometer with CAL Check - kit including carrying case and CAL Check standards	595 €
HI97722	Cyanuric acid photometer: Range 0 to 80 mg/L - meter	366 €
HI97722-11	CAL Check™ standards for Cyanuric Acid, 0.0 and 20 ppm	202 €
HI97722C	Cyanuric acid photometer: Range 0 to 80 mg/L - kit including carrying case and CAL Check standards	595 €
HI97723	Chromium VI photometer: Range 0 to 1000 µg/L - meter only	366 €
HI97723-11	CAL Check™ standards for Chromium VI HR, 0.0 and 300 µg/l	202 €
HI97723C	Chromium VI photometer: Range 0 to 1000 µg/L - kit including carrying case and CAL Check standards	595 €
HI97725	Chlorine, cyanuric acid and pH photometer: Range Free Chlorine: 0.00 to 5.00 mg/L; Total Chlorine: 0.00 to 5.00 mg/L (ppm); Cyanuric Acid: 0 to 80 mg/L (ppm); pH: 6.5 to 8.5 pH - meter only	366 €
HI97725C	Chlorine, cyanuric acid and pH photometer: Range Free Chlorine: 0.00 to 5.00 mg/L; Total Chlorine: 0.00 to 5.00 mg/L (ppm); Cyanuric Acid: 0 to 80 mg/L (ppm); pH: 6.5 to 8.5 pH - kit including carrying case and CAL Check standards	595 €
HI97726	Nickel HR photometer: Range 0.00 to 7.00 g/L - meter only	366 €
HI97726-11	CAL Check™ standards for Nickel HR, 0.0 and 3.5 ppm	202 €
HI97726C	Nickel HR photometer: Range 0.00 to 7.00 g/L - kit including carrying case and CAL Check standards	595 €
HI97727	Color of water photometer: Range 0 to 500 PCU - meter only	366 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI97727-11	CAL Check™ standards for Color of Water, 0.0 and 250 PCU	202 €
HI97727C	Color of water photometer: Range 0 to 500 PCU - kit including carrying case and CAL Check standards	595 €
HI97728	Nitrate Portable Photometer with CAL Check	366 €
HI97728-11	Nitrate CAL Check standards for HI97728	202 €
HI97728C	Nitrate Portable Photometer with CAL Check - kit including carrying case and CAL Check standards	595 €
HI97729	Fluoride MR photometer: Range 0.00 to 2.00 mg/L - meter only	366 €
HI97729-11	CAL Check™ standards for Fluoride LR, 0.0 and 1.00 ppm	202 €
HI97729C	Fluoride MR photometer: Range 0.00 to 2.00 mg/L - kit including carrying case and CAL Check standards	595 €
HI97730	Molybdenum photometer: Range 0.0 to 40.0 mg/L - meter only	366 €
HI97730-11	CAL Check™ standards for Molybdenum, 0.0 and 10.0 ppm	202 €
HI97730C	Molybdenum photometer: Range 0.0 to 40.0 mg/L - kit including carrying case and CAL Check standards	595 €
HI97731	Zinc photometer: Range 0.00 to 3.00 mg/L - meter only	366 €
HI97731-11	CAL Check™ standards for Zinc, 0.0 and 1.50 ppm	202 €
HI97731C	Zinc photometer: Range 0.00 to 3.00 mg/L - kit including carrying case and CAL Check standards	595 €
HI97732	Dissolved oxygen photometer: Range 0.0 to 10.0 mg/L - meter only	366 €
HI97732-11	CAL Check™ standards for Dissolved Oxygen, 0.0 and 5.0 ppm	202 €
HI97732C	Dissolved oxygen photometer: Range 0.0 to 10.0 mg/L - kit including carrying case and CAL Check standards	595 €
HI97733	Ammonia High Range Portable Photometer with CAL Check - meter only	366 €
HI97733-11	Ammonia High Range CAL Check standard kit for HI97 series photometers	202 €
HI97733C	Ammonia High Range Portable Photometer with CAL Check - kit including carrying case and CAL Check standards	595 €
HI97734	Free & Total Chlorine High Range Portable Photometer with CAL Check - meter only	366 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI97734-11	CAL Check™ standards for Free & Total Chlorine HR, 0.0 and 4.00 ppm	202 €
HI97734C	Free & Total Chlorine High Range Portable Photometer with CAL Check - kit including carrying case and CAL Check standards	595 €
HI97735	Total Hardness Portable Photometer with CAL Check	366 €
HI97735-11	Total Hardness CAL Check standard kit for HI97 series photometers	202 €
HI97735C	Total Hardness Portable Photometer with CAL Check - kit including carrying case and CAL Check standards	595 €
HI97736	Total hardness and pH portable photometer - meter only	366 €
HI97736C	Total hardness and pH portable photometer - kit including carrying case and CAL Check standards	595 €
HI97737	Silver photometer: Range 0.000 to 1.000 mg/L - meter only	366 €
HI97737-11	CAL Check™ standards for Silver, 0.0 and 0.500 ppm	202 €
HI97737C	Silver photometer: Range 0.000 to 1.000 mg/L - kit including carrying case and CAL Check standards	595 €
HI97738	Chlorine dioxide photometer: Range 0.00 to 2.00 mg/L (ppm) - meter only	366 €
HI97738-11	CAL Check™ standards for Chlorine Dioxide, 0.0 and 1.00 ppm	202 €
HI97738C	Chlorine dioxide photometer: Range 0.00 to 2.00 mg/L (ppm) - kit including carrying case and CAL Check standards	595 €
HI97739	Fluoride HR photometer: Range 0.0 to 20.0 mg/L (ppm) - meter only	366 €
HI97739-11	CAL Check™ standards for Fluoride HR, 0.0 and 10.0 ppm	202 €
HI97739C	Fluoride HR photometer: Range 0.0 to 20.0 mg/L (ppm) - kit including carrying case and CAL Check standards	595 €
HI97740	Nickel LR photometer: Range 0.000 to 1.000 mg/L - meter only	366 €
HI97740-11	CAL Check™ standards for Nickel LR, 0.0 and 0.500 ppm	202 €
HI97740C	Nickel LR photometer: Range 0.000 to 1.000 mg/L - kit including carrying case and CAL Check standards	595 €
HI97741	Total hardness and iron LR: Range Iron: 0.00 to 1.60 mg/L, Total Hardness: 0.00 to 4.70 mg/L - meter only	366 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI97741C	Total hardness and iron LR: Range Iron: 0.00 to 1.60 mg/L, Total Hardness: 0.00 to 4.70 mg/L - kit including carrying case and CAL Check standards	595 €
HI97742	Iron LR and manganese photometer: Range Iron: 0.00 to 1.60 mg/L, Manganese: 0 to 300 µg/L - meter only	366 €
HI97742-11	CAL Check™ standards Iron LR, 0.0 and 0.800 ppm	202 €
HI97742C	Iron LR and manganese photometer: Range Iron: 0.00 to 1.60 mg/L, Manganese: 0 to 300 µg/L - kit including carrying case and CAL Check standards	595 €
HI97745	Chlorine, total hardness, iron, and pH photometer: Free Chlorine: 0.00 to 2.50 mg/L, Total Chlorine: 0.00 to 3.50 mg/L, Total Hardness: 0.00 to 4.70 mg/L, Iron: 0.00 to 1.60 mg/L, pH: 5.9 to 8.5 pH - meter only	366 €
HI97745C	Chlorine, total hardness, iron, and pH photometer: Free Chlorine: 0.00 to 2.50 mg/L, Total Chlorine: 0.00 to 3.50 mg/L, Total Hardness: 0.00 to 4.70 mg/L, Iron: 0.00 to 1.60 mg/L, pH: 5.9 to 8.5 pH - kit including carrying case and CAL Check standards	595 €
HI97746	Iron LR photometer: Range 0.00 to 1.60 mg/L - meter only	366 €
HI97746-11	CAL Check™ standards for Iron LR, 0.0 and 0.800 ppm	202 €
HI97746C	Iron LR photometer: Range 0.00 to 1.60 mg/L - kit including carrying case and CAL Check standards	595 €
HI97747	Copper Low Range Portable Photometer: Range 0.000 to 1.500 mg/L - meter only	366 €
HI97747-11	CAL Check™ standards for Copper LR, 0.0 and 0.750 ppm	202 €
HI97747C	Copper Low Range Portable Photometer: Range 0.000 to 1.500 mg/L - kit including carrying case and CAL Check standards	595 €
HI97748	Manganese LR photometer: Range 0 to 300 µg/L - meter only	366 €
HI97748-11	CAL Check™ standards for Manganese LR, 0.0 and 150 µg/l	202 €
HI97748C	Manganese LR photometer: Range 0 to 300 µg/L - kit including carrying case and CAL Check standards	595 €
HI97749	Hexavalent Chromium (VI) portable photometer: range 0 to 300 ug/L - meter only	366 €
HI97749-11	Hexavalent Chromium (VI) Check standard kit for HI97 series photometers	202 €
HI97749C	Hexavalent Chromium (VI) portable photometer: range 0 to 300 ug/L - kit including carrying case and CAL Check standards	595 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI97750	Potassium photometer: Range 0.00 to 10.0 mg/L - meter only	366 €
HI97750-11	CAL Check™ standards for Potassium LR & MR, 0.0 and 5.00 ppm	202 €
HI97750C	Potassium photometer: Range 0.00 to 10.0 mg/L - kit including carrying case and CAL Check standards	595 €
HI97751	Sulfate photometer: Range 0 to 150 mg/L - meter only	366 €
HI97751-11	CAL Check™ standards for Sulphate, 0.0 and 75.0 ppm	202 €
HI97751C	Sulfate photometer: Range 0 to 150 mg/L - kit including carrying case and CAL Check standards	595 €
HI97752	Calcium and magnesium photometer: Range: 0 to 400 mg/L, Mg: 0 to 150 mg/L - meter only	366 €
HI97752-11	CAL Check™ standards for Calcium, 0.0 and 200 ppm	202 €
HI97752C	Calcium and magnesium photometer: Range: 0 to 400 mg/L, Mg: 0 to 150 mg/L - kit including carrying case and CAL Check standards	595 €
HI97753	Chloride photometer: Range 0.0 to 20.0 mg/L (ppm) - meter only	366 €
HI97753-11	CAL Check™ standards for Chloride, 0.0 and 10.0 ppm	202 €
HI97753C	Chloride photometer: Range 0.0 to 20.0 mg/L (ppm) - kit including carrying case and CAL Check standards	595 €
HI97754-11	CAL Check™ standards for Magnesium HR, 0.0 and 100 ppm	202 €
HI97757	Ozone Portable Photometer with CAL Check - Meter only	366 €
HI97757-11	CAL Check™ Standards for Ozone	202 €
HI97757C	Ozone Portable Photometer with CAL Check - Kit including Carrying Case and CAL Check Standards	595 €
HI97761	Total Chlorine Low Range Portable Photometer: Range 0.000 to 0.500 mg/L (ppm) - meter only	366 €
HI97761-11	CAL Check™ standards for Total Chlorine Traces, 0.0 and 0.400 ppm	202 €
HI97761C	Total Chlorine Low Range Portable Photometer: Range 0.000 to 0.500 mg/L (ppm) - kit including carrying case and CAL Check standards	595 €
HI97762	Free Chlorine Ultra Low Range Portable Photometer with CAL Check	366 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI97762-11	Free Chlorine Ultra Low Range CAL Check standard kit for HI97 series photometers	202 €
HI97762C	Free Chlorine Ultra Low Range Portable Photometer with CAL Check - kit including carrying case and CAL Check standards	595 €
HI97769	Anionic Surfactants Portable Photometer: Range 0.00 to 3.50 mg/L - meter only	366 €
HI97769-11	CAL Check™ standards for Anionic Surfactants, 0.0 and 1.00 ppm	202 €
HI97769C	Anionic Surfactants Portable Photometer: Range 0.00 to 3.50 mg/L - - kit including carrying case and CAL Check standards	595 €
HI97770	Silica portable photometer: range 0 to 200 ppm - meter only	366 €
HI97770-11	CAL Check™ standards for Silica HR, 0.0 and 150 ppm	202 €
HI97770C	Silica portable photometer: range 0 to 200 ppm - kit including carrying case and CAL Check standards	595 €
HI97771	Free Chlorine and Ultra High Range Total Chlorine Portable Photometer - meter only	366 €
HI97771-11	Total Chlorine Ultra High Range CAL Check standard kit for HI97 series photometers	202 €
HI97771C	Free Chlorine and Ultra High Range Total Chlorine Portable Photometer - kit including carrying case and CAL Check standards	595 €
HI97775-11	Alkalinity CAL Check standard kit for HI97 series portable photometers	202 €
HI97779	Chlorine Dioxide rapid method portable photometer: Range 0.00 to 2.00 mg/L (ppm) - meter only	366 €
HI97779-11	CAL Check™ standards for chlroine dioxide rapid method portable photometer	202 €
HI977794-11	Pool Line CAL Check standards for pH	202 €
HI97779C	Chlorine Dioxide rapid method portable photometer: Range0.00 to 2.00 mg/L (ppm) - kit including carrying case and CAL Check standards	595 €
HI97790	Chlorine Portable Photometer with CAL check - Meter only	346 €
HI97790C	Chlorine Portable Photometer with CAL check - Kit including Carrying Case and CAL check Standards	515 €
HI98100	Checker® Plus pH Tester with 0.01 pH resolution	61 €
HI981004	Pool Line Checker® Plus pH Tester with 0.01 pH resolution	61 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI981014	Pool Line Checker® pH tester, 0.1pH Resolution with 1271 electrode	62 €
HI98103	Checker® pH Tester with 0.1 pH resolution	60 €
HI981030	Groline soil pH tester	137 €
HI9810302	HALO2 Wireless pH Tester for Soil with built-in specialized electrode	190 €
HI981031	Foodcare Beer pH Tester	137 €
HI9810312	HALO2 Wireless pH Tester for Beer with built-in specialized electrode	190 €
HI981032	Foodcare Cheese pH Tester	137 €
HI9810322	HALO2 Wireless pH Tester for Cheese with built-in specialized electrode	190 €
HI981033	Foodcare Wine pH Tester with CPS Technology	137 €
HI9810332	HALO2 Wireless Refillable pH Tester for Wine with built-in specialized electrode	190 €
HI981034	Foodcare Milk pH Tester	137 €
HI9810342	HALO2 Wireless pH Tester for Milk with built-in specialized electrode	190 €
HI981035	Foodcare Sushi pH Tester	137 €
HI9810352	HALO2 Wireless pH Tester for Sushi with built-in specialized electrode	190 €
HI981036	Foodcare Meat pH Tester	137 €
HI9810362	HALO2 Wireless pH Tester for Meat with built-in specialized electrode	190 €
HI981037	Skin and scalp pH tester	137 €
HI9810372	HALO2 Wireless pH Tester for Skin & Scalp with built-in specialized electrode	190 €
HI981038	Bread and Dough Checker pH Tester	137 €
HI9810382	HALO2 Wireless pH Tester for Bread and Dough with built-in specialized electrode	190 €
HI981039	Chocolate Checker pH Tester	137 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI9810392	HALO2 Wireless pH Tester for Chocolate with built-in specialized electrode	190 €
HI9810402	HALO2 Wireless Refillable pH Tester for Lab with built-in general purpose electrode	190 €
HI9810412	HALO2 Wireless pH Tester for Lab with built-in general purpose electrode	190 €
HI9810422	HALO2 Wireless pH Tester for Field with built-in general purpose electrode	190 €
HI9810432	HALO2 Wireless Refillable pH Tester for Cosmetic Creams with built-in specialized electrode	190 €
HI9810442	HALO2 Wireless pH Tester for Leather & Paper with built-in specialized electrode	190 €
HI981045	pH Tester for Meat with built-in Specialized Electrode, Compatible with FC097 Meat Blade	137 €
HI9810452	HALO2 Wireless pH Tester for Meat with built-in Specialized Electrode, Compatible with FC097 Meat Blade	190 €
HI9810462	HALO2 Wireless Refillable pH Tester for Lab with Built-in Specialized Electrode	190 €
HI9810472	HALO2 Wireless Refillable pH Tester for Juice with Built-in Specialized Electrode	190 €
HI9810-61	pH/EC/TDS/Temperature meter with CAL Check™ and HI1285-61 electrode; EC range: 0 to 6000 µS/cm, TDS range: 0 to 3000 ppm (mg/L)	219 €
HI98107	New pHep®, 0.1 pH, with ATC, waterproof	66 €
HI981074	Pool Line Waterproof Pocket pH Tester with 0.1 Resolution - pHep®	66 €
HI98108	pHep+®, 0.01 pH, with ATC, waterproof, 3pt. calibration	68 €
HI98115	GroLine pH tester with HI1271 pH electrode	73 €
HI9811-51	pH/EC/TDS/Temperature meter with HI1285-51 electrode; EC range: 0 to 6000 µS/cm, TDS range: 0 to 3000 ppm (mg/L)	219 €
HI98118	GroLine waterproof pH tester	90 €
HI98120	ORP/Temperature Tester	187 €
HI981204	Pool Line ORP/Temperature Tester	187 €
HI98121	pH/ORP/Temperature Tester	248 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI981214	Pool Line ORP/pH/Temperature Tester	248 €
HI9812-51	pH/EC/TDS/Temperature meter with HI1285-51 electrode; EC range: 0 to 1990 μ S/cm, TDS range: 0 to 1990 ppm (mg/L)	219 €
HI98127	pHep®4 pH/Temperature Tester with 0.1 pH resolution	114 €
HI981274	Pool Line pHep®4 pH/Temperature Tester with 0.1 pH resolution	114 €
HI98128	pHep®5 pH/Temperature Tester with 0.01 pH resolution and 3 pt. calibration	136 €
HI98129	Combo pH/Conductivity/TDS Tester (Low Range)	191 €
HI98130	Combo pH/Conductivity/TDS Tester (High Range)	191 €
HI981304	Pool Line Combo pH/Conductivity/TDS Tester (High Range)	191 €
HI98131	GroLine Combo waterproof pH/EC/TDS/Temperature tester	224 €
HI9813-51	pH/EC/TDS meter with HI1285-51 electrode, range: pH 0.0 to 14.0 pH EC 0.00 to 4.00 mS/cm TDS 0 to 1999 ppm (mg/L)	236 €
HI9813-61	pH/EC/TDS/Temperature meter with CAL Check™ and HI1285-61, range: pH 0.0 to 14.0 pH EC 0.00 to 4.00 mS/cm TDS 0 to 1999 ppm (mg/L)	236 €
HI9814	GroLine Hydroponic Waterproof pH/EC/TDS/Temperature Portable Meter	315 €
HI981412-00	GroLine pH dosing system with HI10063 pH probe	417 €
HI981412-10	GroLine pH dosing system with HI10063 pH probe, injection fitting and tubing	487 €
HI981412-20	GroLine pH dosing system with HI10063 pH probe, panel mounted flow cell, injection fitting and tubing	695 €
HI981413-00	GroLine Nutrient dosing system with HI30033 conductivity probe	412 €
HI981413-10	GroLine Nutrient dosing system with HI30033 conductivity probe, injection valve fitting and tubing	487 €
HI981413-20	GroLine Nutrient dosing system with HI30033 conductivity probe, panel mounted flow cell, fittings and tubing	695 €
HI981420-02	GroLine pH, EC/TDS and temperature monitor for nutrient solutions 230 VAC	424 €
HI981421-02	GroLine pH, EC/TDS and temperature monitor for nutrient solutions supplied with HI1285-9 probe with 3/4" threaded connection; 230 VAC	555 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI98143-01	pH and EC transmitter with isolated output; range: 0 to 14 pH; 0 to 10 mS/cm, 0-1 V output	615 €
HI98143-04	pH and EC transmitter with isolated range: 0 to 14 pH; 0 to 10 mS/cm, output; 0-4 V output	615 €
HI98143-20	pH and EC transmitter with isolated range: 0 to 14 pH; 0 to 10 mS/cm, output; 4-20 mA output (passive)	520 €
HI98143-22	pH and EC transmitter with isolated range: 0 to 14 pH; 0 to 10 mS/cm, output; 4-20 mA output (active)	615 €
HI981520-02	Marine pH, Salinity and Temperature Monitor with replaceable HI1286 pH Electrode and attached Conductivity / Temperature Probe, 230 VAC	335 €
HI98161	Professional Foodcare Portable pH Meter	760 €
HI98162	Professional Portable Milk pH Meter	760 €
HI98163	Professional Portable Meat pH Meter	760 €
HI98164	Professional Portable Yogurt pH Meter	760 €
HI98165	Professional Portable Cheese pH Meter	760 €
HI98167	Professional Portable Beer pH Meter	760 €
HI98168	Professional Portable Soil pH Meter	760 €
HI98169	Professional portable pH meter for wine analysis	760 €
HI98190	Professional Waterproof Portable pH/ORP Meter	665 €
HI98190-03	Professional Waterproof Portable pH/ORP Meter - Meter with carrying case only and no accessories (i.e. probes, adapter, etc.)	489 €
HI98191	Professional Waterproof Portable pH/ORP/ISE Meter	765 €
HI98191-03	Professional Waterproof Portable pH/ORP/ISE Meter - Meter with carrying case only and no accessories (i.e. probes, adapter, etc.)	610 €
HI981914	Pool Line Professional Waterproof Portable pH/ORP/ISE Meter	765 €
HI98192	Waterproof portable EC/resistivity/TDS/NaCl auto ranging meter with graphic display	875 €
HI98192-03	HI98192 meter only version, with carrying case	540 €
HI98193	Waterproof portable dissolved oxygen and BOD meter; Range: DO 0.00 to 50.00 ppm; 0.0 to 600.0 % Saturation; Barometric Pressure 450 to 850 mmHg; Salinity Compensation 0 to 70 ppt (g/L); Temp -20.0 to 120.0°C (-4.0 to 248.0°F)	875 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI98193/10	Waterproof portable dissolved oxygen and BOD meter supplied with HI764073/10 probe with 10 meter cable	930 €
HI98193-03	HI98193 meter only version, with carrying case and accessories	620 €
HI98194	pH/EC/DO multiparameter portable	2.020 €
HI98194/10	HI98194 pH/EC/DO multiparameter portable meter supplied with HI7698194/10 probe with 10 meter cable	2.170 €
HI98194/20	HI98194 pH/EC/DO multiparameter portable meter supplied with HI7698194/20 probe with 20 meter cable	2.300 €
HI98194/40	HI98194 pH/EC/DO multiparameter portable meter supplied with HI7698194/40 probe with 40 meter cable	2.480 €
HI98194/50	pH/EC/DO Multiparameter Portable Meter supplied with 50 Meters Cable Probe	2.670 €
HI98194-03	pH/EC/DO Multiparameter Portable, Meter only	1.130 €
HI98195	pH/EC multiparameter portable	1.290 €
HI98195/10	HI98195 pH/EC multiparameter portable meter supplied with HI7698195/10 probe with 10 meter cable	1.430 €
HI98195/20	HI98195 pH/EC multiparameter portable meter supplied with HI7698195/20 probe with 20 meter cable	1.560 €
HI98195/40	HI98195 pH/EC multiparameter portable meter supplied with HI7698195/40 probe with 40 meter cable	1.830 €
HI98195-03	pH/EC multiparameter portable, meter only	1.100 €
HI981954	Pool Line HI98195 pH/EC multiparameter portable meter supplied with HI7698195 probe with 4 meter cable	1.290 €
HI98196	pH/ORP/DO/Pressure/Temperature Waterproof Multiparameter Portable Meter supplied with HI7698196 Probe with 4 meters Cable	1.290 €
HI98196/10	pH/ORP/DO/Pressure/Temperature Waterproof Multiparameter Portable Meter supplied with HI7698196 Probe with 10 meters Cable	1.430 €
HI98196/20	pH/ORP/DO/Pressure/Temperature Waterproof Multiparameter Portable Meter supplied with HI7698196 Probe with 20 meters Cable	1.560 €
HI98196/40	pH/ORP/DO/Pressure/Temperature Waterproof Multiparameter Portable Meter supplied with HI7698196 Probe with 40 meters Cable	1.830 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI98196-03	pH/ORP/DO/Pressure/Temperature Waterproof Multiparameter Portable, Meter only	680 €
HI98197	Professional Resistivity meter with flow through cell	1.740 €
HI98198	OPDO Portable Optical Dissolved Oxygen Meter with probe	1.910 €
HI98198/10	OPDO portable optical DO meter with 10m Cable	2.000 €
HI98198-03	OPDO Portable Optical Dissolved Oxygen Meter (meter only option)	1.000 €
HI98199	Digital pH,EC,DO portable meter with HI829113 pH electrode	845 €
HI98199-03	Digital pH,EC,DO portable meter (meter only)	595 €
HI98263	Professional Bluetooth Portable Meat pH Meter	895 €
HI9828-20	Quick Calibration Solution, 230 mL	25 €
HI9828-25	Quick Calibration Solution (500mL Bottle)	54 €
HI9828-27	Quick calibration solution, 1 G	209 €
HI9829-00042	HI9829 with pH/ORP, EC, DO, 4 meter probe, carrying case, 230V	3.460 €
HI9829-00102	HI9829 with pH/ORP, EC, DO, 10 meter probe, carrying case, 230V	3.600 €
HI98290-02	Meter only with GPS, charging adapter and instruction manual, 230VAC	2.440 €
HI9829-00202	HI9829 with pH/ORP, EC, DO, 20 meter probe, carrying case, 230V	3.740 €
HI9829-01042	HI9829 with pH/ORP, EC, DO, Turbidity, 4 meter probe, carrying case, 230V	4.010 €
HI9829-01102	HI9829 with pH/ORP, EC, DO, Turbidity, 10 meter probe, carrying case, 230V	4.160 €
HI9829-01202	HI9829 with pH/ORP, EC, DO, Turbidity, 20 meter probe, carrying case, 230V	4.300 €
HI9829-02	Meter only, charging adapter and instruction manual, 230VAC	2.100 €
HI9829-02042	HI9829, Logging with pH/ORP, EC, DO, 4 meter probe, carrying case, 230V	4.160 €
HI9829-02102	HI9829, Logging with pH/ORP, EC, DO, 10 meter probe, carrying case, 230V	4.300 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI9829-02202	HI9829, Logging with pH/ORP, EC, DO, 20 meter probe, carrying case, 230V	4.440 €
HI9829-03042	HI9829, Logging with pH/ORP, EC, DO, Turbidity, 4 meter probe, carrying case, 230V	4.710 €
HI9829-03102	HI9829, Logging with pH/ORP, EC, DO, Turbidity, 10 meter probe, carrying case, 230V	4.860 €
HI9829-03202	HI9829, Logging with pH/ORP, EC, DO, Turbidity, 20 meter probe, carrying case, 230V	5.010 €
HI9829-10	10 ppm Ammonium Calibration Standard Sachets for HI7609829-10 Ammonium ISE (25 x 20 mL)	99 €
HI9829-10/11	10 ppm and 100 ppm Ammonium Calibration Standard Sachets for HI7609829-10 Ammonium ISE (10 x 20 mL each)	99 €
HI9829-10042	HI9829, GPS, with pH/ORP, EC, DO, 4 meter probe, carrying case, 230V	4.720 €
HI9829-10102	HI9829, GPS, with pH/ORP, EC, DO, 10 meter probe, carrying case, 230V	4.870 €
HI9829-10202	HI9829, GPS, with pH/ORP, EC, DO, 20 meter probe, carrying case, 230V	5.010 €
HI9829-11	100 ppm Ammonium Calibration Standard Sachets for HI7609829-10 Ammonium ISE (25 x 20 mL)	99 €
HI9829-11042	HI9829, GPS, with pH/ORP, EC, DO, Turbidity, 4 meter probe, carrying case, 230V	5.220 €
HI9829-11102	HI9829, GPS, with pH/ORP, EC, DO, Turbidity, 10 meter probe, carrying case, 230V	5.350 €
HI9829-11202	HI9829, GPS, with pH/ORP, EC, DO, Turbidity, 20 meter probe, carrying case, 230V	5.470 €
HI9829-12	10 ppm standard sachet for HI7609829-11 chloride ISE, 25 mL (25)	99 €
HI9829-12/13	Kit containing 10 sachets each of 10 ppm and 100 ppm standard for HI7609829-11 chloride ISE	99 €
HI9829-12042	HI9829, GPS, Logging with pH/ORP, EC, DO, 4 meter probe, carrying case, 230V	5.220 €
HI9829-12102	HI9829, GPS, Logging with pH/ORP, EC, DO, 10 meter probe, carrying case, 230V	5.350 €
HI9829-12202	HI9829, GPS, Logging with pH/ORP, EC, DO, 20 meter probe, carrying case, 230V	5.470 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI9829-13	100 ppm standard sachet for HI7609829-11 chloride ISE, 25 mL (25)	99 €
HI9829-13042	HI9829, GPS, Logging with pH/ORP, EC, DO, Turbidity, 4 meter probe, carrying case, 230V	5.720 €
HI9829-13102	HI9829, GPS, Logging with pH/ORP, EC, DO, Turbidity, 10 meter probe, carrying case, 230V	5.890 €
HI9829-13202	HI9829, GPS, Logging with pH/ORP, EC, DO, Turbidity, 20 meter probe, carryin, case, 230V	6.010 €
HI9829-14	10 ppm standard sachet for HI7609829-12 nitrate ISE, 25 mL (25)	99 €
HI9829-14/15	Kit containing 10 sachets each of 10 ppm and 100 ppm standard for HI7609829-12 nitrate ISE	99 €
HI9829-15	100 ppm standard sachet for HI7609829-12 nitrate ISE, 25 mL (25)	99 €
HI9829-16	0 FNU Turbidity Calibration solution for HI9829	143 €
HI9829-17	20 FNU Turbidity Calibration solution for HI9829	143 €
HI9829-18	200 FNU Turbidity Calibration solution for HI9829	143 €
HI98294	GPS Multiparameter Portable pH/EC/ISE/Turbidity/DO Meter with HI7698294/4 Multiparameter Probe with 4m (13') Cable	2.220 €
HI98294/10	GPS Multiparameter Portable pH/EC/ISE/Turbidity/DO Meter with HI7698294/10 Multiparameter Probe with 10m (33') Cable	2.350 €
HI98294/20	GPS Multiparameter Portable pH/EC/ISE/Turbidity/DO Meter with HI7698294/20 Multiparameter Probe with 20m (66') Cable	2.460 €
HI98294/30	GPS Multiparameter Portable pH/EC/ISE/Turbidity/DO Meter with HI7698294/30 Multiparameter Probe with 30m (98') Cable	2.565 €
HI98294/40	GPS Multiparameter Portable pH/EC/ISE/Turbidity/DO Meter with HI7698294/40 Multiparameter Probe with 40m (131') Cable	2.680 €
HI98294/50	GPS Multiparameter Portable pH/EC/ISE/Turbidity/DO Meter with HI7698294/50 Multiparameter Probe with 50m (164') Cable	2.810 €
HI98301	New DiST1, waterproof TDS tester with ATC, 1999 ppm (mg/L)	71 €
HI98302	New DiST2, waterproof TDS tester with ATC, 10.00 ppt (g/L)	71 €
HI983024	Pool Line DiST® 2 TDS tester with HI73302 probe Range: 10.00 ppt (g/L)	71 €
HI98303	New DiST3, waterproof EC tester with ATC, 1999 µS/cm	71 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI98304	New DiST4, waterproof EC tester with ATC, 19.99 mS/cm	71 €
HI983044	Pool Line DiST® 4 EC tester with HI73304 probe Range: 19.99 mS/cm	71 €
HI98308	PWT Pure water test Range: 0.0 to 99.9 µS/cm	96 €
HI98309	UPW Ultra pure water test Range: 0.000 to 1.999 µS/cm	233 €
HI98311	DiST® 5 EC/TDS/Temperature tester; EC resolution: 1 µS/cm, TDS resolution: 1 mg/L (ppm) Range: 0 to 3999 µS/cm	137 €
HI98312	DiST® 6 EC/TDS/Temperature tester; EC resolution: 0.01 mS/cm, TDS resolution: 0.01 g/L (ppt) Range: 0.00 to 20.00 mS/cm	137 €
HI983124	Pool Line DiST® 6 EC/TDS/Temperature tester; EC resolution: 0.01 mS/cm, TDS resolution: 0.01 g/L (ppt) Range: 0.00 to 20.00 mS/cm	137 €
HI98318	GroLine waterproof EC/TDS/Temperature tester; EC resolution: 1 µS/cm, TDS resolution: 1 mg/L (ppm) Range: 0 to 6,000 µS/cm	89 €
HI98319	Marine waterproof salinity tester	99 €
HI98325	GroLine Waterproof Salinity Tester with ATC, Low Range: 0.00 to 10.00 ppt, High Range: 0.0 to 70.0 ppt	99 €
HI98326	DiST® 9 Waterproof Salinity Tester with ATC, Low Range: 0.00 to 10.00 ppt, High Range: 0.0 to 70.0 ppt	99 €
HI98331	GroLine direct soil EC tester Range: 0.00 to 4.00 mS/cm	141 €
HI98394	GPS Multiparameter Portable pH/EC/ISE/Turbidity/DO Meter with HI7698394/4 Autonomously Logging Multiparameter Probe with 4m (13') Cable	2.400 €
HI98394/10	GPS Multiparameter Portable pH/EC/ISE/Turbidity/DO Meter with HI7698394/10 Autonomously Logging Multiparameter Probe with 10m (33') Cable	2.540 €
HI98394/20	GPS Multiparameter Portable pH/EC/ISE/Turbidity/DO Meter with HI7698394/20 Autonomously Logging Multiparameter Probe with 20m (66') Cable	2.655 €
HI98394/30	GPS Multiparameter Portable pH/EC/ISE/Turbidity/DO Meter with HI7698394/30 Autonomously Logging Multiparameter Probe with 30m (98') Cable	2.760 €
HI98394/40	GPS Multiparameter Portable pH/EC/ISE/Turbidity/DO Meter with HI7698394/40 Autonomously Logging Multiparameter Probe with 40m (131') Cable	2.875 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI98394/50	GPS Multiparameter Portable pH/EC/ISE/Turbidity/DO Meter with HI7698394/50 Autonomously Logging Multiparameter Probe with 50m (164') Cable	141 €
HI98494	Multiparameter Bluetooth® portable pH/EC/OPDO meter with HI7698494/4 probe (4 meter cable)	3.140 €
HI98494/10	Multiparameter Bluetooth® portable pH/EC/OPDO meter with HI7698494/10 probe (10 meter cable)	3.250 €
HI98494/20	Multiparameter Bluetooth® portable pH/EC/OPDO meter with HI7698494/20 probe (20 meter cable)	3.350 €
HI98494/30	Multiparameter Bluetooth® portable pH/EC/OPDO meter with HI7698494/30 (30 meter cable)	3.450 €
HI98494/40	Multiparameter Bluetooth® portable pH/EC/OPDO meter with HI7698494/40 probe (40 meter cable)	3.560 €
HI98494/50	Multiparameter Bluetooth® portable pH/EC/OPDO meter with HI7698494/50 (50 meter cable)	3.660 €
HI98494/60	Multiparameter Bluetooth® Portable pH/EC/OPDO with 60 meters Probe cable	3.870 €
HI98501	Checktemp® water resistant digital thermometer with stainless steel penetration probe °C/°F	49 €
HI98509	Checktemp® 1 water resistant digital thermometer with stainless steel penetration probe and 3.3' silicone cable °C/°F	51 €
HI98517-12	Key® pocket thermometer °C ; Interchangeable probe (surface)	33 €
HI98517-13	Key® pocket thermometer °C ; Interchangeable probe (penetration)	33 €
HI98517-15	Key® pocket thermometer °C ; Interchangeable probe 170 mm (liquid, general)	36 €
HI98517-30	Key® pocket thermometer °C ; Interchangeable probe 320 mm (liquid, general)	46 €
HI98539	Checktemp® Dip Digital Thermometer with Weighted Stainless Steel Probe and 3 m (9.9') Silicone Cable	97 €
HI985394	Pool Line Checktemp® Dip Digital Thermometer with Weighted Stainless Steel Probe and 3 m (9.9') Silicone Cable	97 €
HI98594	Multiparameter Bluetooth® Portable pH/EC/Turbidity/OPDO Meter with HI7698594 Probe 4m (13') Cable	3.710 €
HI98594/10	Multiparameter Bluetooth® Portable pH/EC/Turbidity/OPDO Meter with HI7698594/10 Probe 10m (33') Cable	3.810 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI98594/20	Multiparameter Bluetooth® Portable pH/EC/Turbidity/OPDO Meter with HI7698594/20 Probe 20m (66') Cable	3.970 €
HI98594/30	Multiparameter Bluetooth® Portable pH/EC/Turbidity/OPDO Meter with HI7698594/30 Probe 30m (98') Cable	4.120 €
HI98594/40	Multiparameter Bluetooth® Portable pH/EC/Turbidity/OPDO Meter with HI7698594/40 Probe 40m (131') Cable	4.280 €
HI98594/50	Multiparameter Bluetooth® Portable pH/EC/Turbidity/OPDO Meter with HI7698594/50 Probe 50m (164') Cable	4.430 €
HI98703-02	EPA turbidity meter with Fast Tracker™ technology; Range 0.00 to 9.99; 10.0 to 99.9 and 100 to 1000 NTU; 230V	1.250 €
HI98703-11	Calibration set for HI98703	204 €
HI98703-58	Silicon oil for turbidity meter	29 €
HI98713-02	ISO turbidity meter with Fast Tracker™ technology; Range 0.00 to 9.99; 10.0 to 99.9 and 100 to 1000 FNU; 230V	1.250 €
HI98713-11	Turbidity cal set 0. 10, 15, 100, 750 NTU	202 €
HI987134-02	Pool Line ISO turbidity meter with Fast Tracker™ technology; Range 0.00 to 9.99; 10.0 to 99.9 and 100 to 1000 FNU; 230V	1.250 €
HI991001	Waterproof Portable pH/Temperature Meter	494 €
HI991001-03	Waterproof Portable pH/Temperature Meter - Meter only	356 €
HI991003	Waterproof Portable pH/pH-mV/ORP/Temperature Meter with Sensor Check™	605 €
HI99111	pH meter for wine analysis, range pH -2.00 to 16.00 pH, with FC10483 pH electrode	570 €
HI99121	Direct Soil Measurement pH Portable Meter	580 €
HI991300	Portable Waterproof pH/EC/TDS Low Range Meter (0 to 3999 µS/cm, 0 to 2000 ppm)	690 €
HI991301	Portable Waterproof pH/EC/TDS High Range Meter (0.00 to 20.00 mS/cm, 0.00 to 10.00 pp)	690 €
HI99131	Plating pH Portable Meter	605 €
HI99141	Boiler and Cooling Tower pH Portable Meter	605 €
HI99151	Beer Analysis pH Portable Meter	540 €
HI99161	Food and Dairy pH Portable Meter (HACCP)	580 €

ΚΩΔΙΚΟΣ	ΠΕΡΙΓΡΑΦΗ	ΤΙΜΗ
HI99162	Milk pH Portable Meter (HACCP)	535 €
HI99163	Meat pH Portable Meter (HACCP)	630 €
HI99164	Yogurt pH Portable Meter (HACCP)	540 €
HI99165	Cheese pH Portable Meter (HACCP)	560 €
HI99171	Leather and Paper pH Portable Meter	620 €
HI99181	Skin pH Portable Meter	620 €
HI99192	Drinking Water pH Portable Meter	605 €
HI99300	EC/TDS/Temperature meter; EC unit: $\mu\text{S}/\text{cm}$, TDS unit: ppm, Range: 0 to 3999 $\mu\text{S}/\text{cm}$, TDS 0 to 2000 ppm (mg/L), Temp 0.0 to 60.0°C / 32.0 to 140.0°F	399 €
HI99301	EC/TDS/Temperature meter; EC unit: mS/cm, TDS unit: ppt, Range: EC 0.00 to 20.00 mS/cm, TDS 0.00 to 10.00 ppt (g/L), Temp 0.0 to 60.0°C / 32.0 to 140.0°F	399 €
PCA310-2	Free & Total Chlorine Analyzer, range: Free & Total Chlorine 0.00 to 5.00 mg/L, Sampling Rate Free & Total Chlorine adjustable from 3 to 90 minutes, 230V	2.560 €
PCA320-2	Free & Total Chlorine/pH/Temperature Analyzer, range: Free & Total Chlorine 0.00 to 5.00 mg/L, 0.00 to 14.00 pH, Temperature 5.0 to 75.0°C, Sampling Rate Free & Total Chlorine adjustable from 3 to 90 minutes, 230V	2.710 €
PCA330-2	Free & Total Chlorine/pH/ORP/Temperature Analyzer, range: Free & Total Chlorine 0.00 to 5.00 mg/L, 0.00 to 14.00 pH, Temperature 5.0 to 75.0°C, mV 0 to 2000 mV, Sampling Rate Free & Total Chlorine adjustable from 3 to 90 minutes, 230V	2.850 €
PCA340-2	Free & Total Chlorine/pH/Temperature Analyzer, range: Free & Total Chlorine 0.00 to 5.00 mg/L, 0.00 to 14.00 pH, Temperature 5.0 to 75.0°C. Dual analog outputs. Sampling Rate Free & Total Chlorine adjustable from 3 to 90 minutes, 230V	2.990 €